

AEROMODELLER

CONTENTS

- Fascinating 1/15th scale, powered R.S.B. by D. R. Hughes
- Gerdie Gunter's well-known P.F. contest power job for 54 c.c. motor—
"Clubman"
- "Topsy"—Top line Wakefield from Northern Ireland by Norman Osbourn
- "Hoplit"—High speed, short coupled super stunt job by Eric Higlott
- "Aerale"—The real low-down on R.C. Aerial problems by leading radio expert P. C. Judd
- Biplane design fully covered in this month's "It's Designed For You"



MARCH 1951


1'6

PRODUCTS


E.D.

ACCESSORIES

& SPARES




E.D. 3-46 MK. IV




E.D. TRANSMITTER




E.D. FUELS



E.D. 1 c.c. MK. I



HI/ED. MAGNETO



E.D. TIMERS

E.D. DIESEL ENGINES

E.D. Mk. I "Bee" 1 c.c. Diesel Engine	£2 7 6*
E.D. Mk. II 2 c.c. Diesel Engine	£2 15 0*
E.D. 2 c.c. Competition Special Diesel Engine	£2 17 6*
E.C. Mk. III 2-49 c.c. Diesel Engine	£3 5 0*
E.D. Mk. III (Series 2) 2-46 c.c. Racing Engine	£3 12 6*
E.C. Mk. IV 3-46 c.c. Diesel Engine	£3 12 6*

E.D. Mk. I & Mk. III (Miniature) RADIO CONTROL UNITS & COMPONENTS

E.D. Mk. III "Miniature" Radio Control Unit (complete, less batteries)	£7 19 6
E.D. Mk. I Three-valve Radio Control Unit (complete, less batteries)	£14 10 0
E.D. Mk. III Transmitter and Aerial	£4 12 6
E.D. Mk. III Receiver plus 4-pin Battery Socket and Plug, 2-pin Phone Socket and Plug, Potentiometer and On/Off Switch	£3 0 0
E.D. Mk. III Escapement	18 6
E.D. Mk. I Transmitter and Aerial	£4 17 6
E.D. Mk. I Receiver	£7 15 0
E.D. Mk. I Escapement (clockwork)	£2 7 6
E.D. Special Miniature Hand Transmitter	£5 0 0

MI/ED MAGNETO

For two-stroke or four-stroke engines up to 30 c.c. Dispenses with the old coil and battery system.

MI/ED. Magneto complete ... £4 10 0

MI/ED. Unit Magneto £2 15 0

E.D. TIMERS

A Clockwork Timer, weighing under 1 oz. Total run 50-60 secs. 7 oz. pull ... 12 6*

E.D. CLUTCH UNIT

E.D. Mk. III and Mk. IV Clutch Unit, complete £2 2 0

E.D. Mk. II C/S Clutch Unit complete, as above, plus Taper Insert £2 5 0

E.D. FUELS

Blended with the correct proportion of Ether and ready for use.

E.D. "Standard" Fuel 3/- per bottle

E.D. "Competition" Fuel ... 3/6 per bottle

E.D. KIT SETS

E.D. "Radio Queen" Aircraft Kit Set	£3 18 6
E.D. "Challenger" Hydroplane Kit Set	£2 2 6
E.D. "Aerocar" Kit Set	£2 2 6
Challenger C/L Aircraft complete with Engine (ready to fly)	£4 7 6*


E.D. PROPELLERS

E.D. Plastic Propellers, 9½" dia. x 6" pitch, Free Flight	2/11*
E.D. Plastic Propellers, 8½" dia. x 9" pitch, Control	2/8½*
E.D. Plastic Propellers, 7½" dia. x 6" pitch, Free Flight	2/3½*
E.D. Plastic Propellers, 6½" dia. x 7" pitch, Control	2/3½*
E.D. Hydulignum Propellers, 7" dia. x 7" pitch, Free Flight	5/-*
E.D. Hydulignum Propellers, 8" dia. x 4" pitch, Control	5/-*
E.D. Hydulignum Propellers, 9" dia. x 9" pitch, Free Flight	5/7½*
E.D. Hydulignum Propellers, 10" dia. x 5" pitch, Control	5/7½*

* Prices marked thus include Purchase Tax.



CHALLENGER " HYDROPLANE



E.D. " RADIO QUEEN "



AEROCAR

E.D.
KINGSTON ON THAMES

ORDER THROUGH
YOUR MODEL SHOP

ELECTRONIC DEVELOPMENTS (SURREY) LTD

DEVELOPMENT ENGINEERS

1223, 18, VILLIERS ROAD, KINGSTON-ON-THAMES, SURREY, ENGLAND.



Kindly mention AEROMODELLER when replying to advertisers

CELLON

MODEL AIRCRAFT FINISHES

*Produced specially for
Modellers by the makers
of the World's Finest
aircraft finishes.*

How much better a model that's finished with CELLON looks—and how much tougher it can be, too. Those who have already discovered these super-quality finishes are loud in praise of them. Now that more and more dealers stock CELLON there is nothing to prevent you using the finishes which make success assured. They have been specially developed and produced for modellers by CELLON whose name for aircraft finishes is famous the world over.

	2-oz.	4-oz.	1-pt.
Clear Model Dope ...	1/-	1/9	3/6
Glider Dope ...	1/-	1/9	3/6
Glossy Coloured Dope* ...	1/3	2/-	4/-
Aluminium Dope ...	1/3	2/-	4/-
Fuel Proof Lacquer ...	1/3	2/-	4/-
Sanding Sealer ...	1/-	1/9	3/6
Banana Oil ...	1/3	2/-	4/-
Model Dope Thinners ...	10d.	1/6	2/9
Anti-Blush Thinners ...	1/-	1/9	3/6
Fuel-Proof Thinners ...	10d.	1/6	2/9

* In 12 colours.

FUEL PROOFING

CELLON fuel-proof lacquer is 100% effective. Needs no hardener. Easily brushed. High gloss, quick drying. An ideal light-weight weather-proof finish for models of all types.



The CELLON LABEL is your Guarantee of Satisfaction.

MERCURY FUELS

at the new reduced prices

It's the absolute consistency and purity of MERCURY FUELS plus the new reduced prices that make them the most economical range available, and if fuel performance can ever be improved, you can rely on Mercury doing it. New formulae have been developed for No. Economy Glow-Plug (Blue Label, 2/-) and No. 6 All-in-one Economy Diesel (Yellow Label, 2/-). For all-round dependability, they cannot be bettered. TRY THE NEW No. 4 and No. 6 NOW.



No. 1 (Red Label).
Comp. Petrol ... 1/9
No. 2 (Green Label).
Racing Methanol ... 2/6
No. 3 (Orange Label).
Comp. Diesel ... 2/6
No. 4 (Blue Label).
Comp. G. Plug ... 2/-


No. 5 (Magenta Label).
Racing G. Plug ... 2/6
No. 6 (Yellow Label).
All-in-one Diesel 2/-
No. 7 (Pink Label).
Racing Special ... 3/6
No. 8 (Brown Label).
Castor Diesel ... 2/6
In 8-oz. Bottles.

MORE MERCURY FUELS ARE SOLD THAN ALL OTHER BRANDS TOGETHER

FROM ALL MERCURY STOCKISTS




SPECIAL NOTICE
Cement is no longer included in Mercury kits as it may be purchased free from Purchase Tax, over the counter.



MAGPIE Recognised "Trainer Kit" for newcomers, and a good performer.
MAYBUG 32 in. rubber-powered follow-on to Magpie, and a firm favourite.

4/7 (inc. P.T.)

8/3 (inc. P.T.)



MONITOR Mercury's classic C/L Kit design. A real job for the connoisseur.
JNR. MONITOR Recommended for the intermediate C/L Stunt Flyer. For 2.49 Diesels.


21/1 (inc. P.T.)

15/7 (inc. P.T.)

MERCURY KITS

for every modeller

These F/F Scale Models are the Best Ever



MONOCOUCÉ L.7A

64 in. model for Allbon Javelin
The finest designed and best selling kit this season. This is a superlative model that has true scale appearance and flight. Ideal for R.C. (inc. P.T.)


60/6



Stinson Voyager 105


42 in. model for Allbon Dart
Sets a sensational standard in small F/F Flying Scale. Scale Performance as well as appearance. A de-luxe model at true economy price. For Dart or Mills 0-75. (inc. P.T.)

Correct Price 23/10




MK. I. TEAM RACER

Sturdiest, and most popular in its class. Built to win. (inc. P.T.)



MALLARD F/F contest model, 48 in. span for 1.5-2.5 c.c. Diesels. A record-maker.
JNR. MALLARD For 0.5-0.87 Diesels. (inc. P.T.)

18/4 (inc. P.T.)
13/9 (inc. P.T.)



MUSKETEER Mercury's wonderful C/L stunt-speed ship for 5 c.c. Diesels.
JNR. MUSKETEER For the 1.5 c.c. Diesel flyer. Chosen for the FESTIVAL OF BRITAIN. (inc. P.T.)

22/- (inc. P.T.)
18/4 (inc. P.T.)

MERCURY MODEL AIRCRAFT SUPPLIES LTD., LONDON, N.7.

Kindly mention AEROMODELLER when replying to advertisers

Right
Up-to-date!

THE Westland "WYVERN" TURBO - PROP - JET

"FAST—SLEEK"

NAVAL STRIKE FIGHTER

The modernistic character of this graceful machine has been faithfully reproduced in this 25½ in. span scale control-line model. Its fighter quality is preserved by the extra manoeuvrability gained with Veron's own unique innovation,

COMBINED
FLAP AND ELEVATOR CONTROL



1/20th Scale (3/5 in. to the foot).
Span 25½". Length (O.A.) 25".
Weight (bare airframe covered) 6 ozs.
SPEEDS OF
60/80 M.P.H.

KIT CONTENTS:

Include Moulded Plastic Cockpit Cover. Correct shape Elongated Spinner, Transfer Insignia. Many ready-cut Balsa and key parts. Hardware and wire parts and all other materials, including unpuncturable Sorbo Rubber Wheels.

The sheeted nose cowl will accommodate most Diesel and Glow-Plug motors up to 5 c.c.


The wonderfully detailed 30" x 40" plan gives complete section drawings showing the installation of the E.D. Mk. IV. 3.46 c.c., Frog 500 and Amco 3.5 engines as well as sketches of the step-by-step construction of the airframe. Full details given for drop-off scale dolly undercart.

Kit Price

23'6

(Plus P.T. 5/2)

The "THUNDER-JET"



This model makes an ideal companion to the "British Sea-Hawk", both being reduced to 18" and both capable of fast and scale-like performance.


This VERON Super Quality Kit contains step-by-step illustrated building instructions on a perfectly laid-out plan, together with Cockpit Cover, Transfers and all materials.

Kit
Price **5'6**

(Plus P.T. 1/2)

The "SEA-HAWK"

A SUPER LIGHTWEIGHT
18" SPAN SCALE MODEL
OF THE NAVAL JET
FIGHTER. IDEAL FOR
"JETEX 50"



The Motor Unit is very cleverly concealed in a fuselage slot, easily accessible and perfectly preserving the graceful contours and smooth flight of the prototype. The Super Quality Kit contains graded strip and printed sheet, cement and all materials including Cockpit Cover and Transfer Roundels, etc.

Kit
Price **5'6**

(Plus P.T. 1/2)

VERON



The "VERON" 1951 CATALOGUE

Obtainable from any VERON dealer Price **6d.** or direct from us 6d. in stamps.

AUSTRALIAN DISTRIBUTORS :

SCIENTIFIC HOBBY DISTRIBUTORS

350 QUEEN STREET

BRISBANE

AUSTRALIA.

MODEL AIRCRAFT (Bournemouth) LTD. Norwood Place. BOURNEMOUTH

'Phone: SOUTHBOURNE 2783

Kindly mention AEROMODELLER when replying to advertisers

NATIONAL GUILD OF MODELLERS MEMBERSHIP APPLICATION FORM

Allen House, Newarke Street, Leicester.

I hereby make application for membership/renewal of membership to the Guild under the section/s noted below and agree to operate my model/s at all times with due care and regard to others.

REGISTERED
No.

For office use only.

Surname..... Christian Names.....

Address

Please use BLOCK Letters

Section A. MEMBERSHIP (Third Party Liability)

Category 1 Enrolment for Third Party Cover for Rubber-powered model aircraft ; Sail-planes and Gliders ; and Model Sailing Boats. Premium: 9d. per annum

Category 2 Enrolment for Third Party Cover for Model Aircraft ; Model Cars ; Model Boats ; Model Locomotives ; and other models driven by mechanical motors, i.e., internal combustion engines of petrol or diesel types. Also "Jetex." Premium: 2/6 per annum

Category 3 Enrolment for Third Party Cover for Model Aircraft ; Model Cars ; Model Boats ; Model Locomotives ; and other models driven by any form of rocket, jet, or steam propulsion. Premium: 5/- per annum

Premium

: :

: :

: :

Section B. TOTAL LOSS BY OUT-OF-SIGHT FLIGHT (Model Aircraft)

Please insure the model/s listed for Total Loss by out-of-sight flight. The true value/s of the model/s based on materials cost, plus accessories and components is as follows:

Model No. 1..... Model No. 2.....

Model No. 3..... Model No. 4.....

Model No. 5..... Model No. 6.....

Total annual premium/s at the rate of 2/6 per £2 value of model/s

: :

Section C. FIRE, THEFT, ACCIDENTAL DAMAGE and THIRD PARTY LIABILITY

(Exhibitions and Models in Transit)

Please insure the model/s listed during Exhibition, and during transit to and from the venue notified, for the period of one calendar month commencing.....19.....

.....models up to £10 in value. Monthly premium: 4/- per model

.....models up to £20 in value. Monthly premium: 8/- per model

: :

Section D. FIRE, THEFT, ACCIDENTAL DAMAGE, THIRD PARTY LIABILITY or LOSS

(Exhibition, Demonstration, or Private Flying Abroad)

Please insure the model/s listed for the purpose/s of Exhibition, demonstration, competition or private flying whilst in my possession in Europe and Eire (with the exception of the Russian controlled zones of Germany and Austria; Poland; Czechoslovakia; Jugoslavia; Albania; Roumania; Bulgaria; Greece; and Soviet Russia) for the period of one calendar month commencing.....19.....

.....model aircraft. Monthly premium: 12/6 per model

.....model..... Monthly premium:
4/- per model (up to £10 in value)
8/- per model (up to £20 in value)

: :

: :

Section E. SUNDRIES

Please supply.....small transfers at 1d. each

Please supply.....large transfers at 1½d. each

Please supply.....lapel badges at 1/6 each

Please supply.....address labels at 1d. each

: :

: :

: :

: :

I herewith enclose Cheque/Postal Order value.....

to cover cost of Premiums, etc.

Total

£ : :


NOTE.—Details of the models to be insured under Sections B, C, & D must be attached. Membership is restricted to persons normally resident in Great Britain, Northern Ireland, Isle of Man, and the Channel Islands.



The STEPPING STONES TO SUCCESS!

Don't hesitate about your future! Go forward, confident that The Bennett College will see you through to a sound position in any career you choose. The Bennett College methods are individual. There's a friendly, personal touch that encourages quick progress and makes for early efficiency. Take the first important step NOW and fill in the coupon below.

Study at Home in your spare time



CAN YOU CHANGE MY EXPRESSION:

IF SO, YOU MAY BE THE ARTIST THAT COMMERCE IS WAITING FOR

Just try it for yourself, trace or draw the outline, then put in the features.

There are hundreds of openings in connection with Humorous Papers, Advertisement Drawing, Posters, Calendars, Catalogues, Textile Designs, Book Illustrations, etc., etc., 60% of Commercial Art Work is done by "Free Lance" Artists who do their work at home and sell it to the highest bidders. Many Commercial Artists draw retaining fees from various sources; others prefer to work full-time employment or partnership arrangement. We teach you not only how to draw what is wanted, but how to make buyers want what you draw. Many of our students who originally took up Commercial Art as a hobby have since turned it into a full-time paying profession with studio and staff of assistant artists—there is no limit to the possibilities. Let us send full particulars for a FREE TRIAL and details of our course for your inspection. You will be under no obligation whatever.

Jim Duck

ART DEPT 119

Send this Coupon TO-DAY!

CHOOSE YOUR CAREER

Aviation (Engineering and Wireless)
Blue Prints
Boilers
Book-keeping,
Accountancy & Modern Business Methods
Builders' Quantities
Building, Architecture and Clerk of Works,
A.R.I.B.A. Exams.
Cambridge Senior School Certificate
Carpentry and Joinery
Chemistry
Civil Engineering
Civil Service
All Commercial Subjects
Commercial Art
Common Prelim. E.J.E.B.
Draughtsmanship,
All branches

Engineering.
All Branches, Subjects & Examinations
General Education
G.P.O., Eng. Dept.
Heating and Ventilating
Institute of Housing
Institute of Municipal Engineers
Journalism
Languages
Mathematics
Matriculation
Mining. All Subjects
Novel Writing
Plastics
Play Writing
Plumbing
Police, Special Course
Quantity Surveying—Inst. of Quantity Surveyors Exams.

Radio Service Engineering
Radio (Short Wave)
Salesmanship
Sanitation
Secretarial Examinations
Shorthand (Pitman's)
Short Story Writing
Speaking in Public
Structural Engineering
Surveying
(R.I.C.S. Exams.)
Teachers of Handicrafts
Telecommunications
(City & Guilds)
Television
Viewers, Gaugers, Inspectors
Weights and Measures Inspectors
Wireless Telegraphy and Telephony
Works Managers

If you do not see your own requirements above, write to us on any subject. Full particulars free

COUPON. IF YOU ATTEND TO THIS NOW IT MAY MAKE A WONDERFUL DIFFERENCE TO YOUR FUTURE.

**To Dept. 119, THE BENNETT COLLEGE Ltd.
SHEFFIELD, ENGLAND**

Please send me (free of charge) particulars of.....
Your private advice about.....

(Cross out line which does not apply)


PLEASE WRITE IN BLOCK LETTERS

NAME.....

ADDRESS.....

Kindly mention AEROMODELLER when replying to advertisers

Do a grand job in your spare time . . .



Air power

in reserve helps

to keep the Peace

Air power is Britain's first line of defence. An efficient, highly trained reserve force, proud of its ability to back up the regular R.A.F., is the best deterrent to would-be aggressors. Men and women who believe that our strength in the air ensures peace are needed now to help maintain the proud status of the R.A.F. Auxiliaries and Reserves as the finest spare-time air force in the world.

Join the

ROYAL AUXILIARY AIR FORCE

Flying squadrons (fighter and air observation post) (men), light ack-ack Regiment squadrons (men) and Fighter Control Radar Units (men and women) which train as self-contained city or county units.

R.A.F. VOLUNTEER RESERVE

Men and women for aircrew or ground duties train at local Reserve Centres and Flying Schools as individuals at times which can be varied to suit personal requirements.

TO ROYAL AIR FORCE, CENTRAL
RECRUITING OFFICE. (AM. 66B)
VICTORY HOUSE, KINGSWAY, W.C.2

Please send details (pay, allowances, uniform, etc.) of R.A.F. Auxiliaries and Reserves. If ex-R.A.F. or ex-W.R.A.F. please give rank, trade and No.

NAME

ADDRESS





- HAVE YOU EVER SEEN
ANYTHING SO SIMPLE
- SUCH VALUE FOR MONEY?




Wolf Cub

HOME CONSTRUCTOR
KITS

You buy a Wolf Cub Electric Drill for only **£4.19.6**


You add a few low-cost
parts, and presto — a
Saw Kit.



Add a few more — now
it is a Lathe Kit.



For a few shillings you
have now a Drilling,
Grinding & Polishing Kit!



- AND THAT'S NOT ALL THE STORY!

Write at once for large size, fascinating
fully picturised folder, "Profitable Pleasure."

WOLF ELECTRIC TOOLS LTD., PIONEER WORKS, HANGER LANE, LONDON, W.5
BRANCHES: BIRMINGHAM, MANCHESTER, LEEDS, BRISTOL Telephone: PERIVALE 1531 X.

BUD MORGAN

MODEL AIRCRAFT SPECIALIST

Please Note PURCHASE TAX is now chargeable on all
MODEL AIRCRAFT & SHIP KITS as from January 1st, 1951
SPECIAL FREE OFFER. SEND NOW for my NEW
PRICE LIST, including tax, of the following Firms' KITS :
Keil Kraft, Mercury, Veron, Aeromodels, I.M.A.,
Skyleada, Jetex

BOOKS.

Power Duration Models by R. H. Warring	6/-	Veron Westland Wyvern T.F.2.	Scale
Aeromodeller Annual, 1950	7/6	Control-line model	28/8
Radio Control for Models by G. Honnest-Redlich	8/6	Hawker Sea Hawk (Jetex 50)	6/8
Miniature Aero Motors by R. H. Warring	7/6	Thunderjet (Jetex 50)	6/8
Control-line Model Aircraft	7/6	Hot-Dog (Jetex 50 Dura- tion)	3/8
		Jeticopter 50	6/8
		Meteor for 2 Jetex 50's	9/2

KITS

Model Boat Book by G. H. Deason	7/6	Ladybird 42" (E.D. Bee)	22/8
Model Maker (monthly)	2/-	K.K. Flying Scale Series including Swift, Luscombe	
Craftworker (monthly)	1/2	Silvaire, Chipmunk, Aeronca C.3, Auster	
		Arrow, Fokker D.8, etc.	
		See Keil's Advert. for full particulars and prices.	
ENGINES		Mercury Monocoupe	60/6
E.D. Bee 1 c.c.	47/6	Midge (Speed Model)	5/6
E.D. Comp. Spec. 2 c.c.	57/6	Junior Musketeer...	15/7
E.D. Mk. IV 3-46 c.c.	72/6	Team Racer	19/3
Elfin 1-49 c.c.	59/5	Gili-Chopper (Glider)	12/10
Elfin 2-49 c.c.	70/-		
Frog 500 Glowplug 5 c.c.	78/9	Mallard	18/4
Frog 250 Diesel 2-5 c.c.	75/6	Veron Skyskooter...	30/6
D.C. 350 Diesel 3-5 c.c.	87/6	Midget Mustang	25/8

NEW KITS

K.K. Flying Saucer (Jetex
50) ... 3/1
Philibuster c/l Team Racer,
28½-in. span, power E.D.
Mk. IV., Frog 500, D.C.
350 ... 28/8
Veron Panther Stunt c/l.
Completely pre-fabricated,
easy to build, easy to fly.

BARGAIN CORNER

Frog 45 Aircraft kits still
without tax, 27/6 post free.
Babette control line
model for Amco 3-5 c.c.
of D.C. 350, only 19/6.
Frog Plastic Mustang kits,
4/6
Adamcraft Sailing Dinghy
from 75/- to 37/6, post
paid.
Mercury FUELS down in
Price.

No. 6 diesel ready mixed
now 2/-
No. 8 diesel ready mixed
now 2/6
No. 3 diesel now 2/6
No. 5 Competition G. Plug
now 2/6
No. 7 Racing Glow fuel
now 3/6
Carriage extra on Fuels
from 1/-
FULL RANGE OF JETEX
UNITS IN STOCK

MY 1951 PRICE LIST contains the new prices of all KITS
ACCESSORIES, ENGINES, etc., and is still only 6d. post
free. VERON CATALOGUE (new) 6d. post free
KEIL CATALOGUE 6d. MERCURY 6d.

22, Castle Arcade
Cardiff. Phone 8085

PLAN YOUR PROGRAMME

From this 5-STAR Selection

Wise modellers plan their building ahead of the season. They get their supplies from H.J.N.'s because the service is good, and stocks plentiful.

We publish a representative selection from our stocks. Other lines by these makers available as advertised by them. **PRICES INCLUDE PURCHASE TAX.**



Stinson Voyager

42 in. F/F Flying Scale model for the Allbon Dart. Its price brings de-luxe modelling within reach of all. This is a model to be proud of, and the kit is absolutely first rate. Correct price (inc. P.T.) **23/10**



Monocoupe L.7A

64 in. F/F Flying Scale. A truly magnificent kit for the man who takes pride in building and flying. For 1.5 to 2.5 diesels. Particularly suitable for Radio-control. Price (Inc. P.T.) **60/6**

K.K.	Flying Saucer (Novelty)...	3/1
	Ladybird, Semi-Scale F/F	22/8
	Super Slicker, 60 in. F/F Pylon...	42/9
	Falcon, F/F for R/C	130/5
	Chief, 64 in. Glider (A.2)	22/8
	Gypsy Duration, Rubber	12/10
MERCURY	Mallard, 48 in. F/F Contest	18/4
	Junior Mallard	13/9
	Musketeer, C/L Stunt	22/-
	Jnr. Musketeer	18/4
	M.K.I. Team Racer	19/3
	Magpie, Beginner's 24 in. Glider	4/7
VERON	Jnr. Monitor, De-luxe C/L Stunt	15/7
	Philibuster, Team Racer	28/8
	Midget Mustang, C/L Stunt	25/8
	Skyshooter	30/6
E.D.	Radio Queen, 84 in. R/C	92/6
ENGINES	Allbon Dart	65/2
	Allbon Javelin	68/3
	Elfin 1-49	59/6
	Elfin 2-49	70/-
	E.D. Bee	47/6
	E.D. Mk. IV	72/6
	E.D. Mk. III (Series II)	72/6
	Frog 250	72/6
	Mills 0-75	68/3
	D.C. 350	87/6



Veron Sea Hawk

First of series of model jet fighters. Jetex powered. Price (Inc. P.T.) **6/8**


ENGINE REPAIRS NO LONGER ACCEPTED

We stock full range of Jetex motors, Accessories and Models.

SUNDRY

E.C.C. and E.D. Radio-Control Equipment; Scout Props.; Cellon Finishes; Solarbo Balsa; Books; Periodicals; Used Engine Bargains.

Dart



IF YOU CAN'T CALL PERSONALLY AT 308, you can order by mail in confidence from Britain's first and foremost mail order house. Goods sent cash or C.O.D. Orders 25/- or more sent post free. If under add 1/-. Please send S.A.E. with all enquiries needing a reply from us.

HENRY J. NICHOLLS LTD.

308, HOLLOWAY ROAD, LONDON, N.7.
Telephone • OPEN ALL DAY • Two minutes from
NORTH 4272 SATURDAY Holloway Road Und.


Last 1,000 in stock

OVER eleven thousand lucky aeromodellers have got their copies of AEROMODELLER ANNUAL 1950 safe on their shelves—get your copy now before it is too late—there certainly won't be enough paper about to run a reprint this year!

About that date—some people ask why don't we date it for the year in advance—that is 1951 in 1950? Well, it would be rather cheating wouldn't it, and anyway it deals with events and models that have been built and flown, and never was intended as a kind of aeromodellers' Old Moore's Almanack! Just remember the 1950 volume is the current Annual—but previous issues are not dated—If you haven't got your full set, that is 1948 (at 5/- by the way), 1949 (7/6) and this one also at 7/6, then get them while you can, there aren't many left.

AEROMODELLER ANNUAL 1950 is brimful of good things—over fifty plans, some two-page, some one page and a few half-pages, from all over the world including Iron Curtainland, Japan, and of course all the other main aeromodelling countries as well. Articles by real authorities on A2 Sailplanes, Glider Launching, Team Racing, Rubber Models, Radio Control, Engines, Wakefield Rules. Features on Club Badges, Contest Results, Engine Analysis, and a host of other items to please nearly everybody.

Knowledgeable aeromodellers have it, keen aeromodellers are after it, new aeromodellers need it, and all aeromodellers are the better for reading it!



160 pages size 8½ x 5½ ins. on high quality white paper. Three colour bright teamracing dust jacket, cloth and card bound, with gold blocked title on spine. Definitely a book to keep. From model shops and booksellers (By post 8/3 including postage and packing direct from the publishers).


7/6

Model Aeronautical Press Ltd., (Dept. AM3) The Aerodrome, Billington Rd., Stanbridge, Nr. Leighton Buzzard, Beds.

Kindly mention AEROMODELLER when reëlying to advertisers

GAMAGES Model Aeroplane Corner

for KITS · ENGINES · TOOLS · ACCESSORIES



VERON PHILIBUSTER TEAM RACER


Yet another winner by Phil Smith. Superbly kitted with supersonic spinner, moulded cockpit cover, "Sorbo" wheels and tank parts. Accurately cut high grade balsa and detailed plans. For Frog "500," E.D. Mk. IV, Amco 3.5 and similar motors. Post free. **28/8**

FROG "500" DIESEL ENGINE

Capacity 4.92 c.c., weight 7.75 ozs. 4,000 to 15,000 r.p.m. Superb for C/L or Free Flight. Post free. **78/9**

FROG "250" DIESEL ENGINE

Capacity 2.49 c.c., weight 5.5 oz. 2,000 to 10,000 r.p.m. Ideal for R/C work. Post free. **76/3**



"CHALLENGER"

The first fully finished ready to fly C/L trainer

A superb miniature model aircraft, complete with C/L handle, lines and E.D. plastic propeller. Designed for E.D. Bee, but suitable for Javelin, Elfin, I-49, etc. Finished with R.A.F. roundels. Post free. Without engine. **39/-**

UNIVERSAL TEST BENCH

The most efficient test mount to suit all types and size of motor. Post free. **15/3**

BEE BUG C/L KIT

SPAN 22 in.

For full-stunt-range and maximum kit value with class I engines. Post free. **14/-**



VERON "SKYSKOOTER"

SPAN 48 in.

A de-luxe kit with super detail plans. Specially designed for the New E.D. Mk III miniature R/C Unit. Will carry full 12 oz. payload when powered with the E.D. Bee 1 c.c. diesel engine. Post free. **30/6**

VERON 'SEA HAWKE' KIT

For the Jetex 50 owner—a new super scale jet job with totally enclosed motor. Post free. **6/8**

E.D. BEE DIESEL ENGINE

Capacity 1 c.c., 7,000 plus r.p.m. Weighs only 2½ ozs. Overall height 2½ ins. Post free. **47/6**

GAMAGES, HOLBORN, LONDON, E.C.1. LONDON'S HEADQUARTERS FOR MODELS.


64 page Conjuring List 1/-

ROLAND SCOTT
CAN ASSIST YOU

SPREADING the LOAD


WITH SELF FINANCED . .
HIRE PURCHASE FACILITIES

SEND S.A.E. FOR COMPLETE LISTS AND
SIMPLIFIED AGREEMENT FORM




KEILKRAFT LADYBIRD

For Engines .75-1.5 c.c. ... **18/6**



ELFIN 149

The fastest Class I Diesel. British record holder. Weight, 2½ ozs. Performance, 10,000 r.p.m. with 9" x 4" prop. The best value for money obtainable at **59/6** Cash or C.O.D. Or on the Best of Terms.



DC350

Britain's latest 3.5 c.c. Diesel. Terrific power, light weight. Personally tested at 14,000 r.p.m. with a 10" x 4" prop. **87/6** Cash or C.O.D. Or on the Best of Terms.

HIRE PURCHASE TERMS AVAILABLE ON ALL
GOODS VALUE £2 OR OVER
ANY KIT CAN BE INCLUDED WITH AN ENGINE

ENGINES	Cash or C.O.D.	Deposit	Six mthly pymts
Kalper .32 c.c. Diesel	52/6	12/6	7/6
Allbon Dart .5 c.c. Diesel	65/2	13/6	9/6
Mills .75 c.c. Diesel	60/9	12/6	9/-
Frog 100 1 c.c. Diesel	48/-	9/6	7/-
E.D. Bee 1 c.c. Diesel	47/6	9/-	7/-
Elfin 1.49 c.c. Diesel	59/6	12/-	8/7
Elfin 2.49 c.c. Diesel	69/6	14/6	10/-
Frog 250 2.5 c.c. Diesel	76/-	15/-	11/-
D.C. 350 3.5 c.c. Diesel	87/6	15/6	12/9
E.D. Mk. IV 3.46 c.c. Diesel	72/6	15/-	10/6
Amco 3.5 c.c. Diesel	97/6	17/6	14/2
Frog 500 5 c.c. Glowplug	77/6	15/-	11/3
Eta 19 3.2 c.c. Glowplug	124/5	24/5	17/6
Yulon "29" Glowplug	87/6	15/6	12/9
Yulon "49" Glowplug	124/5	24/5	17/6
Eta "29" Glowplug	149/5	29/5	21/-
RADIO CONTROL UNITS			
"Comet" Complete unit	169/6	39/6	22/6
"Comet" Transmitter only	75/-	12/6	11/1
"Comet" Receiver only	75/-	12/6	11/1
E.D. Mk. III Complete unit	199/-	40/-	27/8
E.D. Mk. III Receiver	75/-	12/6	11/1
E.C.C. 950 Receiver	87/6	15/6	12/9
"Ivy" Receiver	87/6	15/6	12/9

CHOOSE YOUR OWN TIME TO PAY
WEEKLY OR MONTHLY

ROLAND SCOTT
185, CAMBRIDGE RD., ST. HELENS,
LANCS.

A PERSONAL MESSAGE FROM R.S.

Increased cost of materials will no doubt lead to an increase in prices. Therefore my advice to you is—**BUY NOW**—you can afford to do so—"ON THE BEST OF TERMS"

Sincerely yours,

ROLAND SCOTT

SELECTED SECOND-HAND ENGINES

Allbon Arrow 1.5 c.c. Glowplug	37/6
Frog 160 1.6 c.c. Redglow	22/6
Elfin 1.8 c.c. Diesel	37/6
E.D. Mk. III 2.49 c.c. Diesel	35/-
Yulon 29 5 c.c. Glowplug	55/-

FULL LIST ON REQUEST

Second hand engines taken in part exchange for any other goods.

ATTENTION R/C FANS


Your petrol engine can now be converted to "Two-speed Operation". Inclusive Charge 15/- Satisfaction assured

INTRODUCING!!! THE "COMET" MK. I R/C UNIT

Receiver—Lightweight, strong, accessible—utilises XFG1 valve. Range, over 1 mile. **75/-**
Transmitter—Built in a tube 7" long and 2" diameter—uses 3A5 valve—Input, 4 watts **75/-**

Actuator—Self-neutralising, Lightweight—Positive action **21/-**
Complete Unit from Stock **169/6**
Leaflet on request.

Kindly mention AEROMODELLER when replying to advertisers



FROG FIREFLY

Biplanes make a strong appeal to most flyers but a lot of bods are put off because they don't fly well. Don't let that worry you any more—the Firefly is a 36-in. span job that can and will fly beautifully. It has that realistic look, too, and for 21/- you get the complete box of tricks.

*The House that
Service Built*

Raylite




E.P.C. .85 c.c. DIESEL

35/11

Have you ever been convinced that small engine operation was worthwhile? You will be if you own a "Moth", and no mistake. It weighs 2 ozs. and turns a 7x4 prop over at 8,500 and then asks for more. It won't wear out in 5 minutes, either—a phosphor bronze bearing plus first-grade material—takes care of that.

But best news for you, m'lad, is that it costs you just 35/11 including tax. You will be well advised to place your order now or send for detailed information without further ado.



CONTROLLINE

Veron Mustang	21/-
Veron F.V. "190"	19/6
Veron Philibuster	23/6
Veron Sea Fury	22/6
Mercury Musketeer	19/6
K.K. Team Racer	22/6
K.K. Skystreak "26"	9/6
K.K. Stunt King	18/6
K.K. Stunt Queen	21/6
Aerobat	10/6

BOOKS

Aeromodeller Annual	7/6
Radio Control for Models	8/6
Control-line Model Aircraft	7/6
Model Race Car Manual	7/6
Model Boat Book	7/6

RUBBER

Keilcraft Competitor	23/6
Keilcraft Eaglet	4/6
Keilcraft Ajax	6/-
Keilcraft Playboy	3/3
Keilcraft Achilles	4/-
Keilcraft Gipsy	10/6
Frog Stardust	10/6
Keilcraft Pixie	4/11

ENGINES

D.C. "350"	...	£3 19 6
Frog "500"	...	£3 18 9
Elfin 1-49 c.c.	...	£2 19 6
Elfin 2-49 c.c.	...	£3 10 0
Yulon "29"	...	£3 19 6
Yulon "49"	...	£4 19 6
Mills .75 c.c.	...	£3 0 9
Mills 1-3 c.c.	...	£4 11 1
E.D. Bee	...	£2 7 6
E.D. Mk. IV	...	£3 12 6

GLIDER

Keilcraft Invader	6/6
Keilcraft Soarer Minor	8/6
Frog Fairey	7/6
Keilcraft Cub	2/6
Mercury Norseman	17/6
Keilcraft Soarer Baby	5/-
Keilcraft Soarer Major	11/6
Keilcraft Cadet	4/-
Halfax Roma	7/6
Halfax Tern	10/-
Halfax Albatross	25/-

POWER

K.K. Bandit	18/6
K.K. Junior "60"	39/6
K.K. Ladybird	18/6
Jetex Vampire	5/-
Frog Firefly Bi-plane	21/-
Frog Powavan	25/-
Frog Vixen	12/6
Veron Skyskooter	25/-
Veron Fouga Cyclone	4/6
Veron "Sea Hawk"	7/4

LTD. • 21 ARKWRIGHT STREET, NOTTINGHAM • TELEPHONE: 89216

Pak

with **MILLS** in mind!

.75 c.c. (1 3/4 ozs.)

60/9 without cut-out.

66/9 with fuel cut-out.

(Inc. P.T.).

1-3 c.c. (3 1/2 ozs.)

91/1 with fuel cut-out.

MARINE UNIT

99/7 with fuel cut-out.

(Inc. P.T.).

2-4 c.c. (5 1/2 ozs.)

102/-

(Inc. P.T.).

with fuel cut-out.

**YOUR AIM IS TO FLY WHENEVER YOU WANT TO...
AND TO ACHIEVE PERFECT FLIGHTS.**

YOU cannot do better, therefore, than to decide right now on using a Mills. This engine is famous throughout the world as the quickest starter. Its immediate response gives you more flights and more fun.

All Mills Diesels are extremely powerful. It is of interest in C/L flying that the 1-3 c.c. (1950 type) gives an even 10 h.p. 'plus' over

the very wide range of 9,000 to 12,000 r.p.m. whilst the .75 c.c. and 2-4 c.c. peak .05 h.p. and .17 h.p. respectively at about 10,000 r.p.m. It will help the free-flight modeller to know that a Mills runs just as smoothly also at comparatively low speeds. In fact the Mills Diesel is the ideal all-purpose engine. Mills Blue Label Fuel 3/- large standard bottle (Refills 2/6)


MILLS BROS. (Model Engineers) LTD.

143, GOLDSWORTH ROAD, WOKING, SURREY

Kindly mention AEROMODELLER when replying to advertisers




FROG

SUPER
CONTEST
MODELSfor
1951

9/-


• **DIANA**—A NEW 36" span sailplane kit—equally suitable for beginner or expert.

These new FROG Models and engines are the result of months of careful experiment by FROG designers A. A. Judge, C. T. Buffery and J. R. Vanderbeek who, between them, have almost 60 years' practical experience of designing good models. Only FROG Kits are thus ensured of the very best in design and production—insist on them!!





25/-

• **POWAVAN**—The last word in power duration models. Climbs way over 2,000 ft. per min. with a FROG "100"



21/-

• **FOX**—NEW!! A 40" span, "simple-to-build," pylon duration model for up to 1.5 c.c. motors. "FOX" features ready formed fuselage shells.




22/6

• **FIREFLY**—36" span biplane—with a 1 to 1.5 c.c. motor it flies well in any weather.

• **WITCH**—is a NEW "semi-streamliner", 36" span, rubber powered and perfect for contest work.

Price to be announced



75/-


FROG

POWER PLUS MOTORS

"500"
HOT COIL

A high performance 5 c.c. motor that leads the world for reliability, power and low initial cost! Apart from being first choice of many Britain's top-line C/L fliers the "500" is fast making a name for itself on free-flight duration and Radio models.

Make no mistake—the "500" is THE motor for 1951—just watch the contest records for proof!!



72/6

"250"
DIESEL

Another new FROG super diesel—2.5 c.c. capacity and ideal for every type of model. The "250" is NOT an "aggravated wasp" job that develops max. b.h.p. at impossible revs., but a real slogger—for anything from C/L stunt to Radio Control flying. Speed range of 2,000 to 10,000 r.p.m. is ideal for safely testing free-flight models.

MANUFACTURED BY

FROG
Flying Models
& Engines

International Model Aircraft Ltd.
MERTON · LONDON · S.W. 19 · ENGLAND.

PENGUIN
Plastic
Scale Models

VOLUME XVI
NUMBER 182
MARCH 1951



ESTABLISHED
1935

AEROMODELLER

INCORPORATING "THE MODEL AEROPLANE CONSTRUCTOR"

**"Covers the World
of Aeromodelling"**

Managing Editor:

D · A · RUSSELL, M.I.Mech.E.

Editor:

C · S · RUSHBROOKE

Assistant Editor:

H · G · HUNDLEBY

Public Relations Officer

D · J · LAIDLAW DICKSON

Published monthly on the 15th of the
previous month by the Proprietors:
THE MODEL AERONAUTICAL
PRESS LTD.,

Allen House, Newarke Street, Leicester.

Subscription rate 21/- per annum prepaid
(including Christmas Double Number).

Contents

SPECIAL FEATURES

	Page
R.E.B.	142
1951 CONTEST PROGRAMME	145
CLUBMAN	146
TOPSY	148
HOPIT	150
AERIALS	152
BILL WHITE CUP	155
SEE YOU AT EATON BRAY	156
C/L MULTI'S	164
JOUKOWSKI SYSTEM	169
AIRFOIL SELECTION GLIDE TESTS	176
NATIONAL AND WORLD RECORDS	177

REGULAR FEATURES

HEARD AT THE HANGAR DOOR ...	140
WORLD NEWS ...	158
MODEL NEWS ...	160
ENGINE ANALYSIS—REEVES H.18	162
READERS' LETTERS ...	165
RADIO CONTROL NOTES ...	166
ESPECIALLY FOR THE BEGINNER	170
IT'S DESIGNED FOR YOU ...	172
AIRCRAFT DESCRIBED — VAMPIRE	
TRAINER ...	178
CLUB NEWS ...	180

Advertisement Office:

THE AERODROME, BILLINGTON ROAD,
STANBRIDGE, NR. LEIGHTON BUZZARD,
BEDFORDSHIRE. Tel.: EATON BRAY 246

Editorial Office:

ALLEN HOUSE, NEWARKE STREET,
LEICESTER. Tel.: LEICESTER 65322

ONCE upon a time, as all good fairy stories should start, it was possible for any aeromodeller to pick up his model and make straight for the nearest open space, be it park, common or Farmer Giles' field, and there enjoy himself for as long as he pleased, limited only by the number of casual by-standers and helpful small boys, whose enquiries and assistance might ultimately lead him to seek some less frequented area.

Those days it would seem have gone for ever, except in very remote districts where law and order is still administered in the curious old-fashioned way of live and let live. Our modern aeromodeller must be something of a local politician, and pause on the way to his usual flying field, to read the byelaws and see if, by chance, he is now forbidden to enjoy his hobby, whilst tennis players, cricketers and footballers may still sport unharmed by Bumbledom.

It is a pity that we must so often refer to the growing prohibition of model flying in municipally controlled open spaces. We should be the first to admit that the old entirely uncontrolled attitude to our activities might lead to harm befalling non-aeromodelling passers-by and in particular the very young. That view is also held by the S.M.A.E. who were amongst those called upon to advise the Home Office on their model byelaws for the control—control mark you, not prohibition—of model flying in areas under local authorities administration. But far too many councils still continue to read into these model byelaws a need to stop flying altogether.

Now what is the poor harassed aeromodeller to do? If he is a club member he may hope with some confidence that by collective effort the group will be able to find some alternative flying field where they will at least be tolerated if not welcomed. His contest flying is at any rate covered by the activities of his Area Council who will certainly be arranging one or more area rallies on some friendly aerodrome.

But this covers only perhaps a quarter of the flying enthusiasts in this country. What can the many lone hands do about it?

We can hardly claim to have foreseen the present state of affairs when in 1944 our Managing Editor arranged the purchase of Eaton Bray Sportsdrome, to develop its 75 acres as a centrally placed flying field for the exclusive use of model flyers, and all concerned with working models.

We are happy to say that this splendid site is now available to our readers—when our season opens at Easter the whole area will be free of agricultural wire and other hazards, and our doors open at all times to welcome aeromodellers. There is adequate sleeping accommodation, full catering, showers, and all the other needs of the modeller away from home.

May we therefore repeat in all sincerity the slogan coined in hope some years ago: "See you at Eaton Bray".

Cover Photograph

Taken at the first contest of the year, the Bill White Cup, this wintry contest scene shows L. Ranson, the poetic aeromodeller, about to launch his F.A.I. rubber job. The timekeeper appears well dressed to withstand the chilly breeze; but his attention seems to have wandered from L. Ranson's model! The event is reported on page 155

HEARD AT THE HANGAR DOORS



Insurance

WE apologise at the outset to those readers who take exception to our continually flogging the model aircraft insurance issue, but we view this requirement with such gravity that we feel sure constant reference is justified.

In spite of the efforts of the N.G.M. and S.M.A.E. (via its domestic insurance scheme), the numbers of insured members registered make it obvious that a considerable number of active aeromodellers in this country are flying their models with no protection to bystanders or, what is more important from a selfish viewpoint, protecting themselves against possible third party claims from members of the general public. We fail utterly to appreciate the viewpoint of those who do not undertake such commonsense precautions, still less so in view of the fact that the cost involved is so nominal.

However rosy may be our views on the great hobby of aeromodelling there is no denying the fact that, with the possible exception (?) of radio controlled models, once a model has left the launcher's hands he has no control whatsoever over the machine. This would be all right if one could be assured that the flyer was operating all by himself in the midst of a vast area, but we know full well that this is very rarely the case. With the performance of present-day machines the incidence of a fly-away is very prevalent and nobody can indicate where a model will land and what will be the conditions under which the landing takes place.

Our Claims Department shows that (fortunately) the incidence of damage to persons or property is comparatively small BUT—and that "but" cannot be too big—you never know when the odd serious accident will occur, and it is solely for this reason that insurance is such a necessity.

Further, we know full well that a number of members who take out insurance to enable them to participate in contests during the normal flying season allow their cover to lapse during the winter months. This would be all right if we could be assured that they were not flying during this period, but this we know not to be the case, and we would point out to these defaulters that the possibility of a claim being made against them is just as liable to occur during the "off" season as during the busy contest months.

We therefore urge everybody in their own interests to ensure that they and the general public are fully protected against any accidents arising from their flying.

No Hum !!

A news cutting recently received from Iran gives the comforting information that we aeromodellers in the Tight Little Isle might as well pack up the game and take to knitting (wind) socks.

Mr. G. C. Hughes, who hails from Margate and has been in Persia since 1945, told a local reporter that "Adaban is streets ahead of the U.K. in 'plane modelling. We are so advanced here that when I went home recently I was barred

from flying my models in competitions because they were too good". Further, he has a jet job that has an "estimated speed of 160 m.p.h. He is having a little engine trouble at the moment".

Well—it seems we have let the best modeller slip through our widely spaced fingers, for surely all we need to do to bring the Wakefield and other trophies to this country is to secure the "extradition" of Mr. Hughes and send him around the world as a one-man British Team!

We would be interested to know just what "opposition" Mr. Hughes met when he was home on leave, for we must admit his is a new name in aeromodelling circles—and we have yet to learn of any modeller barred because he was "too good". Or is it that there are no class modellers in or around Margate?

We can only say in conclusion, and in the words of the immortal bard of "Take it from Here"—"Stop wasting your talents on the desert air, Mr. Hughes, and come 'ome to the Old Country. We sure need you".

Miles v. Kilometres

Those interested in control-line Speed models—and they are many—will be interested in the new minimum line lengths and number of laps for all future contests, including attacks on National and International Records. Modified to fall into line with the F.A.I. International requirements, the details are:—

	Class	Minimum line lengths	Number of laps per kilometre
I	(00-1.5 c.c.)	11.368 m. (37.296 ft.)	14
II	(1.51-2.5 c.c.)	13.263 m. (43.513 ft.)	12
III	(2.51-3.5 c.c.)		
IV	(3.51-5 c.c.)	15.915 m. (52.214 ft.)	10
V	(5.01-8.5 c.c.)	19.894 m. (65.268 ft.)	8
VI	(8.51-15 c.c.)		
VII	(Jet)		

It is only commonsense to bring the British regulations into line like this, for a study of the International speed records shows that in nearly all classes the existing British records are in advance of the International grades, but as the latter speeds must be set up over a minimum distance of one kilometre, it has not been possible to submit claims to the F.A.I. It is to be hoped that some effort will now be made to bring the name of Great Britain into the list of official world records.

Time Gentlemen—Please !

To all those harassed club secretaries looking for a good turn to enliven the proceedings at their annual club dinner or other function, we heartily recommend the services of the West Essex "Singing Waiters". (Advert.) Ranged behind a most imposing fringe of face fungus, the three culprits rend(ered) an assortment of Victorian pub classics with great gusto, and kept a somewhat blasé audience in tucks. Full marks to "Stoo" and Co.

R/C Team Work

In two of the four Radio-Control contests planned for the 1951 season, teamwork will play a very important part, and we look forward to seeing some slick flying combined with a minimum waste of time on the ground.

For the AEROMODELLER International Radio-Control Trophy at Whitsun and the S.M.A.E. Radio-Control event at the 1951 Nationals, competitors will be required to fly a two-part flight pattern, with a landing in between. Part I consists of two beats round a straight line course, with points given for unassisted take-off, correct turns, and a spot landing. A five-minute period is then allowed during which refuelling, alteration to trim, etc., is carried out, then the model commences Part II, which again comprises take-off, turns, figures of eight, spins, loops and a final spot landing.

The full flight pattern (including the five-minute "break") must be completed in the space of 15 minutes, so that with the five-minute limit between being called upon to make his flight and the model being airborne for the first time, a competitor has 20 minutes in which to do his stuff. Here is where competent team-work will count, for much will depend on the efficient use of the half-way break.

State v. Penge

Penge Urban District Council decided to ban the flying of power-driven model aircraft on their local playing fields, contending that the amount of space available was far too limited. They communicated with the Home Office on the subject and have received a reply containing the following:—

"The Council will appreciate that the purpose of by-laws regulating the flying of model aircraft is not to restrict flying, but to make it possible to permit flying in areas where permission for this pastime would otherwise have to be withheld. It appears to the Secretary of State that there may be space to permit the flying of control-line models in King George's Playing Field, Penge.

If necessary, flying in this ground could be restricted by by-laws to a particular area of the ground and to specified days or hours. He would be glad if the Council would reconsider the matter on these lines."

The Penge Council is adhering to the prohibition, but has invited the Secretary of State to send an officer of the Home Office to inspect the playing fields in the belief that they will gain support for the ban.

And in nearby Croydon, the Croydon and District Model Aeronautical Club are still unsuccessful in their appeals to Croydon Council for permission to carry out model flying from any open space in the borough. The nearest ground available to them is Epsom Downs. There are more than 100 members in the Club, and fresh approaches are to be made.

Seen in the contemporary press

U.S.A. . . . A unique variation for stunt control-line with ornithopter-like control on a flying wing, tips flap up and down in place of normal elevator, incidence change thus directs climb or dive . . . Big interest in $\frac{1}{4}$ A class has prompted a call for an International $\frac{1}{4}$ A event, our 5 c.c. diesels should fare well if such an event came to be.

Yugoslavia . . . A report on the American Drone diesel rates that motor as 28 b.h.p. at 7,600 r.p.m.

Poland . . . A description plus sketches of the return gear system for Wakefields. Shall we have a team from behind the curtain in '51?

"Better late than never." Frank Hawkins, centre, receives the 1950 Junior Championship Certificate from "Rushy" at the Birmingham M.A.C. dinner. Reasons for this somewhat belated presentation were given in last month's "Hangar Door."

July's Big Event

We know of one rabid control-liner who has oft expressed his highest modelling ambition as an opportunity to fly on those super greens of the Empire Stadium, Wembley. He and thousands of others will have the chance to do just that on Saturday, July 21st, between 1 and 6 p.m. Thanks to the ardent efforts of the new S.M.A.E. Public Relations Officer Ken Brookes, Wembley, scene of the greatest sporting events held in the British Isles, has been obtained for the "Festival of Britain Model Flying Championships".

Trophies have been generously promised by "The People" and will cover all seven classes of speed, open stunt, scale stunt, and the new and very popular two classes of team racing. Pre-entry is expected to close on July 1st. The public will be admitted to this vast Stadium at the rates of 2/6 adults, 1/6 juniors, and a good proportion of the proceeds will be allocated to the S.M.A.E. . . . All we need now is some hot stuff organisation and top notch fliers to put up the biggest show of control line ever staged. Go to it fellows!

Wakefield whisperings

Rule changes for 1951 Wakefield Contests were expected to bring about changes in design from the rubber fraternity. Already we have noticed that the feathering airscrew introduced by Northampton's Ted Evans and described in detail in the AEROMODELLER of September, 1950, has been accepted as one of the finer points of design by many another Wakefield expert. Kentish Nomads, the Knights, were recently spotted discussing the feathering prop. with J. A. Gorham, 1950 Champion. Watchmaker Gorham has not only used Ted Evan's feathering prop. but also incorporates a lightweight set of brass return gears in the rear end of his Wakefield fuselage. The Knights have installed duralumin gears, and are currently developing their featherer. Eric Smith has a development of this prop. which will collapse on contact with any obstructive item and thus preserve its $\frac{1}{4}$ -oz. form for ever—he hopes! Eric uses a paxolin tube for the prop. hub, whilst others are using aluminium. Needless to say maestro Ted Evans is one jump ahead of the pack and has already produced a featherer without rubber band blade tensioning and which has its works enclosed in a streamlined spinner, with only two positions for the blades, i.e., working pitch and fully feathered. (Other featherers go into "fully course" rather slowly—and can jam in the half cocked position.)


From Ron Warring we gather that his Zombie is now completely re-designed and the airframe weight is only 3 $\frac{1}{4}$ ozs. His new prop. is a 20 in. free wheeler with 16° sweep back on the blades. The fuselage is only $\frac{1}{4}$ in. longer than the original Zombie, so Ron is not taking advantage of the opportunity to lengthen the body as friend Jim Tangney (the Chicagoan) has—the latter's new fuselage measures 44 ins.!



A 1/12TH SCALE POWER MODEL

R.E.8.

DESIGNED BY D. R. HUGHES



Five years Press secretary, now Hon. Sec. Merseyside M.A.S. Winner Lady Shelley Cup, 1949 Age 23 Main interests are Scale and Tailless Also keen on Photography and Astronautics (member B.I.S.) An Advertising Layout man single, but very much attached.




THE R.E.8 was a very well-known two-seater observation aircraft used extensively by the Royal Flying Corps in 1917 and 1918. With comparatively low power in the form of a 150 h.p. air-cooled RAF 4A, vee-twelve, it was—in common with many other aircraft of its day—often heavily loaded with equipment. In addition to crew and armament, its duties required that it carry wireless, camera and bombs.

The "Harry Tate" (which was the sobriquet designated it in those days) was noted for its inherent stability, machines of this type having been known to fly for hours and land safely after their crews had been killed in action. Thus—apart from its natural attraction for the modeller which arises from its striking appearance—this machine is undoubtedly an ideal subject for flying scale. Any shortcomings of the prototype (such as parting with its wings if put into a steep dive!) have not emerged in the model, which is quite stable under power and possesses a good glide, being quite lightly loaded.


CONSTRUCTION

Fuselage. The basic framework is built up from 3/16 in. square balsa, with joints in the places indicated on plan. The nose portion is steamed to the required curve (plan view) prior to assembly of the fuselage sides. The formers are next added to the top of this box structure, the wire centre-struts being bound and cemented to the longerons, and the brass tube for the U/C bound and cemented to the spacer indicated. The whole fuselage is now covered with 1/32 in. sheet balsa, except for the top decking forward of former 2, where the engine and removable cowl will be fitted. This can be clearly seen from the illustrations. The remaining details (guns, skid, etc.) are now made and fitted. The ply engine mount is fitted temporarily whilst building up the cowl and dummy engine. Before cementing permanently in place, this plywood mounting is given several coats of banana oil and fuel-proofer, as is the interior of the fuselage directly underneath it. Note the sloping bulkhead (1/4 in. sheet, shown dotted on plan), and small door for fitting and removing engine bolts. This door also enables excess fuel to be drained off after flying.

Undercarriage. This is formed from 18g. wire, as shown in the sketch on plan—first being threaded through the brass tube on fuselage. The 16g. axle is soldered inside the "vees" and the 18g. spreader-bar soldered across the "knees" of the U/C at the front, as shown.



Close-up left, and general views above, leave no doubt as to the true scale appearance of this splendid model. Those of our readers who have not spun a four-blader before had better watch out for their fingers.



Designer's own cutaway makes for easy building. Overleaf will be found a 1/4 scale reproduction of the full size plans which are available from the Aero-modeller Plans Service.

Wings. The wings are very straightforward, the only points to note being the strut attachments. These require the metal parts to be soldered up and assembled to the wood before glueing in position. Make sure that the dihedral is correct before fitting the 1/16 in. sheet webbing across the spars.

Tailplane and Fin. The outlines are built in the normal way, from 1/4 in. sheet, etc. The tailplane "ribs" are 1/32 in. \times 1/4 in. laid flat across the L.E., spars and T.E., when it will automatically take the desired curve. When set, remove the tailplane from plan and insert the strips of 1/32 in. \times 1/4 in. upright, from underneath. The fin is quite orthodox, being 1/4 in. sheet outline with strips of 1/32 in. \times 1/4 in. each side of the spar, or rudder post.


Covering. The whole model, including the fuselage, is covered with jap tissue or similar, and given two coats of clear dope. If desired, the upper surfaces may be colour-doped but this is somewhat tricky if a spray is not available. Brushmarks are unsightly when the model is viewed against the light, and so it may be preferred to use green tissue. The undersurfaces, in any case, are left clear-doped.

Rigging. The wings are sufficiently strong not to rely upon bracing, and so for flying purposes this has been kept to a minimum. Even if fully rigged (and the R.E.8 had a lot of wires!) it is doubtful if this would be seen in flight. The "wires" indicated on the plan are of 1/32 in. diameter grey rubber, and fix around the interplane struts, helping to keep them securely in position. Golf ball rubber or Dunlop indoor strip will do.

Flying. The model should balance at the point shown on the plan. With the Mills 0.75 engine, this will be automatic, but ballast at nose or tail may be needed for other motors. A calm day should be chosen for test glides. These should be made over long grass. The model is rather sensitive to rudder movement, and so all the adjustment for directional trim can be made by packing (not more than 1/32 in.) at either side of the tailplane leading edge, thus slewing the whole empannage round slightly.

To commence flying, get the engine running evenly—having removed the cowling for making adjustments, fuelling and so on. Now stop the engine, choke, replace the cowling and re-start. With the four-bladed airscrew, the Mills .75 "ticks over" at a speed which is ideal both for test flying and for realistic scale flight. If, however, it is desired to fit a two-bladed one, an 8 in. \times 5 in., or 9 in. \times 5 in. is recommended. Increased sidethrust will be required and it is advisable to fly with the engine well throttled-down at first. The glide is a little better with the two-blader.

With a little practice, and if there is a smooth surface handy, one can achieve that ambition and rich reward of the painstaking scale modeller—seeing this grand "old stager" gliding down to a beautifully gentle "deadstick" landing.



View prior to covering shows simple construction. Engine used on prototype was a Mills .75, other suitable motors are the Alibon Dart, E.P.C. Moth, Amco .87 and the E.D. Bee.

S.M.A.E. Contest Programme 1951


25th March	GAMAGE CUP PILCHER CUP	U/R RUBBER U/R GLIDER	} D/C
15th April (P)	ASTRAL TROPHY RIPMAX TROPHY S.M.A.E. CUP	F.A.I. POWER/DURATION R/C A/2 ELIMINATOR	} AREA
6th May (P)	WESTON CUP HALFAX TROPHY	WAKEFIELD ELIMINATOR U/R POWER/RATIO	} AREA
13th & 14th May	BOWDEN TROPHY POWER "AEROMODELLER" RADIO- CONTROL TROPHY	P.A.A. LOAD POWER/DURATION R/C	} INTERNATIONAL CENTRALISED
27th May (P)	K. & M.A.A. GUTTERIDGE	A/2 ELIMINATOR WAKEFIELD ELIMINATOR	} AREA
10th June	PREMIER SHIELD A/2 TROPHY	WAKEFIELD TRIALS A/2 TRIALS	} CENTRALISED (Cranwell)
1st July (P)	M.E. CUP WOMEN'S CUP 1.5 c.c. POWER	U/R TEAM GLIDER U/R RUBBER/GLIDER U/R POWER/DURATION	} AREA
15th July	KEIL TROPHY LADY SHELLEY	U/R POWER/RATIO TAILLESS	} D/C
21st July	C/L SPEED C/L STUNT TEAM RACE	C/L CHAMPIONSHIPS U/R AND SCALE "PEOPLE" PRIZES	} CENTRALISED (Wembley)
5th Aug. 5th & 6th Aug. 5th Aug. 5th Aug. 5th & 6th Aug. 6th Aug.	GOLD TROPHY C/L SPEED THURSTON CUP M.A. TROPHY S.M.A.E. TROPHY SIR JOHN SHELLEY	C/L STUNT SPEED F.A.I. GLIDER F.A.I. RUBBER R/C F.A.I. POWER/DURATION	} (Fairwood Common, Swansea) NATIONALS CENTRALISED
About 19th Aug.	FREE FLIGHT FREE FLIGHT FREE FLIGHT R.T.P.	STICK H/L FUSELAGE H/L UNORTHODOX CLASS A & B & SPEED	} INDOOR NATIONALS CENTRALISED (Manchester, Corn Exchange)
2nd Sept. (P)	FARROW SHIELD JETEX SCALE POWER	U/R TEAM RUBBER RATIO POWER/DURATION	} AREA
16th Sept.	BRITISH CHAMPIONSHIPS TAPLIN TROPHY	RUBBER GLIDER POWER Teams of 6 R/C	} CENTRALISED (Cranwell)
30th Sept.	DAVIES TROPHY	TEAM LEAGUE FINALS	CENTRALISED (Fairlop)
7th Oct.	U.K. CHALLENGE MATCH	ENGLAND, WALES, SCOT- LAND & N. IRELAND	CENTRALISED (Heathfield, Nr. Prestwick, Scotland)
14th Oct.	FLIGHT CUP FROG JUNIOR	U/R RUBBER U/R RUBBER/GLIDER	} D/C
28th Oct.	HAMLEY TROPHY	U/R POWER/DURATION	D/C

(P) Indicates PLUGGE CUP events. The RIPMAX may be used as a qualifier for the INTERNATIONAL R/C Contest. The ASTRAL TROPHY may be the eliminator for the International Power event 13th and 14th May. Radio events over 2 days at Whitsun and August.

50" SPAN CONTEST POWER
DURATION MODEL FOR 3.5 c.c.
MOTORS BY
GUSSIE GUNTER

Well-known Bushey Park power modeller Aged 31 occupation, B.O.A.C. Aero Engine Fitter ardent motor cyclist has lost more motors than he cares to remember!

CLUBMAN



MANY readers will remember Gussie and his wife Pam in that heyday of theirs, when their drab yellow Ohlsson or Bantam powered Banshees gave an exhibition of fast-rate spiral climb few could equal, and none surpass. Between them, the Gunters managed to collect most of the worthwhile first places of '47 and were always in the first six at the '48 power duration comps. Gus continued through the '49 season with Zoomers—developments of the Banshee he established in this country; but though always the keenest of competitors, never managed to regain his old top of the ladder position. Not that the old master was losing that magic trimming touch, for the screaming climb remained a Gunter trademark at every event; but it just happened that at each major contest, something just had to put gremlins on the job.

Soon after the introduction of the Amco 3.5 diesel, we heard that Gus had invested in that British product, and made an all-British design to suit. Furthermore, we heard that Hounslow Heath was fairly quaking at the even faster rate of climb of this latest from the stable.

That model became the CLUBMAN, one of the cleanest pylon designs yet seen, and one of the most outstanding performers of 1950. A 42 in. version scaled down to suit Alan Allbon's self-made Javelin 1.49 c.c. diesel, collected a well deserved top place at the '50 West Essex Gala, with the flight/power-run ratio of 43.7:1 over two flights, and went on to win the Sevenoaks Gala a week later. Gussie's own CLUBMAN was not so very far behind in both events.

Photos top and bottom left illustrate sleek lines of this contest winner which in this instance is fitted with a monowheel undercarriage. Below right, is a scene from the 1950 Nationals showing wife Pam and clubmates assisting Gus at the take-off area.


CONSTRUCTION


Fuselage: Cut the horizontal and upper, and lower vertical crutches from $\frac{1}{4}$ in. sheet. Firmly cement the $\frac{1}{4} \times \frac{1}{4}$ in. hardwood motor bearers in position, assemble the crutches and under-fin. Add all formers and the front blocks, noting that a detachable undercarriage box may be fitted behind the main front bulkhead. Position wing and tail platforms, add dowels and tail retaining hooks, then plank with $1/16 \times \frac{1}{4}$ in. strips. Cover with lightweight Modelspan and fill with Sanding Sealer before colouring to suit.

Wing: The wing is of conventional structure and needs no explanation. Add the $\frac{1}{4} \times \frac{1}{4}$ in. spar on the undersurface after lifting off the building board, and fit the leading edge sheet covering after the wing is assembled in one piece with the dihedral joints set dry. Cover with Modelspan.

Tail and Fin: These are especially simple and robust in structure. Add the sub fins after covering tail with Modelspan, and make sure that the tailplane leading edge is keyed to the fuselage so that it cannot shift when the tail assumes a negative angle during d/t action.

Motor Mount: Radially mounted motors can be screwed to a detachable bulkhead and this keyed to the fuselage. Elastic bands around the dowels will give a knock-off mount and at the same time allow packing between the bulkheads to be used for motor trimming. Beam mounted motors can be fixed on extended bearers in the usual manner.





TOPSY

A NEW-RULER
WAKEFIELD
FROM
NORTHERN
IRELAND
BY
NORMAN OSBOURN



THE DESIGNER. Age 27 . . .
Metal Turner . . . In Irish Wakefield
team 1949 . . . Main interests are
Wakefield and Power Duration . . .
Also keen on Photography.

TOPSY is the sixth of a series, the original was designed in 1947 with the intention of flying it in the Irish Nationals of that year. However, the prototype was lost 13 mins. 13 secs. o.o.s. on a test flight two weeks before the event, and the second version was hastily built in the odd fourteen days. Flown without previous tests, the Mk. II finished eleventh and two other similar designs placed in the first twelve. Mk. II was afterwards lost on a 14 mins. 4 secs. o.o.s.

Incorporating slight mods. for 1948, Mk. III also disappeared after 10 mins. 26 secs. and Mk. IV placed first in the Belfast open rubber event of '48. The 1949/50 version was slightly cleaned up for the Irish Wakefield eliminator, in which it was successful enough to gain a team place. In the Cranfield Wakefield event of 1949, Topsy placed 18th and afterwards collected sixth position in the 1949 Irish Nationals.

Simple in its construction, yet incorporating features akin to the most efficient of Wakefields, Topsy should appeal to many beginners in the classic event of model flying. It completely conforms to the 1951 Wakefield rulings, and thanks to the tip-up tail dethermaliser now incorporated, promises a first-class competition performance for 1951.

CONSTRUCTION

Fuselage: Apart from the Warren girder structure, the fuselage is built in the conventional manner. Cover the third bay from the nose with Modelspan before adding the stringers, to prevent the ends from damage through handling. Undercarriage tubes made from discarded Jetex wick containers which have been flattened, are firmly bound to the fuselage upright.

Wings: Begin by cutting 38 main ribs and two tip ribs to the N.A.C.A. 6412 section from soft 1/16 in. sheet balsa. A slight step will have to be cut in four of these to allow for the sheeting at the root. Root ribs are cut from 1/4 in. medium sheet, and with No. 2 ribs are slotted for the wing tongues. Fix the dihedral by cutting the wing box through the centre and bevelling the edges so that when they are threaded on the finished wing tongues, the two faces meet neatly with the tip of each wing panel raised 4 1/2 in. above the root level.

Propeller: The propeller calls for considerable care in its construction. Particular attention should be paid to the drilling of the holes for the hinge, a double angle of 16° will ensure the blade folding flat on the fuselage. Make sure that the soldered junctions of the wire hinges are well made


and there is no possible danger of the joint breaking during flight.


Tailplane and Fin: Construction of the tail and fin is quite conventional. On the original models the fin was built integral with the fuselage. However, if the builder desires to fit a pop-up tail dethermaliser, it will be necessary to modify the construction to suit his needs. The plan displays the tip-up tail used on the 1950/51 Topsy.

Covering: The whole Topsy series have been covered with jap tissue flying surfaces and rag or Modelspan on the fuselage. To protect the rubber from exposure to strong sunlight and to aid visibility, white fuselage covering may be dyed black with black "leather" dye which is obtainable from most boot repair shops.

Flying: After the usual preliminary hand-launch glide tests, the model should be adjusted to climb in medium-size right-hand circles under power and glide in tight right-hand circles. No downthrust has been found necessary on the prototypes, although it might be considered preferable to the use of excessive side thrust for curing power stalls.

Simple enough? Then why not get out the building board and razor blade, pins, strip and sheet, and build yourself a guaranteed performer with a long and first-class pedigree?





THIS IS A 1/5 SCALE REPRODUCTION OF THE FULL SIZE PLANS WHICH ARE AVAILABLE PRICE 5/6 POST FREE, FROM THE AEROMODELLER PLANS SERVICE.



BY
ERIC HIGLETT

Aged 17 years... member of Eastleigh and District Model Club... at present an Apprentice Aeronautical Engineer... other interest beside stunt work is Radio Control.



Left, the designer displays a profile view of the model, the picture below amply demonstrates how short is the moment arm.

FEW British modellers would deny that the feverish enthusiasm for stunt control line which was so evident over 1949/50, is now on the wane, and settled to the band of more discriminating stunt men who prefer to operate machines with a difference and quality of performance.

This stage in model development appears to have arisen throughout the model clubs of the Empire, and has produced many a good looking stunt design from the remaining pure-stunt enthusiasts. Such a modeller is Eric Higlett of Eastleigh, for though we make no effort to claim his latest design, "Hopit", as a good looking, we can present it as a new looker with plenty of zip in its 85 m.p.h. flight pattern.

The opalescent silvery blue prototype first caught our eye at the Southern Counties Rally, Thorney Island, last year. Its pert highly polished fuselage has a curvations underside which one might well term "loop happy", and the Eta 29 mounted up front, promises a highly potent performance.

Since that late season date, stunt events have taken a holiday from the Contest calendar, and "Hopit" has not yet had its chance to prove its Jack-rabbit manoeuvres against the rest of the field. No doubt 1951 will see the remedy, for if any of the new high speed stunters have a winning chance at '51 events, "Hopit" will be high on the list among them.

Construction

Fuselage, Tail & Fin: Cut bearers to shape and side panels from $\frac{1}{4}$ -in. sheet, not forgetting to cut two squares in the bearers and side panels to clear lead-out wires, now cut all formers and join F.1 and F.4 to bearers. Cement side panels on either side and fit bellcrank, push-rod and lead-out wires.

The rest of the formers and the cockpit sides can now be fitted. Add block to former F.1 to take undercarriage tubes, which are bound to $\frac{1}{4}$ -in. ply former. Screw the front ring to the engine bearers and fit the block between this and the undercarriage tubes to streamline the nose. Cut out the tail assembly and fit hinges, then cement tailplane to the fuselage and attach the elevator horn to complete the control system.

HOPIT

A 35 INCH SPAN SHORT COUPLED
STUNT MODEL FOR MOTORS FROM
3.5 TO 5 c.c.s.

The rudder and fairing block are next cut to shape, and fixed in place. The $\frac{1}{4}$ -in. sheet bottom of the rear fuselage completes that end of the body, whilst the fuselage in front cockpit is planked as far as the tank box cover. The tank box lid is carved, and front upper cowling shaped to suit the motor installed. Now fill the bay between the tank box and the cockpit with block and plastic wood. Cover the cockpit frame with celluloid (a dummy pilot makes for good appearance), and fit the wing dowels.

Sandpaper the fuselage and tail assembly before covering with Modelspan which aids grain filling. After several coats of sanding sealer, rub down and apply colour dope to choice.


Wing: First cut out 17 ribs, making three of these 1/16 in undersize to allow for the centre section sheeting. Pick two hard $\frac{1}{4}$ -in. spars and mark for the rib position. Then cement ribs to one of the spars, and attach the other spar once the ribs have been set true. Then fit the T.E. and finally attach the L.E. Sheet the centre section with 1/16-in. sheet and add the tip wire guide. Carve the wing tip blocks and cement in place. About 1-1 $\frac{1}{2}$ ozs. of lead in the outer wing tip will give correct balance laterally to keep the lines tight throughout all manoeuvres.

Cover the wing with Modelspan before final completion with the addition of the box on the centre section underside, which follows the fuselage contour.

The original engine used was an Eta 29 but any other 5 c.c. glow-plug engine may be used.

The tank was an ordinary "sausage" balloon which gave no trouble at all. Line length was 70 ft., under normal flying conditions with a 9x6 "Trufo" prop. Shorter lines could be used in extra windy conditions.

A designer's footnote on this design emphasises that the elevator range should definitely not exceed 30 degrees either up or down movement. Nor is it of any advantage to increase the elevator area—you will find "Hopit" quite fast and slick enough for any stunt, if you build it as presented here




AERIALS

This article on the theory of radiation and polarization of aerials comes from an expert on working models of full-size broadcasting aerials. It will be followed in a future issue, by a practical article on the Marconi Quarter-wave aerial as used for model aircraft control

By

F. C. JUDD




Foreword

The following article is based on a lecture given to The West Essex Aeromodellers Club when the application of Aerials to Radio-controlled Model Aircraft was discussed. The writer has endeavoured to put into simple language the theory of radiation, the polarization of radio waves and some notes on radiation patterns which it is hoped may prove of interest to readers and further the activity of Radio Control.

Radiation


When a current flows along a straight conductor in free space, there is associated with it a magnetic field, whose lines of force travel in concentric circles, occupying the space in a co-axial cylinder of theoretically infinite diameter. At the same time there is an electrostatic field between the wire ends due to the potential difference between them; at the centre this field is parallel to the wire and also extends outward to infinity. These lines of force are at right angles to the magnetic field as shown in Fig. 1.

If the current is alternating, both magnetic and electrostatic fields change in sympathy, the energy involved in creating the fields during the growth of current and voltage being returned to the wire as the fields die away on reversal.



This is true, however, only for very low frequencies, for as the frequency is raised more and more of the energy fails to return to the wire, and is radiated into free space, hence at high or radio frequencies we can transmit energy from one point to another.


This loss of energy represents a load on the wire and can be regarded as a resistance, when referred to the wire, and is known as the radiation resistance. This must not be confused with the impedance of the wire, a measurement used in matching aerials to feeder lines, etc. The measure




of its ability to produce a magnetic field is its inductance, and an electrostatic field its capacity. The square root of the ratio of these values gives the characteristic impedance of the wire. When the length of the wire is such that it is a half wavelength long electrically it resonates on its own as does a tuned circuit and is called a dipole.

The resonance of a half wave wire may be more easily visualised by supposing a small group of electrons dropped on to the end of the wire one per cycle at its natural frequency. This electron group has a negative potential. The moment they touch the wire the average potential of the wire will be lowered, the far end appearing positive to them; thus a flow of electrons will immediately start towards that end, and this flow constitutes a current, having its maximum intensity at the centre, the instant the charges at each end reach equal values, i.e. at the instant the potential is the same all along the wire.

Fig. 2 illustrates the current and voltage distribution on a half wave aerial or dipole. As electrons pile up at the far end, as they must do, having nowhere else to go, they will repel oncoming electrons more and more strongly, the negative charge accumulating until the current is finally stopped. At this instant the energy of electrons is stored as a negative potential at the far end of the wire, i.e. the charges are now reversed and the cycle has passed through 180 degrees. The current surge will now begin again, and at 270 degrees will reach maximum as before but in the opposite direction. At 360 degrees the current will have stopped again, and conditions will be the same as at the start, except that some energy will be lost through radiation, and some through heat because the wire is not a perfect conductor. If the make-up charges are bigger than the losses, this standing wave or oscillation of current and voltage will increase until all the energy is used up. In general the object of the aerial designer is to produce standing waves of this nature on the radiating elements of the aerial, so that radiation takes place in a known manner and where required. A similar resonance may be obtained with a quarter-wavelength of wire if one





end is on a theoretically infinite conducting sheet (e.g. copper) placed perpendicular to the wire. The reflection from the sheet then produces an image of the quarter-wave wire, as, say, a pencil standing on a mirror appears to be carried on into the mirror, and the system resonates as freely as a half-wave wire, but with halved radiation resistance. Fig. 3 shows the effect, which holds good for all aerials, though the mirror action of the earth is dulled by its fairly high resistance a factor which will be dealt with later.

It will be seen in Fig. 3 now reflection from the earth takes place and the angle of reflection is determined by the height of the aerial above ground. As the height is increased the relative phase angle between the direct and reflected waves will vary, causing cancellation and addition in different directions, a fact which ultimately decides the shape of the vertical radiation pattern of the aerial.

Polarization

No mention has yet been made of radiation from horizontal aerials, and generally the theory of radiation remains the same; except for one very important factor, namely "polarization". This refers to the plane of the electrostatic field with relation to the ground. Since with all aerials the electrostatic field is on the same plane as the wire, it is not difficult to decide the polarization of the radiation, e.g. for a vertical aerial the polarization is *vertical*, and for a horizontal aerial it is *horizontal*, which means that the receiving aerial must be on the same plane as the transmitting aerial in order that maximum signal voltage may be induced. At long ranges the polarization becomes changed and for medium frequencies the orientation of the aerial is not critical, but at short distances and for *high frequencies* the plane of the aerial becomes very important. Even at 27 Mc./s, the lower Radio Control frequency, the effect of polarization will be very marked and the possibility of no signal to a vertical receiving aerial from a horizontal transmitting aerial will result and of course, vice versa. At 465 Mc./s the effect is even more prominent. The writer has carried out numerous experiments on frequencies of 144, 200, 300 and 460 Mc./s in order to determine the effects of polarization and to plot the radiation patterns of aerials (ref. 1). Reference to the A. R. R. L. Radio Handbook or to the Admiralty Handbook, will provide more detailed information on the subject of polarization and aerials generally (ref. 2).

Fig. 4 shows the result with a vertical aerial in a horizontally polarized wave.

Resumé

From the above it will be seen that:—

1. RADIATION IN THE VERTICAL PLANE VARIES IN INTENSITY WITH THE HEIGHT OF THE AERIAL ABOVE GROUND, A FACT WHICH APPLIES TO BOTH VERTICAL AND HORIZONTAL AERIALS.

2. RADIATION FROM VERTICAL AERIALS OCCURS ALL AROUND THE AERIAL WITH EQUAL AMPLITUDE OR INTENSITY IN THE HORIZONTAL PLANE. (See polar diagrams for vertical aerials.)




3. FOR MAXIMUM SIGNAL STRENGTH TO THE RECEIVER THE RECEIVING AERIAL MUST BE ON THE SAME PLANE AS THE TRANSMITTING AERIAL.


4. THE HIGHER THE FREQUENCY THE MORE IMPORTANT POLARIZATION BECOMES, PARTICULARLY AT SHORT RANGES.

Polar Patterns



As already mentioned, radiation from any aerial system occurs in certain directions only, these being determined by the resonant length (in the case of horizontal polar patterns from horizontal aerials and vertical patterns from vertical aerials) and the height above ground (in the case of vertical patterns from both vertical and horizontal aerials). Let us take first the simple vertical quarter-wave aerial, its base at ground level. The theoretical horizontal pattern for any vertical aerial is as already mentioned all around the aerial, e.g. all azimuthal directions (Fig. 5A), and the theoretical vertical radiation pattern for the quarterwave is shown in Fig. 5B.

Over perfect earth the vertical pattern will hold good but for normal earth surface, e.g. dry soft soil, hard rocky ground, the angle of maximum radiation is raised. Another angle which is known as Brewster's angle, and named after Sir David Brewster (1811), and which is otherwise referred to as the critical angle of incidence for vertically polarized waves comes into being, and determines the lowest angle at which radiation occurs. Fig. 6 shows the average Brewster angle for a quarter-wave aerial over normal ground.





This critical angle applies to all vertical aerials and *Fig. 7* shows the patterns for other types and heights. With horizontal aerials the effect of earth is not so marked and the theoretical patterns are changed very little except that the vertical radiation is raised a little over very low conductivity



ground. The horizontal patterns remain unchanged for both types of aerial being effected only by reflection from nearby metallic objects of resonant length, e.g. metal roof tops, telephone lines, etc., etc. This is due to in and out phase reflected radiation producing cancellation at certain angles in the main horizontal lobe or lobes. The vertical patterns for a horizontal dipole at various heights above ground are shown in *Fig. 8*. The horizontal pattern for a horizontal dipole at any height remains approximately constant as shown in *Fig. 9*, which is an example taken at half wave height above ground.

Conclusion

For the Radio Control of Model Aircraft it is essential to have radiation occurring all around the aerial and with equal amplitude, and the present popular quarter-wave vertical aerial is from the point of view of simplicity probably the best to use. Horizontal aerials would present many difficulties due to the greatly varying radiation at different angles in both the horizontal and vertical planes and also because receiving aerials assume the same properties as transmitting aerials as far as their polar patterns are concerned. The writer is at the moment employed on the development of a suitable beam aerial for vertical operation, and for use on 465 Mc/s, a frequency which lends itself more readily for high gain aerials of small physical size. It is hoped later to publish details of Radio Control equipment for operation at 465 Mc/s. together with some designs for efficient aerials for both transmitting and receiving. Due to the extremely complex nature of aerials and their radiating properties only a fraction of the theory and practice of simple aerials can be covered in an article of this length. Interested readers are therefore referred to the standard handbooks on the subject, but it is sincerely hoped that the foregoing may prove to be of some value.

REFERENCES.

- The Short Wave Magazine. January 1950 article.
 Ref. 1. The Theory of Similar Aerials, by F. C. Judd, G2BCX.
 Ref. 2. The A.R.R.L. Handbook. U.S. publication by the American Radio Relay League. (Obtainable in this country).
 The Admiralty Handbook. Vol. 2., Section R, 1938. Published by H.M.S.O.

Other works of reference.

- The Radio Amateurs' Handbook. Published by The Radio Society of Great Britain.
 The A.R.R.L. Antenna Manual. Published by the American Radio Relay League. (Obtainable in this country).
 The two American publications mentioned above are obtainable through the Radio Society of Great Britain.

The BILL WHITE MEMORIAL CUP and BLACKHEATH GLIDER CUP



Top Left: C. Bonsey of West Middlesex launches clubmate Jim Plank's APS "Satu" Nordic Glider. Centre: Croydon Chairman, J. L. Pitcher congratulates H. Savage (right) on winning the glider cup, and a handsome timepiece given for first place. Right Upper: St. Albans Clubmen try to form a windbreak for Georgey Fuller as he prepares his Lightweight.

Right: R. G. Harris of Regent's Park club flew this twin finned hatchet design of his in the Glider Cup. Known as Clancy, the job lowered the boom too far to place in the results.

Below Right: Ruislip clubmen found recovery of this Yeabsley design a three man job in windy conditions.

Bottom Right: Phil Guilment has completely inverted the fin on his 1951 version of the Norseman. The upper portion is blanketed during the tow and only becomes effective as a trim tab when off the steel towline.



AFTER a rather bleak Christmas, whitened by snowfalls in many parts of the country, Old Man Sol turned away the clouds on the first Sunday of January, and gave a clear sky for the Blackheath Club's open contests for their glider cup and the much valued Bill White Memorial. Supported from parts afar as Ipswich, Luton, St. Albans and Sale, plus most of the London area clubs, the comps. unfortunately developed into blow-outs. A strong wind persisted throughout the day.

In the first hour, Laurie Barr and Ron Warring were among the many to call for the dust pan, whilst the Yeabsley brothers sent Roy's "Revenge" off to disappear with the wind o.o.s. despite D/T operation.

1951 Wakefield designs were obviously and wisely kept beneath the wraps, awaiting calmer weather (false hopes, perhaps—the next event is the renowned (D) Gamagel). The Glider boys were more venturesome and several new A/2 jobs showed their paces. Influenced no doubt by the Revenge, one or two models displayed inverted fins. From Ipswich, power wizard (now tailless as well as pylon) P. B. Wyatt achieved second place with a very original high aspect ratio all sheet wing A/2 that merits respect at future events.

BILL WHITE MEMORIAL CUP (Hand launched three-flight total)

1st	A. Ricks	Willesden	377.3 secs.
2nd	K. J. Miller	Croydon	306.8 secs.
3rd	J. B. Knight	Kentish Nomads	303 secs.

BLACKHEATH M.F.C. GLIDER CUP (Three-flight total)

1st	H. Savage	Croydon	291.2 secs.
2nd	P. B. Wyatt	Ipswich	267.8 secs.
3rd	R. Clements	Luton	256.7 secs.

Above: P. B. Wyatt of Ipswich made his mark in the 1950 power contests, and appears to be out for a place on the A/2 team for 1951. His unique glider has an all sheet wing (tissue and ribs on the underside) and high aspect ratio lifting surfaces. Dihedral tailplane requires only a small fin, and tips up for d/t. Below: Roy Clements entered both Rubber and Glider, netting third place in the latter. Shown here wrestling with his Wakefield during a gusty launch, Lutonian Roy appears to be wondering which way the prop is rotating!





Aeromodelling campers prepare their models for flying on the sun porch of one of the 90 ft. dormitories.

FOR the first time in its six years existence, Eaton Bray Sportsdrome will be entirely free of anti-modelling obstructions in the 1951 season, opening officially at Easter. Now that we are able to offer full use of the 75 acres of grassland without barbed wire entanglements or the belligerent presence of the local bull, our policy can revert to that originally announced in 1944 of providing a suitable open space *for the exclusive use of modellers*. Agricultural requisition of part, together with the long continuing petrol ration, made it essential that we sought other means of gaining revenue in past seasons, and in consequence organised motorcycle racing, pony racing and gymkhanas were staged from time to time which often happened to coincide with aeromodelling


visitors who were unable to fly for the greater part of the day.

These events will not be interfering with their enjoyment in 1951, when from Easter onwards we shall be keeping open house for our visitors.

The growing tendency amongst local authorities to ban or limit aeromodelling activities in parks and open spaces under their control encourages us to hope that the existence of one little plot of England where a welcome is always there for model flying will come to mean more and more to harassed enthusiasts.

In case 75 acres does not mean very much to our readers we would point out that the boundaries of our aerodrome are from 600-650 yards long, with about half-a-mile across the diagonal: shape being roughly rectangular. There is ample room for control-liners to come along in as strong a force as they wish, while for radio-control flying we have yet to find a better spot. Models flying out of the field can be seen for several miles, and usually follow certain regular paths according to the prevailing wind. Our relations with neighbouring farmers are cordial, and providing retrievers show a fair appreciation of other people's land, crops and so on, there should be no difficulty in recovering o.o.s. models.

Now just what can Eaton Bray offer that you cannot get elsewhere? First of all—and that is important—a welcome: you will not be here on sufferance but because we like to have you! Then there are camping facilities if you care to bring a tent and make a week-end of it. Meals can be provided without any effort on the part of visitors—or they can cook for themselves—it is a free and easy atmosphere. For those who prefer a roof over their heads, a "bed and breakfast" service is available at any time from Easter onwards in comfortable dormitories with spring beds, sheets and all home comforts, including adequate toilet facilities, hot water and shower baths. A limited number of single and double rooms are also available to accommodate family groups. These are shut off from the main dormitories



Dormitory scene at Eaton Bray. Visitors are provided with cupboard and shelf accommodation plus the company of other enthusiasts.

Bray"

SEASON AT RENDEZVOUS

Here are campers who have brought their tent—and a good-sized tent at that!—provide their own meals and enjoy the cheapest of aeromodelling holidays



and enjoy separate shower and toilet provision. For casual visitors for the day or afternoon there is full catering and further toilet facilities.

Admission charge is 2/6d. per day—dawn till dusk. Accommodation and refreshment charges are moderate, and are fully set out in a leaflet available on application to the Aerodrome, Eaton Bray.

Creature comfort having been considered, what is there for the model flyer? Concrete take-off discs are available for r.o.g. flying, there is a mobile public-address system and control tower to regulate such things as a superfluity of would-be radio-control flyers all trying to get off at once, or to organise spontaneous contests should visitors desire them. It is not our intention to run any big rallies this summer—a glance at the official contest programme shows there are more than enough throughout the country to please the most contest-minded. Our approach is: "Here is an aerodrome—come in, have a good time with a minimum of control—fly as much as you like, do what you like: and come again!"


There can be no doubt that local clubs will continue their past support: lone hand flyers will find it a splendid opportunity to widen their knowledge of what the other fellow is doing. For club flyers we would recommend one or two organised motor coach trips during the season. We should be delighted to organise occasional inter-club contests in this way, where two or more coachloads from different areas meet together for a friendly all-comers inter-club contest. Impromptu events on these lines have always gone down well, and would not prevent any other users from still enjoying themselves on other parts of the aerodrome.

For those interested in modelling apart from aircraft, we would remind them that model car racing events take place throughout the season, and the track can always be rigged up for cable-track car racing. By Easter too it is hoped that the largest rail-track for model cars in the country will be ready for use. Here for the first time it will be possible

to race four cars at once over a natural course with a hill climb, curves and a hairpin bend nearly five hundred feet in length.

As a final thought on Eaton Bray we should like to quote from a letter Alec Wilson sent us after last year's International Meeting: "... one of the most enjoyable series of competitions I have yet attended. Although bad weather made good flying difficult, nothing could dampen the cheerful friendly attitude of the competitors, and I was proud to be a member of this happy band. To those who have not visited Eaton Bray recently, the improved flying conditions, and other facilities were most noticeable."

Come along and join the "happy band" this season!



Despite the provision of workshop space we find all visitors much prefer to model in the dormitories—and good luck to them!

WORLD NEWS

BY
ARIEL

Our heading photograph takes a truly International flavour with Britisher T. E. Hindell from Battersea and Brazilian B. Hacke, ironing out engine bugs on the latter's E.D. Bee powered Keil Kraft Pirate, at a contest in Germany.



Germany

From Hans Pfeil, our correspondent at Bad Pyrmont in the British Zone, comes a report of the first Post-War Power Model Contest since the ban on power flying was lifted last September in the Western Zones. Held on the 15th October, this Contest was organised by "Werkgruppe Cumulus" of Uelzen in N.W. Germany.

The majority of contestants used British engines of the most popular makes, while three American motors were seen, and, of course, a considerable number of German petrol engines—now glow-plugged—and German Diesels of Kratzsch and Eisfeld manufacture.

A considerable number of metal propellers were being used with diesels, with the unpleasant results which have been experienced elsewhere with this type, and a few plastic props. put in their first appearance.

Our correspondent noticed that 60 per cent. of the models flown had no timing device of any sort, and those which did have, were not particularly effective.

The Rubber Class Contest was not particularly impressive, the winner being Herbert Strauss of Bremen, whose model, though well built and flown in an experienced manner, did not manage a flight of over 1 minute, 32 seconds. This same contestant placed third in Class B Power, with a model of his own design, which was a good performer, but suffered the disadvantage of being powered by a "Grandfather of a Kratzsch Diesel". This Class was won by Freihdorf, of Uelzen, with an E.D. Bee-powered K.K. "Pirate".

The Control-line Event, in which there were 9 competitors, was held on the town meadow. A large crowd cheered the winners, and Serg. Stephenson of the British team, from Fassberg, well deserved top place. His models—a "Junior Monitor" Elfin-powered, and a "Millsbomb" Mark II with a similar motor—plus a Veron Spitfire—put on a most impressive show and he was the only contestant to fly successful eights. Stampa, of Fassberg, took second place, with a Kratzsch-powered "Defender", which had a very lame performance compared with that of the British team models.

Top marks to the Uelzen Club for the organisation of the Competition and for the successful Prizegiving party which followed it.

The latest news of Hans Pfeil's own Club—The Pied Pipers of Hamelin—is in connection with their own Control-line Show which was put on on the 26th December last. Quite apart from some notable flying, the Chairman of the Club, R. Reichelt, did the feat of the day by blowing off the complete cylinder of his glow-plug Kratmo Ten Engine, which was installed in a 50 in. span stunt model.

Much of the applause was stolen by a cream and white F.W.190 with its realistic looks and performance.

Flt./Lt. Jim Hedges (known to his compatriots as Hot-Rock), now stationed in Singapore, is seen displaying his "Glowing Places." He hopes to bring this fast model to England during May this year.

Between January 13th and 17th the newly-formed German Aeroclub at Frankfurt-on-Maine, in the U.S. Zone, will have endeavoured to enlist the aeromodellers in their ranks. As this would mean that one modeller's representative would be alone on a board of sailplane pilots, the modelling side of the Club would not be much in evidence. The majority of German aeromodellers would rather form a governing body of their own, as they can visualise the hobby being completely engulfed, if it is to be run by the Aeroclub. We have yet to hear the latest position in connection with this situation.

Malaya


Ron. Moulton, of AEROMODELLER Staff, received a letter from his friend, Flt. Lt. Hedges, who is with the R.A.F. in Singapore, flying Bristol Brigands. He is a very keen Control-line Speed man, as many modellers who were at Radlett when he took the Skyleada Trophy will remember. At the time of writing, his latest job was McCoy 49-powered and had been checked with a chronometer over two lots of three laps at a speed of 152 miles an hour. He sent in a photo of this model, and readers will see that it has the right sort of appearance!

Jim Hedges does not limit his flying to speed, however, as he derives considerable enjoyment from a Monitor, and has been known to put up a sailplane also. He has very few complaints regarding service in Singapore and its connection with modelling activities, as he finds plenty of time to keep up his flying.

U.S.A.

Photographs and details of the most amazing collection of flying models that we have yet seen, have been sent over from





New York by Francis X. Gruber. The majority of his private collection of unorthodox flying machines are his conceptions of the "Flying Saucer". The largest, however, which has a span of 48 ins., is a tailless Towline Glider, as is the Flying Wedge of 24 ins. span. The large flying discs are Jetex-powered, 31 ins. in diameter, and are Control-line Models. They use catapult-assisted take-off and have quite an impressive performance, ending with a fast, though flat, glide. The disc at the rear of the collection is also a Control-liner, and is powered with a Mini-Jet. This is a heavy model, which flies very fast and writes off its landing-gear pretty regularly!

To prove that these things really do fly, their designer included a photograph of one of them performing, but the results were somewhat too hazy for reproduction. This, however, is excusable, as he took the picture with his right hand, and launched the model a second earlier with his left. However, it definitely *is* flying!

New Zealand

We were so amused by the style of a report written and sent in by Pete "Tailskid" Carter, Editor of the Balsa Butcher's Bulletin, official organ of the Hutt Valley Aeromodellers, that we would have liked to have given you the whole thing. However, space will only permit chosen extracts, and we will do our best to do justice to its author. The report starts like this:—



"Well, it's like this. We pile on the early train and get to the 'drome about ten-thirty to find the breeze piping up and Freeman's castor oil all spilt in his bag. The way that joker controls his language is something amazing . . ."

"Roots is flying that dirty big ugly trike again—pity it flies like a brick, or he might lose it and have to build something decent. Just then Jarvis tries to kill me with his Monster—it whistles past my ear at about 60. Lethal weapons like that should be banned. If he wants to do me in, why doesn't he try frightening me to death with his Wakefield or something? Just as I think I've had a lucky escape, I get hit in the eye by a hunk of tailplane off Randall's model what Freeman is chucking around like a madman, so I retire to the sideline . . ."


"Suddenly there's a devil of a roar and the world is informed that Freeman's got his jet going. Everyone panics and clears out and forgets to unhook the pump and batteries and if it hadn't conked out I reckon she'd have taken off with the lot. They have another go and this time it's highly organised with about sixteen jokers hopping around like one-armed paperhangers trying to wrench leads and pumps off. Barret's flat out on his turn trying to hold it back, and just about to get his eyebrows burnt off. Only Freeman's laundry knows how scared he was!!"

There is quite a lot more in similar vein, but we have to pass on and do so with the hope that at some time in the future we can give you further extracts from a Balsa Butcher's Bulletin.

Pete Carter is also the local tame Magician, and a very useful type to have around at Club Dinners and such like.



Top left; Dutch sailplane enthusiasts Y. F. Yekking, P. Koorn and L. Bausch with their A/2 models. Top right; Amos Yatoni of Haifa, Israel, with his 10 ft. span radio controlled slope soarer. Above and right: the collection of unusual models by Francis X. Gruber of U.S.A. takes some beating for originality. These are the first flying doughnuts we have seen!



Israel

Some interesting information is to hand from N. Kadmon, of Jerusalem, regarding Israeli aeromodelling. Apart from being a hobby, as elsewhere, the building and flying of model aircraft is used officially to engender air-mindedness in the youth of the country. Their A.T.C. begins with model gliders and a few rubber jobs at the age of 15. At 16-17 the more advanced members pass on to full-scale gliding and power flying. At school-leaving age of 18, they are then qualified to join the Air Force. The majority of the A.T.C., both boys and girls join the Aero Club of Israel, where their model building continues, while they learn the theoretical branches of aeronautics, and continue full-scale gliding.

For the above reasons, Israeli modelling has developed around a number of standard models, several of which have been designed especially by Shlomo Yarkoni, a chief instructor and Israeli Air Force pilot, whose name has appeared in "World News" previously.

Accent is on gliders, of up to 11 ft. span, including Tailless, with Free Flight Power in second place, and Rubber, due to the shortage of that commodity, poorly supported. Our correspondent, who is chief modelling instructor of the Israel Aero Club (a summer vacation job, he tells us), is, however, a rubber enthusiast, and looks forward to the time when Israel will have its own Wakefield Team. Power models favour the 1 to 2 c.c. capacity motors, British designs being the most popular, closely followed by those from the U.S.

Dr. Sultan, of Tel Aviv, has just perfected a single-blade prop. for one of his diesels, which he claims to give more thrust than a corresponding two-blader.



AT last the veil of secrecy can be lifted from the wondrous Fliar Phil "Uniplane"—1951's most potential winner, to be first flight tested in the Damage Cup this month. Hope you like it bods! It is the result of many hours of balsa bashing into the candle-light hours. Note how your favourite scribe has kept himself abreast of other experts, Evans, Smith, Gorham and the Knights, by using the very latest style in feathering props. There'll be a strong smell of ammonia around if the D/T ever gets mixed up with those prize Duck bristles F.P. uses for super efficient blades. Complete in every detail and ready for every modelling affray of the year, the Uniplane should make its mark (!) wherever it appears.

Remember that article on a Wilnot-Mansour Turbo Prop. unit using a Jetex Motor? L.S.A.R.A. member R. Sharpe, designed and photographed this month's feature of the month during late 1949, and was assisted by A. G. Levers in the construction. The Jetex unit is fitted with a special nozzle and screwed into the turbine casing. The stream of high pressure gas from the Jetex drives the turbine, which, in turn, drives the prop. Designer Sharpe would like to hear of other experimenters in this interesting sidelight on Jetex power. Though little theory is available on design detail, the unit illustrated is capable of equalling the thrust of the renowned Mills '75 c.c.

The beautifully finished "Ercoupe" shown as picture 2 comes from J. Greening of Dorchester, Dorset. As a first attempt at building from plans, it reflects credit on Mr. Greening's building—and photographic abilities. Power is by Amco 3.5 diesel.

No. 3 in the picture parade is an Ed Stoffel shot of N. Griffiths' 75 in. span Feiseler Storch, powered by a 4.4 Kemp diesel. Finished in proper colours, the model was scaled up from an AEROMODELLER 1/72nd drawing, and has excellent flying characteristics.








Once more Fliar Phil includes a team racer in the dual picture, No. 4. A product of S. J. Higgs of the Gosport Club, "Lumberin' Lucy" was built to rules formed by that club some time back. Span is 16 ins., area 53 sq. ins., weight 7 ozs., and with the Allbon Javelin 1.49 its average speed is 55 m.p.h. Note the very neat inverted motor installation, and its centrally split hinged cowling. The entire model is built from $\frac{1}{4}$ in. and $\frac{1}{16}$ in. sheet, and is finished red with yellow trimming. The photographs were taken by Mr. Blamire, camera was Voigtlander Bergeheil plate with f4.5 Heliar lens. Exposure 14 secs. at f22.

Not the kind of job to fly in mad March winds, but nevertheless a very successful contest lightweight is "Mimico Maid" in No. 5. Here B. L. J. Neal of West Middlesex is shown with his "Maid". Span is $29\frac{1}{2}$ ins., area 125 sq. ins., weight $3\frac{1}{2}$ ozs., and power 6 strands $\frac{1}{4} \times \frac{1}{24}$ in. rubber. Photograph was taken by H. W. Hyde, using Pan X cut film, 1/50 sec. at f11.


A Summer scene at any contest is No. 6 by K. A. Farmer of Bristol. John Mayes (left) and T. Smith of the South Bristol M.A.C. are seen preparing their modified Toreador for flight at Lulsgate Aerodrome, Nr. Bristol. Camera, a Rolleiord II, Pan X film 1/50 at f8.

Seventh in the line is not a solid but a control line version of the Typhoon 1b by J. G. Harding of Greenwich. Plans were scaled up from A.P.S. 1/72nd scale drawings, giving a span of 28 ins. Power is a Frog 180 and weight 13 $\frac{1}{2}$ ozs. With an airspeed of 40-45 this Tiffy has a very realistic appearance. Picture by J. Mace of Blackheath with a plate camera 1/5th at f8.

Just to show that we have not forgotten the sailplane fraternity, No. 8 is a 72 in. span Meteor inspired sailplane, designed and built by J. Nicholson of Bradford. The model is known as "Old Nick"!!



The REEVES MODEL H.18



THIS month we again feature an engine of under 2 c.c. capacity—proving once more the popularity of engines within this category. Almost every new addition to the British range has, in recent months, been of small capacity, so that a very wide choice now exists. A likely reason for this concentration on units of small size is the general improvement which has taken place in design and power output, enabling models of fair span to be flown without the necessity for larger engines.

The engines tested in the past few months certainly show that British manufacturers, once they have got under way,



are capable of bringing their products to a high state of perfection, so that the British-made diesel engine is now undoubtedly the finest in the world. It is particularly noticeable that the small breakdowns and petty troubles which beset some of the earlier engines have quite vanished away, and the miniature British engine is now as reliable and "wear-worthy" as its full-sized counterpart.

Generally speaking, I should say that these improvements are mainly due to the use of correct materials in the *right places*, the increased employment of hardened and ground parts, and a better appreciation of the precision necessary to an efficient engine. On the design side, engines of higher efficient speed have been evolved by short-stroke lay-outs, improved porting arrangements, and more careful timing. Fuel developments have also kept time with mechanical advance.

In the Reeves H.18 many of these points will be evident, and on test an extremely good performance was obtained. Probably the most marked feature of this engine was the very excellent output at the lower revolutions, for, as the curve shows, .067 b.h.p. was obtained as low as 5,000 r.p.m., although the maximum power was developed at a considerably higher speed. This characteristic is unusual in "hot-stuff" engines, because high-efficiency porting usually behaves well only at around the high speeds for which it is designed. We thus usually find a very marked drop in power around the 4 to 5,000 r.p.m. mark. It is probable that the good over-all efficiency of the Reeves is due to the use of a rotary disc inlet valve in the crankcase—an arrangement which allows of great flexibility of timing. Another marked feature was the really superb fit of the piston within the cylinder, which showed no deterioration after many hours of hard running. This also doubtless contributed to the good low-speed performance, as, strangely enough, any piston leakage effects are more noticeable at low speeds than at high.


Test


Engine : Reeves H.18 Diesel.

Fuel : Mercury No. 3 plus Ether.

Starting : Very good under all conditions.

Running : Smooth and consistent at all speeds, with good flexibility of needle control. The extended needle is a great convenience, and the situation of the carburettor at the rear of the engine makes for safety for the fingers.





B.H.P.: As mentioned, a rather unusual performance was evident at the lower speed range. At 4,000 r.p.m. the output was as high as .060 b.h.p., which rose steadily to a maximum of .1034 b.h.p. at 11,700 r.p.m. Although dropping rapidly, a power of .087 b.h.p. was obtained at about 13,000 r.p.m. The engine may be considered to be performing excellently at any speeds between about 9 to 12,000 r.p.m.—a wide range of variation.

Checked Weight: 3.25 ozs. (without fuel tank).

Power/Weight Ratio: .510 b.h.p./lb.

Remarks: This engine seems satisfactory from all points of view. The hardened cylinder and liner, the hardened and ground crankshaft, and the long main bearing, should make for long wear. Engine controls are particularly well placed for convenient handling.

General Constructional Data

Name: Reeves H.18.

Manufacturers: Reeves Model Power Units, Victoria Road, Shifnal, Shropshire.

Retail Price: 62s. 6d., including purchase tax.

Delivery: Immediate.

Spares: Full spares and repair service by return of post.

Type: Compression ignition.

Specified Fuel: Equal parts paraffin, oil and ether, or Mercury No. 3.

Capacity: 1.77 c.c., .102 cu. ins.

Weight: 3 ozs. bare.

Compression Ratio: Adjustable.

Mounting: Beam, upright or inverted.

Recommended AircREW: 8 × 6 in. or 8 × 8 in. for control line. 9 × 4 in. for free flight.

Bore: .510 ins.

Stroke: .500 ins.

Cylinder Liner: Case-hardened steel, ground honed and lapped.

Cylinder: Aluminium alloy casting, one piece with crankcase and integral fins, two exhaust ports and one transfer duct.

Cylinder Head: Plain aluminium alloy with three retaining screws.


Crankcase: Aluminium alloy casting.

Piston: Flat topped, case-hardened steel, ground and lapped, no rings. Silver steel gudgeon pin.

Connecting Rod: Case-hardened steel, ground and lapped.

NUMBER
THIRTY-
THREE

BY
L. H. SPAREY




Crankshaft: Case-hardened steel, ground and lapped.

Main Bearing: Plain.



Induction: Rotary disc valve.

Contra Piston: Case-hardened steel, ground and lapped.

Special Features: Extra long crankshaft bearing giving engine longer life. Anti-vibration carburettor needle. Will run in any position without any alteration to engine.



CONTROL-LINE MULTI'S



Above: The mighty 'Brab' in miniature is an impressive model. Lightweight structure is planked over; engine nacelles removed for flight. R. H. Thorne's multi-mount is shown left. Fuselage and wings can be built around this basic unit.



MULTI-ENGINED aircraft have often been chosen as subjects for sports control-line flying, so we make no pretence that the models featured here are breaking new ground (literally, not physically).

However, the enterprise among Brabazon I enthusiasts who have sent us photographs of their scale versions of this mammoth aircraft is best exemplified by the first photographic evidence of a FLYING Brabazon sent by K. Goodchild of the Wolverhampton club. A team effort by Messrs. Bell, Cliff, Goodchild and Wrights, Senior and Junior, produced the successful job shown here, in the five months from February to June, 1950.

Power is supplied by four sidewinder K Kestrel 1.9 c.c. diesels driving 6 in. x 6 in. props, and using extension shafts. Four separate wedge tanks feed fuel, and the outer wing panels detach to aid transportation (span is 69 ins.).

Flown on 50 ft. lines, this Brab in miniature took off for its first flight on two engines after a run of $\frac{1}{4}$ lap—top speed on all four is about 50 m.p.h. and the take-off reduced to $\frac{1}{4}$ lap. With one motor only, a ground hugging circuit at 12 m.p.h. is the best the 5 lb. all-up weight will allow. The wing area is 440 sq. ins. and the length 52 ins.

From Richmond, Mr. R. H. Thorne specialises in scale multi's, as the pictures of the Sea Hornet, Convair and Manchester show. Advising fixed undercarriage mounted on a unit which can fit almost any design and is suited to nose wheel designs, Mr. Thorne employs upright mounting of his E.D. motors.

The unit consists of a short front and rear wingspars through each of which are thrust the engine bearers. Plywood, an $\frac{1}{4}$ in. thickness, is the best material to use and the bearer holes can be cut with a fretsaw. The block for the bellcrank is also mounted between these spars. Every joint is fixed with strong glue. The undercarriage legs are bound to the bearers. If the model is to have tricycle undercarriage the nose wheel can be bound to another length of wood also fitted through the spars. This unit makes up in strength and ease of construction for the little extra weight, and with modification could be used with radial mounted engines.

The De Havilland Sea Hornet has one E.D. 2 c.c. Competition Special and one E.D. Mk. III 2.49 c.c. They can each fly the 40 in. model, should one or other motor fail in the air. The larger Convair flies on 75 ft. lines, using the same motor combination as the Hornet. Note that in each case the more powerful motor is fitted on the inboard nacelle to help keep the lines tight in flight.



"More Revs."

*I've noticed of late a considerable entry
Into our hobby of Clerical Gentry,
Seeking diversion from the saving of sinners
In giving instruction to model beginners.
Of course, we've had Doctors and Lawyers and such,
But it's pleasant to welcome the reverend touch.
Though I'm somewhat amazed that they should exult
In our far from religious, and pagan-like cult,
Where the Sabbath is flouted and given to rites
Of heathenish revels and devilish flights.*

*So much for conjecture, but let me relate
The story of one—a learned prelate—
Who, starting his engine, gave demonstration
To a very attentive and large congregation,
Whose purpose, no doubt, was merely to linger
To hear what he said when the prop hit his finger.
Which finally happened—but I state without libel
The words that he uttered can be found in the Bible.*

L. RANSON.

— and the other view

"Less Fuel"

*Your surprise, Mr. Ranson, I've noticed in others
Who seem to imagine their reverend brothers
Should live in a sort of perpetual Lent,
And that modelling's not for the clerical gent.
But against Sunday flying and similar revels
The voice raised the loudest is surely the devil's :
It wouldn't surprise me to hear that he barks
In the ears of the keepers of public parks.
This modelling business must ruin his trade—
Hence the latest attack through P.T. that he's made.
Below, he's an army of out-of-work stokers
Wasting time leaning on shovels and pokers
With nothing to work on ; while poor human souls
Are too busy flying to turn into coals.
For when anyone's working with balsa and plan
He's unlikely to leave them to murder his Gran !
Here's hoping the ranks of our hobby will swell,
And the devil (plus stokers) can all go to—the
Ministry of Fuel and Power for a coke permit !*

F. CALLON.

Wakefield Selection

DEAR SIR,

The Swansea Aeromodellers' Club is very perturbed over the continued plugging of the "selection board" method for the election of the Wakefield Team. It is noticed from the December issue of "Model Aircraft" that this idea now seems to have some official backing.

It is sincerely hoped that this is not the case. The Wakefield is a contest for individuals, and the International aspect merely emphasises this.

The present method of selection seems to be very fair—it gives the "has-beens," "neverwasers," the "up-and-comers" and the fliers who fly for the sheer love of the sport a chance to make the grade. To suggest that the "Man in the News" should be given just that little extra time and peace of mind to build a still air machine is carrying things a bit too far.

Had the teams of the past consisted of these so-called experts, this country would still be waiting to get its name engraved on the Trophy. Most past winners have been people who came on the scene unheralded—they have just been good fliers ! The names of Chesterton, Judge, Ellila, Cahill, Korda, Allman, Light and Fillon come to mind. Most of these have now slipped into obscurity from the Wakefield front.

It is sincerely hoped that the spirit of competition will continue and that those people who are shouting for a "fixed" team will think again. Perhaps after all they are only the back-seat drivers who always know what to do, yet never do it themselves !

Yours faithfully,

E. C. CRUMPLIN,

Hon. Sec. Swansea Aeromodellers' Club.

(We would refer to the last paragraph of our "Olympics" remarks on page 12 (January issue). Editorial support or otherwise is not necessarily an official attitude. We do, however, heartily endorse the Swansea chap's remarks, for we shall always fight to the bitter end any suggestion of a selection board for such matters, no matter how good the "short list" may be.—ED.)

That Soapsud !

—Was No Bubble !

DERE SIR,

i yaf with som dificcultie bilt the Soap Sud fromm the planz on pay 765 off the AEROMODELLER.

I wood hear lyque to stait mi objequshons to the dizyn. Ferstly the longrons wer dificcult to bend wonk like the planz, an keps pringin out of shapp. Orlso the T.E. of the tayl plain had 2 B carvd of solid bolser.

Sow mutch howephrr 4 conn-struk-shn. i fownd that trimen woz the mayn probm. Ai fownd 5 LB groassly mutch and had to reedyuice this to mynus 2 oz (by plaissing sed 2 oz in tayl)—This ov cors was dew too the 17½ oz Marlin spyk A yuzed 4 the noaz blok.



Unfortchunatly, the barb-wyr on the port (no starbd) typ cort on my gerl-frends dres and ripdit.

U wer rong about that third rib wot olwaiz broak, cos i found that only the senter sevn ribs crakt on lornchin.—Evenchuali it was reddi (cos of the doap) for toe ingup. I lit the navigayshun lyt an my frend ran along wiv ther toe-roap, butt it woz not attatcht to the modl and it (the modl) was burn to assh bi the navigayshun lyt. So i must start agin—hood B a neromodlr !

Kingswood, Surrey.

T. LORUNTS.

(Unprecedented demand for our Xmas funny feature design leaves us amazed at the sagacity of modellers like Mr. Lorunts and Messrs. McHard and Longstaffe who produced fool size Soapsuds shown below. Mr. A. J. Longstaffe talks of converting his (right) to radio !—ED.)



RADIO CONTROL NOTES

BY
HOWARD BOYS

FIRST item this month is a letter from Mr. Leopold M. Kay of New York, in answer to a previous correspondent. Mr. Kay seems to have missed the writer's remarks on that letter. Mr. Kay's letter, however, contains a very good description of the working of a super-regenerative receiver. It is a bit advanced, so beginners are warned not to bother too much if they cannot understand it. There is bound to be plenty of readers who will appreciate the description. Here then is the letter:—

It is the first time I have been moved to write to a magazine editor, but your September 1950 issue contains material so seriously in error that it implies a great lack of critical ability and basic "feel" for the subject on the part of your staff, at least on the general subject of radio fundamentals. This, in contrast to the unrivalled excellence of your magazine in the subjects of model aerodynamics and small engine design. In these, I feel, you are the best in the world.

Sir, you have been hoaxed by a fool. I refer to page 591 in your September 1950 issue; letter from a Mr. Neutron.

The circuit in Fig. 3 may most properly be described as a Colpitts oscillator, although this is unimportant since all types of oscillator can be adjusted to produce the same results. The choke, connected to the coil, if perfect, could be moved anywhere on the coil with no effect. It could be removed if the tap were located exactly at the zero R.F. potential point on the coil—this is a detail. Feed-back for oscillation is developed by the division and phase reversal of the R.F. voltage across the tuned circuit by the ratio of input to output capacitance of the tube (valve). The circuit is, further, a self quenching super-regenerative type. It oscillates strongly at the frequency of the tuned circuit (and incoming signal). This oscillation is periodically quenched by the fact that it blocks at a low frequency (say 20–100 k.c.). This frequency is timed by the grid leak and grid condenser values and the operation is known as "squegging." The high frequency

is approximately $= \frac{1}{2\pi\sqrt{LC}}$ while the low frequency is approximately $= \frac{1}{RC}$. In general, the grid leak should be returned to

B+ (H.T.). This will increase sensitivity, reliability of operation at low values of B+ and decrease the effects of tube variations. It may not be optimum in the case of relay operation, where change in plate current is the desired criterion.

There is at present no completely satisfactory mathematical analysis of the super-regenerative circuit (after about 30 years). However, the enormous gain is caused by the following factors.

Tuned circuit is proportional to a parameter $Q = \frac{X}{R}$, $X = WL$,

$R = \text{equivalent series resistance of the tuned circuit. As } R \rightarrow 0,$

$L \frac{X}{R} \rightarrow \infty$, and the gain also goes to infinity. The feedback

from the output of the tube is equivalent to a negative resistance which cancels the positive resistance of the tuned circuit. The Q and gain rise toward infinity, faster and faster (a situation foreclosing any possibility of setting the equipment to some stable operating point).

The circuit oscillates and becomes useless for reception, the gain drops. However, for a small interval of time just before oscillation starts, the gain is high. The squegging, causing the oscillations to die out and restart many times, causes this sensitive condition to occur again and again, and thus the average sensitivity will be high. Also, the tube, in relay operation acts as a D.C. amplifier.

"Rush of electrons," poo, "violent oscillation," foo, ". . .




FIG. 1.

minimum current . . . less," boo, "radio practice," . . . goo. I believe that a Neutron is a very small object with no electrical qualities whatsoever.

This is just the sort of reply the writer wanted in answer to Neutron's letter, and it should be a warning to people who write in that manner. Although Neutron sent his name and address it was omitted so as not to be too unkind to him. Radio people who have strong views, and have not constructed and operated model control apparatus should take notice.

Fig. 1 is a photograph of a transmitter made by a Rugby schoolboy named Roberts. It is a very good effort. The oscillator consists of a pair of RL18 valves in the usual cross connected circuit. Power is obtained from six two-volt accumulators and a 12-volt motor generator. These accumulators were made by Mr. Roberts himself from some others. Bending the cases to shape was a bit of a problem. On one occasion boiling oil was tried as the heating medium, much to the discomfort of the rest of the house! Since taking the photograph, an intermittent switch has been fixed up on the motor generator, with a three-position switch giving "off," "intermittent" and "on." At the receiving end a motor turns the rudder by means of a screw. With transmitter switch at "off" the rudder moves to the right, with the switch "on" it moves to the left, and at "intermittent" it stands still.

Now we have a letter from Mr. Bovey of Dartmouth, describing a transmitter. Although it has not been tested in the field there is no reason why it should not work. It is a very different thing from building a receiver.

I have been reading your "Radio Control Notes" for some time past with considerable interest, and as I have dabbled in amateur radio for about 15 years I have recently constructed a transmitter which I think may be of interest.

The oscillator, which is a Mazda PD220, works on the cross coupled system, and will deliver a little over 2½ watts when operated from a 120 volt H.T. battery. I have not tried a higher voltage so far, but as the valve will operate on H.T. voltages up to 150 without overloading, it should prove possible to exceed this figure easily. Anode current with new batteries should be about 22 m/a. This may seem high, but as current is only used momentarily, battery life should be quite good. Unfortunately


it has not been possible to give this transmitter a field test due to lack of R/C activity here, but I have hopes for next year in this respect.

One point in particular may be of special interest. The transmitter as originally built had an ordinary condenser for tuning purposes, but this had to be adjusted by a long piece of wood due to hand capacity effects. After some thought this was replaced by a Government surplus Split Stator Condenser, each section having a capacity of 44 pf. With the rotor of this condenser earthed the transmitter is simplicity itself to handle, and the tuning condenser can be adjusted without any movement of the transmitted signal. The 27 m/c. frequency is found with the rotor about half meshed, so the L/C ratio of the tuned circuit is high, giving good overall efficiency. The great thing about this particular circuit is that it cannot fail to oscillate, the only drawback being that frequency is affected by anode voltage. A careful check should be kept on this when operating. I intend to try a similar circuit using two 3A4 valves in order to reduce the size of the transmitter, and if you are sufficiently interested, will let you know the results later on. Incidentally, the 3A4 appears to be quite good for transmitter work as it is rated for 135 volts maximum, and should give a hefty signal without overloading. The circuit is given in Fig. 2.

The aerial is coupled by putting one turn of wire in the middle of the coil though insulated from it. One end goes to the aerial and the other to earth. Mention is made of the frequency being affected by the anode voltage, but in ordinary use the variation is very little, and it would not be necessary to check it every time the transmitter was set up.

In the September 1950 issue, the writer remarked that someone at last seemed to be getting results with tuned relays. At the time those notes were written, no one in Britain had made any claim publicly to have achieved success. As a result of this, the writer has received a letter from Mr. E. L. Rockwood of California, with a leaflet giving a few particulars of a complete equipment he has designed and put on the market. These equipments are available in one, two, three and five channel form, and reliable operation is obtained with a transmitter input of only half a watt. This is undoubtedly a most worthwhile achievement. With the three channel outfit, the transmitter control has a self-centering key switch and a push-button. The usual scheme is to control the rudder with the key switch so that pressing the key to the left the rudder is turned left, and pressing to the right gives right rudder. The push-button controls the engine speed for idling or full power, or to stop the engine when required. Range is as far as can be seen and probably farther, and the receiver uses only three valves. A complete equipment on the market commercially is very different from the experiment sets the writer had heard about previously.

Since writing those September Notes, the writer has heard



that Mr. Honnest-Redlich won three cups and two plaques at the Fleetwood model boat competitions on August Bank Holiday, 1950, using a three channel tuned reed equipment. He has also built a three channel control model aeroplane, and has promised to let the writer describe it sometime.

Some interesting correspondence has been received from Mr. Sinfield of Luton. The second letter asks for some of the first to be cancelled, but the first has been printed in full due to its interest value. Here, then, is the first letter:—

I am extremely interested, from a radio viewpoint, in the radio control of models. Certain technical disadvantages are apparent which, presumably due to the slight additional cost, do not appear in commercial equipment.



While for simplicity the receiver using one XFG1 type valve is simplest, it suffers from:—


(a) Radiation due to aerial being directly coupled to an oscillating circuit.

(b) Difficulty in tuning, due to varying proximity of aerial to ground and nearby objects: variation in detector grid circuit loading for same reason.

Both these points (a) and (b) can be overcome by fitting an R.F. amplifier stage between aerial and detector (as well as the advantage of increased overall sensitivity). The 1T4 type is most suitable for this purpose—see Fig. 3.

The transmitter also suffers from defects which, probably for





same reasons are not overcome generally:—

(a) It appears to be normal practice to use a one-valve transmitter. The efficiency of such a valve is extremely low as well as being unstable as regards frequency.

The point surely to aim at is to have the frequency absolutely solid and steady and to put as much into the aerial as possible, with the allowed 5 watts maximum input.

For this particular frequency and power, probably easily the most efficient valve is the 6J6 (or ECC91) which is rated for 3.5 watts R.F. output for an input of 4.5 watts (150 volts at 30 m/a.).

For stability the 6J6 should work as a neutralised push-pull power amplifier and be driven by a separate oscillator valve. The required drive is extremely small. Suitable circuit is shown at Fig. 2.

I have started to build the complete radio and Figs. 3 and 4 are the arrangements I shall be using. (Possibly a mark-space modulator may be added later.) I am convinced that such circuits are essential to ensure adequate reliability. Simplification can be carried too far.

A big point here is that Mr. Sinfield states his ideas and intends to try them out. Now this is the path that leads to progress. It will be very interesting to see how the XFG1 with R.F. amplifier behaves. With such a scheme it might be possible to get two sets working in the narrow band we are allowed. With regard to the transmitter it was generally reckoned in the best radio circles that a transmitter of this type will give the best results. Its stability and efficiency have been proved. The only way it could be improved would be to have the oscillator crystal controlled. However, here is Mr. Sinfield's second letter:—

Re my letter on model control transmitter and receiver.

Interested in Radio Control? then you simply must read the only book of its kind available in the world **RADIO CONTROL FOR MODELS** by George Honnest-Redlich. Price 8/6 or 9/3 post free from the publishers at the Aerodrome, Billington Road, Stanbridge, Nr. Leighton Buzzard, Beds.

Please cancel all remarks re the transmitter as I have been doing some experiments and evolved a simpler arrangement which suitably fulfills the requirements.

The valve is the same 6J6 but is a single valve oscillator transmitter. Using one tuned circuit only, the output was very low and loading affected the frequency. However, using two tuned circuits in a push-pull T.P.T.G. oscillator the output jumped up considerably and loading had little effect on frequency.

The improvement can be readily noted by measuring output at 4.5 w.) with dummy load and flash-lamp bulb or thermometer and comparing with several of the available commercial transmitters (also working at 4.5 w. input).

The circuit is now as Fig. 5.

Both coils are self supporting 1 in. diameter and centre tapped. Tuning condensers are both 50 pf miniature air speed variables. Grid circuits completely screened. Whole transmitter in metal box.

The 6J6 can be obtained from Premier Radio at 6/6, ex Govt. The 50 pf c/s cost approx. 3d.-1/-, ex Govt. An ex Govt. vibrapack for 6V can be obtained for less than £1.

It is very gratifying to get experimental results sent along in this way.

Next is a scheme from Mr. K. R. Taylor of Plymouth, and here is his letter:—

I should like to submit the following idea.



The purpose is to make the tuning coil on a receiver easily detachable should it get damaged in a crash, without having the other wiring coming adrift when removing the coil. This method of fixing also provides more rigidity to the coil.

In the diagram, Fig. 6, A and B are made from 18 G tinned copper wire wound around a small terminal screwdriver in the form of a spring, and then removed from the screwdriver. The straight end is then wrapped around and soldered to the 8 BA bolt at A, a similar "spring" is then made for B. The centre of both "springs" is then filled with solder.

All that is necessary to insert tuning coil is to melt the solder in the "springs" to push in tuning coil ends.


I have used this idea for three months on a Flight Control receiver, and also in the transmitter to give greater rigidity to the tuning coils. It has given every satisfaction.

Last, and least this time, is the writer's baby receiver shown below, actual size, which weighs one and one-eighth ounces with aerial but not wiring.



JOUKOWSKI AIRFOIL SYSTEM

REVEALED BY
BÖRGE
BÖRGESON



Favoured by 1950 contest winners, F. Holland, J. B. Knight, D. H. Rumley and R. H. Warring, the Joukowski airfoil is one of the most popular undercambered sections used on rubber models. Few modelers realise that it is possible to design this airfoil with variations in camber, thickness and actual contours. Swedish expert Börge Borgeson reveals the simplicity of this system and tells you how you can design your own airfoils.

THE vast range of airfoil sections now made available to aeromodellers has perhaps added confusion to the choice of ideal wing/tailplane section relationship. By using the Joukowski system described here, it is possible for modellers with the most limited experience to develop similar airfoils and obtain the best co-ordination between the wing and tail. For example, if one is to design the Joukowski section for a wing, then a slight variation of the camber angle and slight change in the E-F dimension will produce a thinner airfoil of the same family, which will be perfect for the tailplane.

The Design System

1. Having decided what chord is desired, measure the distance X between points A and C along a horizontal line, distance X will be equal to 49.5% of the desired chord. Construct a perpendicular line from the point C.

2. The camber angle (between A-E and A-C) is decided in the light of experience. Readers will note that the airfoil shown in the diagram has been designed around a camber angle of 4°, and has produced the type of airfoil generally accepted for Wakefield use.

3. Decide the desired thickness ratio and calculate the measurement of half the maximum thickness. Measure this distance along the camber line between E and F. F is now used as a centre for the circle between A and B, which is scribed with the radius dimension A-F.

4. To calculate the centre point of the inner circle

$$\frac{X^2}{\text{distance C-B}} = \text{distance C-D}$$

Mark point D and bisect line A-D. Erect a perpendicular to intersect A-E at the point G. This point G is now used as the centre of the inner circle which has as its radius A-G.

5. The drawing of the section can now be completed, using the two circles. Draw two lines from the point C each of which forms the same angle with the line C-B or A-C. Draw a line between the intersection points, on the outer circle and inner circle, and bisect this line to obtain the plotting point for the airfoil curve, e.g., follow C32 (inner) 12 (outer) and C12 (inner) 32 (outer). Note that the two points 32 are joined, and likewise points 12. Each of these latter lines are bisected, giving P12 on the upper surface and Q12 on the lower surface. The angles formed by C12 (outer) and C32 (outer) to the horizontal A-B are equal. Approximately 15 such constructions will provide sufficient plotting points for the section to be drawn.

Symmetrical Joukowski airfoils can be created by eliminating the camber angle and fixing the centre points F and G on the line A-B. These symmetrical sections have a low drag and high critical angle of attack. They should therefore be ideally suited for C/L Stunt.

It might be detected that the rearmost point of the normal Joukowski airfoil is formed by the junction of the upper and lower contours at a theoretical 0°. This results in a very sharp trailing edge, and consequent structural difficulties. However, slight thickening at the trailing edge has been adopted as a standard practice by most rubber exponents.

Why not have a try at designing your own airfoil? Armed with a pair of compasses, a protractor and tee square you can plot a perfect airfoil to any chord within a half hour.



ESPECIALLY FOR THE BEGINNER PART XIV

BY THE REV. F. CALLON

IMAGINE that since Christmas there are many more diesel engines in circulation than there were before. And quite a few of them will doubtless have been installed in Tomboys. I will be very interested to hear how the Tomboy is behaving, so if you have any building or trimming difficulties or any exceptionally good flights, why not drop me a line? The information may easily be useful to other Tomboy owners.

The prototype still looks as good as new in spite of constant use. The other Sunday I risked a flight with the plastic propeller on the right way round, and the result was a perfect loop followed by a rocketing climb—and a long recovery run! For normal "sport" flying, the ideal combination seems to be very calm weather, a longish engine run and the propeller reversed. I almost got a stiff neck recently when flying under these conditions, for Tomboy was turning in flights of 4 and 4½ minutes as regularly as clockwork, keeping right overhead the whole time, and generally landing within some 30 yards of the take-off position. Any deck chairs for sale?

"Genre" Photographs

There is something very attractive about *genre* photographs—that is, photographs of people "on the job", and their own particular job at that. Typical examples would be pictures of a farmer ploughing, a blacksmith shoeing a horse, a toolmaker at his grindstone, or of an old lady working away at her knitting. Such pictures always tell a story, and even though they may have been specially posed, the model seldom looks self-conscious, being actually occupied in working at something which he or she knows a great deal about, and which calls for every ounce of concentration. Which is all very much to the point as far as aeromodelling goes.

It is obviously going to be an indoor photograph, so that a photoflood bulb (and reflector) will be required, but apart from that the preparations are quite simple. The accompanying illustration is the sort of thing which anyone should be able to turn out without much trouble. It is obviously not a masterpiece, but considering the whole job took only about ten minutes, it provides a pleasant enough record which was well worth the trouble. A work-table or modelling board makes quite an appropriate background to such a picture. In this particular case, one photoflood bulb was used, directed down towards the subject from the right-hand side. The exposure was 1 second at f.8—which should be 2 seconds with a box camera—using a fast panchromatic film.

The chief fault with the present photograph is that the work being done does not show up very clearly. The balsa wood is light coloured, and since it was pinned over the white plan, much of the detail is lost. A better result could have been obtained by waiting until the building had progressed

further, when the framework could have been removed from the plan and held over the darker coloured wood of the actual worktable. If you try this method for yourself, remember that balsa wood is very light, and that the slightest touch will mean movement—and consequently a blurred picture. The best way out of the difficulty is to leave the framework resting on the table, and to arrange the subject (*i.e.* the person being photographed) to look as if he is actually working on it, while in fact he is not touching it at all. And don't expect him to keep his hands still if they are poised in mid-air; wrists should be resting firmly on the edge of the table while the exposure is being made.

Running Repairs

Small models are constantly in need of patching. A crash landing in a thorn hedge, or even a normal landing in a field of stubble, very often brings its crop of small tears and punctures in the covering fabric. Although not immediately dangerous in themselves, they can easily develop into unsightly rips which will eventually cause weakness in the structure of the model. So try to get into the habit of having a patching session when necessary as soon as the day's flying is over.

A. Pinholes:— Small punctures are very easy to mend. First, cut out a very small circle from the correct colour of tissue—its diameter need not be more than ¼ in. Dip your brush into clear dope (wiping off the surplus on the lip of the tin), and paint a half-inch circle round the puncture in the model. Pick the patch up on the bristles of the doped brush, and lower it into place. Then, with another dip in the dope tin, give a final thin coat of dope over the top of the patch.

If the tissue has been originally treated with clear dope only, the patch will dry out practically invisible, but over banana oil or coloured dope a slight roughening of the surface will be noticed unless you work very fast. In this case, if you want a perfect finish, wait till the dope is quite dry, and then go over the roughened surface with a thin coat of banana oil or the correct shade of coloured dope.

B. Tears:— For really large rips in the tissue, trim away all the covering from the affected panel, right up to the surrounding balsa framework. Cut a piece of tissue accurately to give an overlap of ¼ in. to 3/16 in. all the way round. Put a thin line of tissue cement—or ordinary cement will do—around the edges of the panel, and wipe it off again at once. This pre-cementing is particularly necessary when you are working over banana oil, which tends to "roll up" when the cement first touches it. Now add a second line of cement round the panel, and lower the patch into place, smoothing the cemented edges lightly outwards with the finger tips. Leave for at least 15 minutes before dopping the patch. Water-shrinking will not be necessary.

Mending Broken Wings

After the propeller on rubber models, the most vulnerable part of a small plane seems to be the wing. Being of fairly light construction compared with the fuselage, it is in greater danger of giving under the strain of carelessly trimmed flights and bad landings. Mending a smashed wing is not normally a job to be undertaken out on the field, but care in picking up the model, so as not to add to the damage, can save a great deal of time when the job is eventually tackled. Whatever you do, resist the temptation to tear the damaged portions apart or break off any protruding pieces of spar; a clean break is much easier to mend than one which has been "chewed up".


Broken Dihedrals

Occasionally a wing will fold up at the dihedral, owing to a poor joint having been made there. This is quite a simple job to put right. Trim away the tissue, top and bottom, from the panels on either side of the joint. Remove gussets and dihedral braces (if any). Cut new braces to the correct angle from 1 mm. ply to fit against both the L.E. and the T.E.—the rib which occurs at the dihedral will have to be removed when these are inserted. Pin down one part of the wing over grease-proof paper, and cement the other part against it, propped up to the correct dihedral angle. Cement the braces firmly in place, and then add the dihedral rib. Finish off with four good, strong gussets, two on each side of this rib against L.E. and T.E. Then re-cover the panels (as described in "B" above), underside first, then top-side with overlap. Cement, not paste, should be used here.

Wing Broken Elsewhere

Things are slightly more complicated when the break occurs across one of the flat planes of the wing, for this means that L.E., T.E., and any spars there may be, have all been smashed.

Trim away all the tissue, top and bottom, up to the nearest rib on either side of the break. Place the plans of the wing on the workboard, cover with grease-proof paper, and pin down one part of the wing in position over it. Now, without cementing any joints, slide the other part of the wing up




Endeavouring to attain the distinction of being our youngest readers, Messrs. Clarke, Gay and Brown of the Rutship Club, whilst hardly bouncing babes themselves have some bonny models that doubtless are bounced on many an occasion.

against the first to see how the broken joints knit together. If the break is a clean one, and no wood has actually broken away, all that has to be done is to cement the joints, slide them tightly together, and pin down the second side while the cement sets. Then reinforce the joints with "braces" of hard 1/16 in. sheet balsa cemented against the inside of the L.E. and T.E., and also against the spars (if any), the braces extending for at least half an inch on either side of the break.


If any pieces of spar are missing, pin the second part of the wing down over the place marked for it on the plan, and cut away the broken spar ends to make scarf joints—i.e. with slanting cuts. Then cut the necessary lengths of the correct type of spar to fit snugly into the gap. Be sure that these insertion lengths really are a good fit before you cement them into place. Use straight pins to ensure that the joints hold tightly together while drying, and add straight 1/16 in. balsa "braces" as before, or gussets if the break occurs very near to one of the ribs. Leave to dry for about an hour—or preferably overnight—before commencing to sand the joints prior to re-covering the panel with tissue.

SMALL CIRCULAR PATCH "PICKED-UP" ON DOPE BRUSH AND LOWERED OVER PUNCTURE



COVERING REPAIRS

The whole job is pinned down over grease-proof paper




MENDING A BROKEN WING

It's DESIGNED for YOU

NUMBER NINE

BIPLANES



BIPLANES appear always to have had a more limited appeal to aeromodellers. Before the war there was an annual S.M.A.E. competition for rubber model biplanes and a number of contest models of this type were produced. Some of the best performances, however, were put up by orthodox monoplane duration models "converted" by the addition of another wing, often with no further modification than this. In other words, tail and fin area was unchanged, the additional wing slung beneath the fuselage appearing to have but little effect on stability. In the post-war years the biplane rubber model is a rarity.

For various reasons the performance of a biplane does not compare with that of an orthodox monoplane as regards duration work. Basically the biplane layout is adopted to obtain more wing area at reduced structural cost. In full size practice it was, until recently, easier to obtain wing area at light overall weight with a biplane wing than a cantilever monoplane wing. The same does not hold true for models. If anything, the weight comparison would be in favour of the monoplane and so on this score there is little or no justification for the biplane layout.

In the power duration field only a very few successful biplanes have appeared. None have been as good as their monoplane contemporaries, losing especially in climb. In other words, the biplane arrangement, area for area of equivalent lifting surface, has greater drag. This is partly due to the fact that biplane wings interfere with one another, reducing the efficiency of each. The total area of biplane wings, for example, needs to be more than that of a monoplane wing of the same lifting power.

Certain layouts can be used to minimise biplane interference and thus increase the efficiency of the individual wings. A large gap or spacing between the wings, for example, minimises interference and this is usually adopted, but we shall consider some of these points in more detail later on.

If not suitable for duration flying, therefore, why do people build biplane models at all? One of the chief reasons is that the biplane is attractive, both in appearance and in flight. It is possible, too, to approach closely to a semi-scale layout on a biplane. Slightly less dihedral is needed, for example,


which coupled with the shorter span, gives a certain "full size" illusion. As a sports model the biplane becomes an attractive proposition and something "out of the rut."

Unfortunately there is very little data available on biplane design and very few commercial kits or plans. The average designer has very little to go on and, perhaps fearful of some hidden pitfall—after all, he has not seen many biplanes around—he eventually produces a monoplane once more. Yet the biplane sports model is certainly no more difficult to design than the monoplane sports model. Of the two, the biplane with its higher drag values is likely to be the safer!

Gap & Stagger

First there are a number of definitions applicable to the biplane which it is as well to understand. Most of these relate to the rigging of the two wings. The gap, as we have previously mentioned, is the distance between the two wings. This is actually measured as the vertical distance between the chord lines of the two aerofoils—Fig. 1. All biplanes must, obviously, have a certain gap and, in general, this should be as large as possible. For satisfactory efficiency a minimum figure is usually quoted of gap = wing chord (or chord of the largest wing if these are of unequal size). There is no theoretical upper limit. Above a gap of about one and a half times the chord each wing acts as a single monoplane wing with no inter-wing interference.

This brings up a point that it should be possible, with a large enough gap, to produce a biplane where the total area is



Ever popular APS design "Sporty" is a perfect example of the unbraced equal span Biplane. Over 1,000 of this design were built during 1950, and at least one scaled-up version is flying with radio-control. Here C. Donaldson displays his Frog powered version.

A first choice for Biplane scale is the famous De H. Tiger Moth. M. T. Mitchell's model was built to APS plans for C. Rupert Moore's 1/4th scale rubber driven version. Span is 44" and weight 14 ounces.

equally as effective as that of a monoplane wing of the same area. Unfortunately, however, this ignores "scale effect" or the fact that, as far as models are concerned, larger wings (and larger wing chords especially) are more efficient than smaller wings. The monoplane and biplane compared in Fig. 2, for example, have the same span and total wing area. Assuming that the biplane gap is such that the two wings are each operating as monoplane wings, in effect, but the chord of each wing is only one half the chord of the monoplane wing. Each biplane wing, therefore, is less than one half as efficient as the monoplane wing owing to the reduced chord. Preserving the same chord, for similar aerodynamic efficiencies, the biplane span is reduced to a ridiculous figure with each biplane wing having an aspect ratio of only 3:1—Fig. 3. This low aspect ratio will result in increased induced drag and the reduced span will also probably be insufficient for stability, especially in controlling torque. A large gap, therefore, in spite of being desirable, is still no complete cure for biplane inefficiency problems.

Somewhat the same effect as gap can be produced by locating one wing of a biplane backwards or forwards relative to the other. This is known as stagger—backwards or forwards, depending on the relative position of the upper wing—Fig. 4. Theoretically, forward stagger is best and the use of stagger enables the gap to be reduced for the same overall efficiency. If both wings are rigged to lift to comparable degrees, the upper wing with forward stagger actually has less drag than the lower one. In other words, the centre of drag of the biplane arrangement is lowered, which can also have a stabilising effect, under power.





However, some designers prefer to use stagger for another stabilising purpose by introducing *decilage*. Decilage is a difference in rigging incidences between the two wings—Fig. 5. If the top wing is set at a greater angle of incidence the combination is said to have positive decilage; if the lower wing has the greater incidence, negative decilage. Positive decilage is more usual with forward stagger.





With positive decilage the upper wing will reach its stalling angle before the lower one. Used with positive or forward stagger, therefore, the lower wing will act like a short-coupled tailplane to improve longitudinal stability. When the upper wing has stalled, the lower wing, farther aft, will still be lifting strongly helping to correct the stall. The effect, however, is small compared with tailplane power for similar correction, and positive decilage does not seem a worthwhile inclusion solely on this score.

Design for Efficiency

Reviewing the biplane arrangement, as far as we have gone, we have established that we want a large gap, whilst stagger can also be used to produce a similar slight increase in efficiency. At the same time our biplane arrangement is still inferior as compared with a monoplane wing.

It is important, therefore, to make sure that both wings of the biplane operate as efficiently as possible. In a sports design we are not concerned so much with low drag values but require a reasonable amount of lift for slow flight. It would therefore seem logical to arrange the wings at a similar incidence and so space them that they are operating virtually as separate monoplane wings. Some of the rubber models entered in the biplane contests, for example, used an added lower wing rigged so that it was operating at a very low angle of attack in flight. The object was to reduce the drag of this second wing as far as possible and not bothering about getting much useful lift from it. The upper wing was relied upon to provide nearly all the lift required. Similarly, rigging one wing of the biplane to act partly as a stabiliser—which it can







Scale enthusiast John Greenland made this Sopwith Camel with Ameco .87 power. Markings are those of 70 Squadron R.F.C. Generous gap allows this aircraft to be scaled for power flight; but lack of dihedral and the short nose are distinct disadvantages.

only do by reducing the efficiency of the biplane arrangement as a source of lift—does not seem worthwhile when we can produce the same, or better, effect with a tailplane of suitable proportions.

The size and proportions of the two wings are the next factors to consider. As far as overall efficiency goes it seems that the larger one wing of the combination is, in proportion to the other, the better, until monoplane efficiency is achieved when the larger wing is 100 per cent. There is a limit, however, to what constitutes a biplane and when it becomes a monoplane with an additional stub wing or winglet.

The usual limit is where the lower wing is not less than one half the area of the upper wing—Fig. 6. If the lower wing is smaller than this then the layout is called a sesqui-plane. Some Nieuport biplanes of World War I were sesqui-planes, for example. The question is now whether to proportion the two wings in the ratio 2:1 for "minimum" biplane layout.

If for any reason the gap has to be kept small—say, under the chord length of an equal-area biplane—then there are good reasons for adopting this layout—Fig. 7. If, however, there is no particular restriction on the gap, then for general ease of working, identical wings may be employed. These two should be of the same section, in fact there is very little justification for using different sections on upper and lower



wings, unless for longitudinal stability reasons, and as we have previously noted, such a move is unnecessary.


Six-to-one is about the optimum aspect ratio for constant chord power model wings. The danger in increasing it to 8:1 is the possibility of a weaker wing structure, or greater weight of wing for the same area, and the possibility of reduced efficiency from the smaller chord resulting.

The rest of the model we can then base around the biplane wing arrangement, as shown in the heading diagram. All the other proportions can be related to wing area or wing span. The nose length is the only unknown factor, for this will be dependent on motor weight. A heavy motor will need a shorter length of nose to balance out at the required C.G., a light motor, a long nose. Theoretically this should have an effect on the fin area required, but this does not appear to be critical in practice.

The layout shown in the heading drawing utilises a stagger of one-half of the wing chord, which is about the maximum which should be used. Less, of course, can be employed when the centre of gravity position indicated will move forwards accordingly. Less stagger, however, may well reduce efficiency with a gap of one chord length. This gap already is quite high and demands a very deep fuselage or the upper (or lower) wing mounting away from the fuselage, either on a pylon or struts. It is advisable to raise the upper wing rather than lower the lower wing, for the same reasons that high or parasol wing monoplanes are more desirable, from the stability point of view, than low wing designs.


It is possible, theoretically, to calculate the equivalent monoplane wing of any biplane arrangement and this method can be adopted, if desired, for rigging and balance, as well as overall proportioning. A simple geometric construction for determining the "equivalent" monoplane wing is then shown in Fig. 8.

The biplane arrangement does not readily lend itself to simple calculations and the various possible effects of altering the design factors can only be dealt with in a general way. We have tried to do this in the form of what we shall term "DEPARTURE DIAGRAMS," showing what action is recommended, or would appear desirable, in the event of departing from the original basic layout of the heading drawing.



ABOVE. No article on Biplanes could ever be complete without reference to that London area specialist, B. "Taxi" Brookes. For as long as we have known him, "Taxi" has been a biplane-only modeller, and his aim has been to win the Bowden with a Biplane. 1950 saw him second in that contest with this model—a design which he varies and improves with a fresh model each year. Using a French Ouragon 2.8 c.c. diesel, which must by now have flown for thousands of hours, each model has had a completely furnished cockpit and a perfectly consistent flight pattern.


BELOW. This beautifully made Model Shop Wasp is powered by Mills .75. Span is 42", and colouring red and white. Made by D. S. Emm of the Battersea club, whose emblem appears on the fin, this model placed 9th in the 1950 Bowden.



GENERAL LAYOUT DATA

Motor	Equivalent Monoplane Area (sq. ins.)	Total Biplane Area (sq. ins.)	UPPER WING		LOWER WING		Stagger (ins.)	C.G. from L.E. Upper Wing	Moment Arm	TAILPLANE		Fin Area
			Span (ins.)	Chord (ins.)	Span (ins.)	Chord (ins.)				Span	Area	
12 str. $\frac{1}{4}$ in. Rubber	160	260	30	4 $\frac{1}{2}$	28	4 $\frac{1}{2}$	2	3	10	15	80	20
16 str. $\frac{1}{4}$ in. Rubber	220	300	32	5	28	5	2 $\frac{1}{2}$	3 $\frac{1}{2}$	12	16	100	30
.5 c.c. ...	200	300	32	5	28	5	2	3 $\frac{1}{2}$	11	16	90	25
1-1.5 c.c. ...	300	456	40	6	36	6	3	4	14	18	120	32
2.5 c.c. ...	400	600	44	7	42	7	3 $\frac{1}{2}$	4	16	21	135	42
3.5-5 c.c. ...	600	784	50	8	48	8	4	6	18	24	200	50
10 c.c. ...	1,000	1,240	64	10	60	10	4	6	24	30	300	80

GLIDE TESTS ON THREE AIRFOILS



By
**FRANK
BETHWAITE**

New Zealand Wakefield enthusiast who personally represented his country as a team member in 1949 at Cranfield, and whose 1950 model was flown proxy in Finland. At right, he is seen checking in with H. J. Nicholls, recorder at the Cranfield event



THERE seems to be no positive way of determining the best wing section for a Wakefield other than a series of tests. Graphs of most orthodox sections are open to question at low speeds, and claims made by the rival turbulent and laminar schools tend to go to extremes.

Recently I built, most carefully and accurately, three low-aspect-ratio wings of 200 sq. ins. each, all similar in plan form and dihedral. One was the curved plate 417a, 3% thick. One was the LDC2, 10% thick, and the third was a laminar section, developed to be 3% thick. With these three I hoped to find which was of laminar or non-laminar, and also which was the better of thick or thin.

These wings were all mounted, parasol fashion, on an old Wakefield fuselage, and the whole thing weighted to exactly 8 ozs. The tests were carried out one dead calm evening in a local sports ground, where the area is entirely enclosed by trees and hills, and where there is a convenient bank, about 30 feet high, from which to launch towards the level playing-field below. Each wing was tested at three separate C.G. positions, and at progressive incidence settings from dive to stall. Thus there was no question about where precisely was the "best" setting for any given wing. These "best" settings were then re-checked. Every endeavour was made to ensure consistency and accuracy, and the absence of scatter in the points obtained confirmed these endeavours.


The three curves reproduced are those which contain the points of lowest sinking speed. It is purely coincidental that they all happen to be at 54% C.G. position.

It will immediately be noted that there is precious little difference in sinking speed between the three airfoils. What is perhaps even more interesting, however, is this. The point of landing was always marked, it was found that, in their "best" glides, all three airfoils went just as far, and in just the same time. There was thus no difference in the optimum speeds of the three wings, nor in their best angles of glide. Nor was there any difference between the minimum sinking speed and the best angle of glide.

As a matter of interest, the flying speed of the best glides was exactly 20 ft. per sec. Maximum coefficient of lift was .725 in all three cases, and the gliding angle, 8.7 to 1.

There is thus no clear-cut conclusion to be drawn. To state simply that the airfoil doesn't matter is obviously wrong—everyday observation proves that. It does seem, however, that at this size and speed there is not much difference in the lift and drag of quite extreme types. And, to draw on long experience, it does seem that there is considerable difference in the "controllability" of different wings. For instance, the 417a I have found quite prone to stall, and generally tricky to trim. The LDC2 has on occasion done such curious things that I now class it as unreliable. A section such as NACA 4612 soars sweetly and smoothly in conditions that would cause a 417a to stall most horribly.

Perhaps this, then, is the answer. Find yourself a section that is predictable, positive in flight, and easy to control. Then stick to it. You can do no better.



MODEL AIRCRAFT RECORDS

as at 31st December, 1950

BRITISH

INTERNATIONAL

OUTDOOR (MINIMUM F.A.I. LOADING)

Rubber Driven

Monoplane	Boxall, F. H.	Brighton	35 : 00	15/5/49
Biplane	Young, J. O.	Harrow	31 : 05.1	9/6/40
Wakefield	Boxall, F. H.	Brighton	35 : 00	15/5/49
Canard	Woodhouse, R.	Whitefield	2 : 13.1	29/7/50
Scale	Marcus, N. G.	Croydon	5 : 21.7	18/8/46
Tailless	Boys, H.	Rugby	1 : 24.5	1939
Helicopter	Tangney, J.	U.S.A.	2 : 43.7	2/7/50
Rotorplane	Crow, S. R.	Blackheath	: 39.5	23/3/36
Floatplane	Parham, R. T.	Worcester	8 : 55.4	27/7/47
Flying Boat	Rainer, M.	North Kent	1 : 09	28/6/47

Sailplane

Tow Launch	Best, F.	Leeds	63 : 46	20/7/48
Hand Launch	Field, P. E.	Belfairs	7 : 05.2	7/5/50
Tailless (T.L.)	Wilde, H. F.	Chester	3 : 17	4/9/49
Nordic A/2 (T.L.)	Whittall, L.	Birmingham	29 : 51.7	2/7/50
Nordic A/2 (H.L.)	Pickles, K.	West Yorks.	3 : 49	10/12/50

Power Driven

A (0-2.5 c.c.)	Springham, H. E.	Saffron Walden	25 : 01	12/6/49
B (2.51-5 c.c.)	Dallaway, W. E.	Birmingham	20 : 28	17/4/49
C (5.01-15 c.c.)	Lund, D. S.	Wakefield	6 : 46	26/3/50
Tailless	Poile, W.	Folkestone	2 : 09.6	23/8/50
Scale	Tinker, W. T.	Ewell	1 : 36.5	1/1/50
Floatplane	Stainer, J. R.	Canterbury	2 : 59.4	14/8/49
Flying Boat	Gregory, N.	Harrow	2 : 08.5	18/10/47

Control Line Speed

Class I	Scott, R.	St. Helens	80-00 m.p.h.	19/7/50
Class II	Free, D. W.	Surbiton	80-35 "	19/6/49
Class III	Carter, J. G.	Croydon	89-10 "	25/9/49
Class IV	Guest, F.	C/Member	116-90 "	22/10/50
Class V	Shaw, C. A.	Zombies	118-42 "	19/6/49
Class VI	Taylor, N. G.	Wimbledon	132-60 "	10/4/49
Class VII (Jet)	Stovold, R. V.	Guildford	133-30 "	25/9/50

(LIGHTWEIGHT)

Rubber Driven

Monoplane	O'Donnell, J.	Whitefield	7 : 12	21/8/50
Biplane	O'Donnell, J.	Whitefield	2 : 53	22/10/50

Sailplane

Tow Launch	Mace, J. A.	Upton	28 : 17.2	16/4/50
Hand Launch	Joyce, J. G.	Leeds	3 : 55	26/11/50
Tailless (T.L.)	Johnson, H. G.	York	10 : 44	25/6/50
Tailless (H.L.)	Faulkner, R. A.	Whitefield	1 : 08.5	20/7/50

Power Driven

Class A	Archer, W.	Cheadle	31 : 05	2/7/50
Class C	Ward, R. A.	Croydon	5 : 33	25/6/50
Tailless	Wyatt, P.	Ipswich	2 : 15	15/10/50

INDOOR

Free Flight

Stick (H.L.)	Copland, R.	Northern Hts.	18 : 52	22/1/37
Stick (ROG)	Mackenzie, R.	Blackheath	8 : 42	
Fuselage (H.L.)	Parham, R. T.	Worcester	6 : 55	19/2/50
Fuselage (ROG)	Parham, R. T.	Worcester	6 : 42	19/2/50
Tailless (H.L.)	Thomas, M. R.	Oldham	1 : 25.8	23/12/49
Tailless (ROG)	Thomas, M. R.	Oldham	1 : 46.2	20/1/50
Helicopter	Ward, S. A.	Ashton	2 : 00	19/2/50
Rotorplane	Mawby, L.	Ealing	: 32.2	

Round the Pole

Class A	Muxlow, E. C.	Sheffield	6 : 05	10/12/48
Class B	Parham, R. T.	Worcester	4 : 26	20/3/48
Speed	Jolley, A. T.	Warrington	42-83 m.p.h.	19/2/50

It will be noted that British Records do not include categories for Distance or Height for comparison with International records, but Outdoor, Lightweight and Indoor sections are included.

At this date Great Britain does not figure in the International list of Records, but with the introduction of new regulations bringing Control Line Speed events into line with International requirements, there is little doubt that the existing F.A.I. speeds will be substantially increased.

C. S. RUSHBROOKE
Records Officer

DURATION

Rubber

Orthodox	V. Nassonov	U.S.S.R.	10/8/49	76 : 00
Tailless	M. Kiraly	Hungary	23/8/50	35 : 42
Hydroplane	G. Egervary	Hungary	23/8/50	54 : 04
Tailless Hydro	L. Aszalay	Hungary	31/7/49	1 : 05
Special A/cft.	G. Egervary	Hungary	13/6/50	7 : 43

Sailplane

Orthodox	F. Banki	Hungary	14/5/50	147 : 55
Tailless	J. Melichar	Hungary	21/5/50	36 : 05

Power

Orthodox	L. Sikirine	U.S.S.R.	18/8/50	242 : 30*
Tailless	B. Parparov	U.S.S.R.	12/8/50	95 : 15
Hydroplane	M. Vassiltchenko	U.S.S.R.	28/7/50	170 : 00
Tailless Hydro	E. Rakov	U.S.S.R.	28/7/50	30 : 00
Special A/cft.	Y. Khoukhra	U.S.S.R.	18/8/50	27 : 35

DISTANCE

Rubber

Orthodox	G. Benedek	Hungary	20/8/47	50-260 km.
Tailless	T. Gall	Hungary	17/4/49	0-720 "
Hydroplane	E. Horvath	Hungary	10/9/49	45-150 "
Tailless Hydro	E. Abaffy	Hungary	10/7/49	0-435 "
Special A/cft.	N. Roser	Hungary	9/4/50	0-238 "

Sailplane

Orthodox	M. Varache	France	21/7/46	210-620 "
Tailless	B. Janasco	Hungary	9/4/50	20-850 "

Power

Orthodox	S. Malk	U.S.S.R.	19/9/47	210-620*
Tailless	E. Rakov	U.S.S.R.	26/7/50	22-850 "
Hydroplane	P. Smirnov	U.S.S.R.	19/7/50	87-106 "
Tailless Hydro	E. Rakov	U.S.S.R.	28/7/50	8-650 "
Special A/cft.	Y. Khoukhra	U.S.S.R.	14/8/50	12-201 "

HEIGHT

Rubber

Orthodox	R. Poich	Hungary	31/8/48	1442. m.
Hydroplane	M. Gasko	Hungary	18/8/49	939. m.

Sailplane

Orthodox	G. Benedek	Hungary	23/5/48	2,364 m.
----------	------------	---------	---------	----------

Power

Orthodox	G. Lioubouchkine	U.S.S.R.	13/8/47	4,152 m.
Hydroplane	I. Kavsadze	U.S.S.R.	8/8/40	4,110 m.*

SPEED (STRAIGHT LINE)

Rubber

Orthodox	V. Davidov	U.S.S.R.	11/7/40	km/hr.
Tailless	V. Koumanine	U.S.S.R.	28/7/50	107-080
Hydroplane	B. Abramov	U.S.S.R.	6/8/40	33-408
Tailless Hydro	V. Koumanine	U.S.S.R.	28/7/50	76-896
				31-824

Power

Orthodox	E. Stiles	America	20/7/49	129-768
Tailless	Martinov/Rakov	U.S.S.R.	12/8/50	49-680
Hydroplane	R. Khabarov	U.S.S.R.	18/8/48	50-050

(CONTROL LINE)

Orthodox

(i)	Z. Husicka	Czecho	16/7/50	km./hr
(ii)	R. Labarde	France	9/7/50	105-120
(iii)	A. Millet	France	10/7/50	192-240
(jet)	G. Benedek	Hungary	4/6/50	212-580*
				179-388

Tailless

(i)	L. Koukhra	U.S.S.R.	28/4/50	66-888
(ii)	V. Simonov	U.S.S.R.	12/8/50	99-288
(iii)	O. Gaevsky	U.S.S.R.	23/5/50	163-447

Hydroplane


(i)	B. Vassiltchenko	U.S.S.R.	16/8/50	70-056
-----	------------------	----------	---------	--------

Special A/C

(i)	N. Tvorogov	U.S.S.R.	17/4/50	51-876
(ii)	N. Tvorogov	U.S.S.R.	28/4/50	43-700
(iii)	L. Mouritchev	U.S.S.R.	14/8/49	41-234

(* denotes Absolute World Record)

AIRCRAFT DESCRIBED NO. 39 BY G. A. CULL



D.H. 115 VAMPIRE TRAINER

EACH year the S.B.A.C. Show forms an appropriate occasion for new aircraft to make their first public appearance, and at the last show the Vampire Trainer was certainly the newest machine present. So new, in fact, that it came by road, and while to all intents it was a completed newcomer when on show in the static park, much internal wiring and plumbing had still to be completed before the maiden flight. This was made by John Wilson on November 15th, 1950, from Christchurch.

The decision to go ahead with a trainer version of the Vampire was taken at the end of June, 1950, and with the S.B.A.C. Show only two months off, day and night work was necessary to complete an airframe for showing. The D.H.113 night fighter of the previous year proved the practicability of a two-seat layout for the Vampire, and it was from this aircraft that the trainer was developed. With the De Havilland design staff already fully engaged, the Vampire Trainer project was handed over to the associated company, Airspeed Ltd. Accordingly a night fighter fuselage complete with engine, and the original mock-up, were transferred to the Christchurch works. Wings, booms, tail unit, etc., were acquired from sub-contractors and these were standard Mark 5 components.

The Airspeed design team won extra inches to total 44 ins. in cockpit width, by lowering the canopy rails and so enabled the two seats to be mounted side-by-side, an improvement on the slightly staggered arrangement of the D.H.113 and the ancestral Mosquito 3 trainer. The already long night fighter nose was lengthened by 5 ins., and so the trainer also features its forerunner's tall, pointed rudders, reminiscent of those fitted to the very first prototype D.H.100 Vampire. To cope with the forward shift of the C.G., the tailplane trim tab was increased in span and all machines following the prototype will have extended tailplanes as shown on the accompanying G.A. drawing.

Full military equipment is carried including four 20 m.m. cannon with 150 rounds per gun and, as Mark 5 wings are employed, eight rocket-projectiles and two 1,000 lb. bombs or two 100-gallon drop tanks may be carried on the wing racks. The prototype has a D.H. Goblin 33 jet engine giving 3,350 lbs. thrust at 10,750 r.p.m. but future machines will have the Goblin 3 unit of the same power. Access to the pressurised cockpit is by means of the jettisonable canopy top and the cockpit has duplicated flying and engine controls, flight instruments, gun sights, etc.

Jet trainers are not new, but the D.H.115 is the first to seat instructor and pupil side-by-side—an arrangement with real advantages over the separated and long-used tandem layout.

Although the Vampire Trainer has not been produced specifically for the R.A.F., it falls into line with the R.A.F.'s latest side-by-side training policy with which the new Percival P.56 and Handley Page H.P.R.2 elementary trainers comply. It is, therefore not surprising that service chiefs look favourably upon this newest of Vampires and, in view of the fact that single-seat Vampires have been supplied to twelve airforces, it seems likely that the Trainer has a useful future before it.


While piston-to-jet conversion is an obvious duty for the Vampire Trainer, instruction in high speed gunnery, navigation and ground attack with R.P.'s and bombs are other roles in which this aircraft would prove its worth, and there is room in the nose for radar or cameras which would add further to its applications. In an emergency the D.H.115 can be used operationally for it retains all the performance, handling qualities and offensiveness of the Vampire 5 fighter.

Specification : Span : 38 ft. Length : 34 ft. 5 ins. Loaded weight (no external loads) : 11,030 lbs. Wing loading at quoted wt. : 42.1 lb. per sq. ft. Max. speed : 548 m.p.h. at 20,000 ft. Climb : 4,500 ft. per min. at sea level. Max. range : 920 miles at 40,000 ft. at 300 m.p.h.

Construction : Fuselage built in port and starboard halves. Ply-balsa-ply sandwich back to engine bay. Engine accessible by detachable metal cowlings. Wings are all-metal stressed skin structures with a stub front spar, main-spar and spanwise stringers. Ailerons and hydraulically operated air brakes and split flaps mounted on a rear false-spar. Stub booms built integral with wings. Booms have bulkheads and stringers with stressed skin covering. Tail surfaces also stressed skin over ribs, spars and stringers.

Colour : The prototype is satin-silver on all surfaces with R.A.F. trainer markings, i.e. 3 feet wide bands of trainer yellow around wing outer panels and booms. Prototype "P" in yellow on booms forward of band. Experimental registration letters G-5-7 in 18 in. high glossy black letters, on boom yellow bands. Registration in 30 in. high letters below starboard wing and above port wing.





D.H. 115. VAMPIRE TRAINER

FT 111111

CLUB NEWS

BY CLUBMAN

Just to remind you of better weather to come? Here is a shot by N. Western Area Delegate Salloway of some of the manlier torsos that predominate in that Area! The occasion was the 1950 Wakefield trials at Fairlop.



REFERENCE to the list of S.M.A.E. National contests printed on page 145, will indicate a number of radical changes, mainly in the form of certain specialised events that take care of the increasing demand for championship events.

A full scale International meeting scheduled at Whitsun consists of three events, all for power models, and I fully expect one of the best attended meetings on this occasion. At last the "Bowden" event has a chance to establish a better reputation for itself, with the introduction of P.A.A. rules, for there is no blinking the fact that the former precision type of event was extremely unpopular, and received virtually no International support.

Though the entry will be limited to appointed teams, I think the British Championships, competed amongst the different Areas, will prove to be the most interesting event in the calendar, producing as it will the champion Area from the results of the three contests arranged. In addition, the United Kingdom Challenge Match has all the makings of a tip-top annual fracas, and I'm 100 per cent. in support of the event, though some others express some misgivings—mainly on the question of expense. As far as I'm concerned, I feel we should support to the utmost inter-country affairs at home as well as international events abroad.

The whole thing does however depend finally on the amount of financial support forthcoming from all the aeromodellers in this country, and in this connection I urge everyone to do

their utmost to make the 1951 Wakefield Draw and other collections a top success. It all swings on the bawbees derived from such affairs whether or not we can continue to send out teams to maintain British prestige in the aeromodelling world. So, go to it chaps, and rake in the shekels for the best of causes.

Despite very bad weather, some 50 modellers attended the **EAST ANGLIAN AREA** meeting for the Joan R. Hooper Radio-control Trophy at Willingale Airfield on the last day of the old year. Although the field was covered in snow, and the temperature a little over 30 degrees, everyone seemed to have an enjoyable time. Seven models were entered, and 1950 Champ. J. A. Gorham of Ipswich proved a worthy winner, getting in two very good flights. Failure of most competitors on the second round was no doubt due to weather conditions; visibility was down to 100 yards, and models flew out of sight a few seconds after take-off. Results:—

1. J. A. Gorham	(Ipswich)	316 points.
2. Mr. Peck	(Chelmsford)	257 "
3. Mr. Dynes (Sen.)	(Battersea)	177 "

Area activities are not pronounced during the winter season, but the **MIDLAND AREA** fully intend to change this next "off season" by the introduction of winter contests. Why confine activities to half the year anyway? 1951 will be devoted to collecting all the projected comp. equipment, which in view of future plans has a series of "official hot-water

CONTEST CALENDAR

March	16-18th.	Northern Models Exhibition. Corn Exchange, Hanging Ditch, Manchester.	July	21st.	FESTIVAL OF BRITAIN CONTROL-LINE CHAMPIONSHIPS. Wembley Stadium.
	25th.	GAMAGE CUP & PILCHER CUP. (Decentralised.)		29th.	Control-line Championships. Belgium.
April	1st.	Surbiton Glider Gala. Epsom Downs.	August	5-6th.	BRITISH NATIONALS. Fairwood Common, Swansea.
	15th.	ASTRAL TROPHY; S.M.A.E. CUP; RIP-MAX TROPHY. (Area.)		12th.	South Coast Gala Day. Brighton.
	29th.	2nd North Hampshire Rally. Lasham Airfield, Alton.		15-20th.	A/2 Glider Finals. Yugoslavia.
May	6th.	WESTON CUP & HALFAX TROPHY. (Area.)		19th.	All Herts Rally. Radlett.
	13-14th.	INTERNATIONAL MEETING; "AERO-MODELLER" R/C TROPHY; BOWDEN TROPHY; POWER DURATION.		19th.	INDOOR NATIONALS—MANCHESTER.
	26-27th.	Precision Power, Stunt, Speed, Team Racing, Italy.		26th.	4th Huddersfield Rally.
	27th.	GUTTERIDGE TROPHY & K. & M.A.A. CUP. (Area.)	August to September	21st. } 1st. }	Model Engineer Exhibition. Royal Horticultural Hall. London.
June	10th.	WAKEFIELD & A/2 TRIALS. Cranwell Aerodrome, Lincs.		2nd.	F.N.A. Cup. Holland.
	15-16th.	Power Championships & Radio-Control. Paris.		2nd.	FARROW SHIELD; FLYING SCALE; JETEX. (Area.)
	17th.	West Essex Gala, Fairlop.		16th.	BRITISH CHAMPIONSHIPS & TAPLIN TROPHY.
	23-24th.	Speed, Salon Challenge & Plymouth Trophies. Paris.		30th.	DAVIES TROPHY. Team Race League Finals.
July	1st.	MODEL ENGINEER CUP; WOMEN'S CHALLENGE CUP; POWER 1.5 c.c. (Area.)	October	7th.	UNITED KINGDOM CHALLENGE MATCH. Scotland.
	7-8th.	Wakefield Trophy. Finland.		14th.	FLIGHT CUP & FROG JUNIOR CUP. (Decentralised.)
	15th.	KEIL TROPHY & LADY SHELLEY CUP. (Decentralised.)		28th.	HAMLEY TROPHY. (Decentralised.)
			November	17th.	S.M.A.E. Annual Dinner & Prizegiving.
				18th.	S.M.A.E. Annual General Meeting.

(National Contests in bold Capitals.)

bottles" as an absolute must! The Area has lost the services of Sandy Lowe, ex P.R.O., who has gone to London in the service of a national newspaper.

Sam (Fiddler) Messom has a rival in the new secretary of the SHEFFIELD SOC. of A. M. George (henceforth known as "Second Fiddle") Wilkin, the new can-carrier, is anxious to contact other clubs with a view to giving reciprocal talks and film shows, as these appear to go down much better when given by a non-member! A very interesting lecture was that given to some 150 modellers by Councillor Allott, President of the British Helicopter Society. This club put on a very fine exhibition in January, at which I had the honour of judging the exhibits, awarding top places to W. Gregory (gliders), A. Naylor (rubber), G. Cartwright (power), W. Farrance (scale), R. Cooke and A. R. Collinson (C/line) and M. F. Crowe (solids). The general standard of exhibits was very high, and in all it was a fine show.

The WOODLANDS M.F.C. must be unique, as I am told they possess their own transport—not too comfortable but cheap, and accommodates about 28 with coffins! Last season's one and only success was J. Bridgewood's winning the "E. J. Riding Trophy" at Woodford, but we hear of more scale work from these lads, Mr. Bromily being busy with a scale free-flight "Lancastrian". Span is 52 inches, and two Mills .75's supply the power, revs. being controlled by pendulum throttles.

It was my privilege to attend the WEST ESSEX AERO-MODELLERS' first annual Dinner during January, and a real bright night it was too. The "stag" atmosphere was somewhat handicapped for part of the time, but this was soon remedied once the lone female had departed! Max Coote considerably enlivened the proceedings by installing his recording machine, which added to the mirth when various extracts of song and story were played back. Never knew I sounded so lousy to others!! Popular Secretary Doug Gordon was the recipient of an award from the lads as a token of their esteem, whilst "Stoo" was inducted as a member of "The Order of the Weasel" and presented with a tastefully decorated "Stoo-pot". Come in handy on some fields!!!

The WEST COVENTRY M.A.C. are another crowd extending flying into the winter season, and find it well worth while. A good crowd was present when the club's first R/C job took the air—after the actuator had given a spot of bother—and K. Barton was well and truly "prayed for" as he manoeuvred the job around. After diversion from the one and only tree (traditional modelling this) the job hedge-hopped and circled over the road, a near-crash being luckily averted before the machine was brought back after passing under (some say through!) the telephone wires—and thus R/C modelling progresses.

Following something of a lapse after the farewell of Dick Twomey, news comes again from the AMPLEFORTH COLLEGE M.A.C., where brother B. J. and M. Pitel continue to keep the flag flying, having won most of the local contests with very good flying. Many "above maximum" flights have been recorded during the season, and it augers well for the new season that many good machines are producing the results.

The recently formed BROUGHTON & D.M.C. has considerably increased its membership as a result of the notice given in these columns, juniors and seniors being about equal in numbers. A whistle drive helped the club funds, said cash going towards a much-needed stopwatch.

The 2nd North Hampshire Rally, jointly organised by the ALTON & D.M.A.C., R.A.F. ODIHAM & D.M.A.C., and the BASINGSTOKE M.A.C., will be held on Sunday, 29th April, the venue being provisionally fixed as Lasham Airfield, near Alton. Full details can be obtained from the Alton club sec., Mr. A. J. Hunt, 75, High Street, Alton, Hants.

The BLACKPOOL & FYLDE M.A.S. continue to push out a very attractive club magazine, their Xmas issue being a very worth while compilation. A fair concentration on

Wakefields is evident from recent "technical" discussions in the mag., though the following list of records shows that they are good enough at most types of flying:—

Open Glider	J. Owen	8 : 35
Open Rubber	M. J. Davidson	10 : 51.5
Wakefield	C. J. Davey	8 : 39
Biplane	C. J. Davey	1 : 35.4
Tailless	C. J. Davey	1 : 32.7
Power	C. J. Davey	9 : 24.9
F.A.I. Glider	J. Pennington	10 : 18.9

Following the usual rush of part-interested members to a new club, the KNUTSFORD & D.M.F.C. is sorting itself out, and seems to have got down to a well established nucleus. Three members have gained their "A" Merit Certificates, and one a "B", and from all accounts a great deal of activity is going on, particularly with team racers. D. Parmenter has an Albon Javelin powered job that clocks 61 m.p.h. and does 90 laps per tankful.

After considerable negotiation with the local Council, the ASHFORD M.F.C. has been able to rent an old, disused two-storey brick stable, measuring about 30 x 15 ft. After somewhat extensive repairs have been completed, they will have a good workshop downstairs and a drawing-cum-general clubroom above. Furnishing is a bit of a problem, but with Secretary Webb in the auctioneering profession, I have no doubt they will soon be decked out with all the trimmings!

The OUTLAWS (Cannock) M.A.C. held their third Boxing Day meeting on the high Hednesford Hills, with plenty of snow on the ground, and more falling during the contests. Times were remarkably good considering the conditions, W. Linford aggregating 6 : 55 to win the glider section, and H. Hughes totalling 3 : 47 for two flights to clinch the rubber event.

A special junior programme conducted by the WEST HANTS. A.M.A. includes a contest limited to the beginners. Subject is a 20 in. span glider to an original design, and entrants build at the homes of more experienced members, where they obtain the use of gear and plenty of advice, but no actual building assistance. Judging will be on quality of building as well as flight performance. By designing to eliminate waste and pooling of dope supplies, the cost of the model has been scaled down to a real all-in price of two bob.



Due to prevailing weather conditions, not much flying has been done by the **WHITEFIELD M.A.C.**, but Wakefields have been aired to good purpose. A couple of reasonably calm days over the Xmas holidays saw the testing of two new jobs designed to the 1951 rules, these being a slab-sider by Bob Woodhouse, and a diamond pylon (called the "Borderline") by J. O'Donnell. The latter job features very light construction (3.8 ozs. and 4 ozs. plus rubber), and managed 4:50 o.o.s. on 200 turns.

The **CHESTER M.A.S.** lads have suffered a set-back owing to the loss of Hawarden Aerodrome, the "powers that be" having decided that model flying should not mar the ground there. This, coupled with local council restrictions has left them like a duck without a pond, but they refuse to give up. Amongst many other items under construction, experiments have been carried out with return gears on both Wakefields and a canard, and the general verdict is that they are well worth while. How that old pendulum does swing!

Another club to try its hand at running an Annual Dinner is the **WEST BROMWICH M.A.S.**, and in spite of some trepidation on the part of the committee it proved a great success. Some 30 members and wives attended, a most important guest being the farmer who places his fields at the club's disposal. Prizes presented went to P. Littley, N. A. Groucutt, R. Clarke and D. Aston for their prowess in power, rubber, glider and C/L stunt flying. A/2 gliders are receiving the bulk of attention at present, with R/C a close second.

In spite of a long silence, I am assured that the **GREENFIELD M.A.C.** is still alive and kicking, though more members would be welcomed. They have a fine flying field and a room where indoor flying takes place every Thursday, so anyone in the area should have a word with Secretary C. Jones of Nook Cottage, Greenfield, Oldham.

Despite fog and ice-bound runways, the **SUNDERLAND & D.M.A.C.** managed to get in some flying over the Xmas holidays, Mr. Mason flying his Mills powered "Pacemaker" away into the fog on Xmas Eve, and thus remaining a shadowy figure in the mist for the next few days! The stunt boys put on their own version by flying two stunt jobs in the same circle. I am told that to see one aircraft beetling round, with another flying inverted in the opposite direction is a good antidote for dozeiness!

Note. The fourth Annual Rally of the **HUDDERSFIELD AIR LEAGUE M.A.C.** will be held on Sunday, August 26th, so make a note for your competition list.

Forthcoming meetings of the **RADIO-CONTROLLED MODELS SOCIETY** are as follows:—

Manchester Group: February 17th. 2.30 p.m. Milton Hall, Deansgate.

Tyneside Group: February 23rd. 7.30 p.m. Demonstration of mechanical Tx box.

Birmingham Group: March 3rd. 2.30 p.m. Birmingham University.

London Group: March 11th. 2 p.m. Horseshoe Hotel, Tottenham Court Road.

WEST YORKSHIRE M.A.S. have already started to bring home the pots for 1951, W. Farrance winning the "Woollard" Trophy at the Sheffield exhibition for the best model in the show. (You owe me a pint Farrance!) His model, a 66 in. version of the "Seagull" amphibian was powered with an Amco 3.5. Another very good scale job by E. Farrance gained a Highly Commended, this model being a 45 in. Luscombe Silvaire finished in a high blue gloss. (Incidentally, it would not be amiss here to state that if only chaps would not aim at a super gloss polish on a non-speed job, they would usually score more points. The slightest defect is amplified when a high polish is applied—and in any case, where does one see a mirror-like finish on a full-size aircraft?)

Attendance at **BRISTOL & WEST M.A.C.** indoor meetings has improved this winter, and talks given on construction and trimming have been well received. Little interest is shown in indoor flying, the main attraction seeming

to be the chance of a natter over a cup of tea. Well!! In an effort to increase interest, the club has been divided into two "wings", each side collecting points during the season for a trophy.

The lads of the **OLDHAM & D.M.A.C.** were more than a little surprised to find that a self-appointed "moving finger" had been at work in the clubroom, commencing operations with some very frank criticisms about club members, and a plea for a concerted effort in improving the club's prestige. An attempt to revive interest in rubber jobs is being made by the offer of a Mills .75 for the best flight in a rubber comp. The honour of building the largest power job in the club goes to J. Shaw with his own design 8 ft. span model weighing 5 lbs.

In spite of cold, showery weather, six clubs competed on Boxing Day at the **WORKSOP AEROMODELLERS'** get-together, and though the general standard of flying was quite low, everyone seemed to have a good time. Almost every branch of aeromodelling is being followed in this club at the moment, with C/L stunt and small rubber jobs predominating. Two new speed records have been made recently as follows:—

Jet Class I	Pete Russell (Dynajet) Bridget McCann (Elfin 1-49)	137 m.p.h. 73 "
----------------	---	--------------------

In contest flying, 1950 was outstanding for the Worksop chaps, who collected 8 firsts, a second, and a sixth—three bobs doing all the work between them!

Full marks for a very interesting mag. goes to the **CHEADLE & D.M.A.S.** for their "Torquer"—even though the Editor—office boy—chief-mug did manage to print one page upside down. Just to make it interesting I suppose! I was flattered to find that some of my old exploits are not forgotten up that end of the country—but how does one go about issuing a writ for libel? I admit I flew some pretty old models (didn't fly well enough to lose 'em when they were young), but to be accused of shabby covering . . . oh well, could be!

SECRETARIAL CHANGES

ST. HELENS M.A.C.
J. S. Hirst, "Bath House", Boundary Road, St. Helens' Lanes.
COVENTRY & D.M.A.C.
G. Glans, 51, Macauley Road, Wyken, Coventry.
KINGS LYNN M.C.
L. F. Smith, 16, Wyatt Street, Kings Lynn, Norfolk.
BLACKHEATH & HAKESOWEN M.A.C.
P. G. Wheldon, 59, Carter Lane, Quinton, Birmingham 32.
SOUTH BRADFORD M.A.C.
K. Grice, 16, Powell Avenue, Little Horton, Bradford, Yorks.
CHORLEY & D.M.A.C.
G. D. Bridge, 7, Westminster Road, Chorley, Lancs.
ERDINGTON & D.M.A.C.
D. G. Brodie, 121, Wheelwright Road, Erdington, Birmingham 24.
BRENTWOOD & D.M.E.S.
D. White, 38, Kings Road, Brentwood, Essex.
TROWBRIDGE & D.M.A.C.
J. Russell, 18, Jenkins Street, Trowbridge, Wilts.
PARK M.A.L.
J. Simpson, 35, Victoria Road, Mitcham, Surrey.
WOODLANDS M.F.C.
T. Stead, 63, Grange Road, Woodlands East, Doncaster, Yorks.
NORTH SHIELDS M.A.C.
D. L. Shawcross, 1, Cleavelands Crescent, North Shields.
WEST MIDDLESEX M.F.C.
B. L. J. Neal, 73, Eastmead Avenue, Greenford, Middlesex.
DEAL M.A.C.
F. Hargreaves, Pier Hotel, Deal, Kent.
BARGOED & D. EAGLE POWER CLUB.
H. Anderson, 5, South Street, Bargoed, Glam.
ST. ALBANS M.A.C.
S. F. Savage, 19, Church Street, St. Albans, Herts.
SHEFFIELD S.A.M.
G. H. Wilkin, 206, Heeley Bank Road, Sheffield 2.
GODALMING & D.M.F.C.
C. S. West, 111, Pondfield Road, Farncombe, Surrey.
SLOUGH M.A.C.
F. C. Taylor, 50, Warrington Avenue, Slough, Bucks.
PHENIX M.F.C.
F. H. Powell, 2 North Street, Downend, Bristol.
COLCHESTER M.C.
E. Hodgkinson, 25, Wellesby Road, Essex.

ERRATA

The modeller depicted as paying homage to his "Powerhouse" in the February Club News was E. Collins of Port Talbot—not Cardiff—indeed-to-goodness-look-you!

RipMax

EVERYMAN'S MODEL SHOP

39, PARKWAY,
CAMDEN TOWN,
LONDON, N.W.1.
Phone: GULliver 1818
(one minute from
Northern Line
Tube station)

TO ORDER—Send cash with order or goods sent C.O.D. Orders of £2 and over are Post Free. Under £2, please add 2/6 to cover safe packing and postage. If less we will refund or make up with cement, etc.

THE MAIL ORDER SERVICE FOR ALL YOUR NEEDS

We have thousands of satisfied customers—so why not let the RIPMAX service help you because:

- 1 No Minimum orders.
- 2 Prompt attention and dispatch.
- 3 10-day Money Back Guarantee.
- 4 All Engines tested before dispatch
- 5 FREE advice on all problems.
- 6 All wood personally selected.
- 7 Personal attention at all times.
- 8 Satisfaction Guaranteed.

"Phone, Write or Call,
the Service is the same for All."

ENGINES	
Allbon Dart .5 c.c. D. ...	65/2
Amco .87 c.c. D. ...	68/3
Amco 3.5 c.c. D. ...	75/3
D.C. 350 3.5 c.c. D. ...	101/7
E.D. Bee 1 c.c. D. ...	47/6
E.D. Mk. II 2 c.c. D. ...	55/-
E.D. Comp./Spec. 2 c.c. D. ...	57/6
E.D. Mk. III 2.49 c.c. D. & G.P. ...	55/-
E.D. Mk. IV 3.46 c.c. D. ...	72/6
Elfin 1.49 c.c. D. ...	59/4
Elfin 1.49 c.c. D. ...	70/-
ETA "19" G.P. ...	124/5
ETA "29" G.P. ...	149/5
FROG "150" 1.49 c.c. D. Price later	
FROG "250" 2.49 c.c. D. ...	72/6
FROG "500" 5 c.c. G.P. ...	75/-
Mills .75 c.c. D. ...	60/9
Mills 1.3 c.c. D. ...	91/1
Mills 2.4 c.c. D. ...	102/-
Yulon "29" G.P. ...	99/5
Yulon "49" G.P. ...	124/5

GLIDERS	
Halfax Roma 40" ...	9/11
KK Cadet 30" ...	4/2
KK Chief 64" ...	22/8
KK Minimoa 50" ...	8/7
Mercury Norseman 58" ...	21/5
Veron Versonic 46" ...	11/7
RUBBER DURATION	
KK Playboy 20" ...	4/-
KK Ace 30" ...	6/1
KK Competitor 32" ...	8/7
Mercury Maybug 32" ...	8/3
RUBBER SCALE	
Skyrova Tiger Moth 12" ...	2/-
KK Pixie 23" ...	4/11

"I regret that I cannot present our usual comprehensive list this month due to price fluctuations caused by Purchase Tax. Instead, herewith my MARCH MEDLEY of selected kits and engines.

NEXT MONTH — Watch for NEW 'ALL IN' list.

Sincerely Yours,

Max Coote.



Royley Tiger Moth 31" ...	18/6	KK Phantom Mite ...	14/1
KITS FOR JETEX		Mercury Jr. Musketeer ...	18/4
KK Flying Saucer (50) ...	3/1	Mercury Musketeer ...	22/-
Jetex Flying Wing (50) ...	6/1	Veron Bee Bug ...	14/-
Jetex Jeticopter (50) ...	6/1	Veron Panther ...	30/6
Jetex Jeticopter (100) ...	9/2	CONTROL LINE SCALE	
Veron Seahawk (50) ...	6/8	Royley Tiger Moth ...	25/8
Veron Thunderjet (50) ...	6/8	Veron F.190 ...	23/10
Jetex Meteor (50) ...	9/2	Veron Wyvern ...	28/8
POWER F/F		TEAM RACERS	
Halfax Hermes 41" ...	18/11	KK Scout (B) ...	27/6
Halfax Javelin 50" ...	27/6	KK Ranger (A) ...	Price later
KK Southerner Mite 32" ...	12/10	Mercury Mk. I TR (B) ...	19/3
KK Slicker 42" ...	21/5	Mercury Class A ...	Price later
KK Bandit 44" ...	22/8	Veron Mustang (A) ...	25/8
KK Ladybird 41" (semi-scale) ...	22/8	Veron Philibuster (B) ...	28/8
Mercury Jr. Mallard 34" ...	13/9	RADIO UNITS	
Mercury Monocoupe 64" ...	16/6	E.D. Complete unit ...	198/7
FROG Powervan 47" ...	27/-	E.D. Receiver only ...	75/-
SUITABLE FOR R/CONTROL		E.D. Accuator only ...	23/2
Veron Skysooter 48" ...	30/6	VY Receiver (using IS4) ...	87/6
Mercury Monocoupe 64" ...	60/6	MISCELLANEOUS	
E.D. Radio Queen 84" ...	84/-	XFGI Valve ...	21/4
CONTROL LINE STUNT		Veron Handy Spray ...	2/6
KK Skystreak "26" ...	11/7	KK Reelyne Handle ...	18/4
KK Skystreak "40" ...	12/10	Royce Reel ...	47/4


RAWLPLUG PRODUCTS

INDISPENSABLE
IN THE WORKSHOP
HANDY IN THE HOME



DUROFIX

The indispensable adhesive for instant use on crockery, glass, wood, metal, celluloid and the enthusiast. Instant drying, insulating, water-proof and heatproof. Durofix is grand for repairs to electrical, sports and leather goods. Tubes 9d. and 1/3d. Tins 2/9d. and 7/6d.



DUROGLUE

UNDILUTED ANIMAL GLUE OF INCOMPARABLE STRENGTH

Ready for instant use for the many purposes for which an extra strong glue is needed. Wood, cloth, fabric, felt, leather and any greaseless surface can be stuck with Duroglue. Tubes 6d. and 1/- Tins 2/3d. and 3/9d.



PLASTIC WOOD

APPLIED LIKE PUTTY, DRIES LIKE WOOD


Can be cut, planed, polished & painted like wood. Will take nails and screws like wood. It does not blister, crack or decay. Rawlplug Plastic Wood is actually the best quality product of its kind on the market. Tubes 10d. Tins 2/- & 5/-.



DUROLASTIC

ELASTIC SEALING COMPOUND

Forms permanently elastic waterproof joints with great adhesive qualities to any dry surface. Resists vibration or shock and will not break away with expansion or contraction. Non-crumbly, non-staining, does not exude oil. Can be painted in a few hours. Ideal for boat-builders. In easy-to-use tubes at 1/6d.



SOLDERING IRONS

MAKES SOLDERING CERTAIN AND SIMPLE

This is a guaranteed electric tool which will pay for itself many times over by repairing and giving longer life to metal household goods. In the workshop it is indispensable. Supplied with Standard bit for 25/-, Hatchet or Pencil bit for 26/-. Voltages 100/110, 200/220, 230/250. Universal AC/DC.



HEATLESS SOLDER

No iron is needed with Rawlplug Heatless Solder which is in paste form and dries in a few minutes. It is very useful for quick repairs to metalwork, but is not suitable for wireless or electrical connections. Tubes 9d.



IRON CEMENT

Rawlplug Iron Cement hardens very quickly and only needs mixing with water. It will repair

Water and Gas pipes, Radiators, Cisterns, Buckets, Kettles, Saucepans, Stoves, Kitchen Utensils, etc., etc. 1/3 per tin.

RAWLPLUG FIXING DEVICES & TOOLS

Whatever your fixing problems, there's a Rawlplug Device that will solve it for you—easily and quickly. Rawlplugs make neat and absolutely firm fixings in any material from plaster or brick to stone or slate, with a size for every screw from No. 3 up to 1/2" coach screws. Rawlplug Tools are easy to use and ensure a perfect hole without damage to surrounding surfaces. Other Rawlplug Devices include Rawlbolts for heavy duty fixings, Rawlanchors and Toggle Bolts for thin or hollow materials and Rawlclips for instant fixing of conduits and cables to girders—a device in fact for every need.

Rawlplug fixing devices and products can be obtained from Ironmongers, Hardware Dealers, Stores or Model Makers Suppliers.


THE RAWLPLUG COMPANY LTD. LONDON. S.W.7.

Kindly mention AEROMODELLER when replying to advertisers

JETEX

MODELS

FOR SENSATIONAL JET PROPELLED FLIGHT!




JETICOPTER 100 1/6 plus P.T.

JETICOPTER 50 5/- plus P.T.

The first successful helicopters ever to be produced in kit form!

- EASY TO BUILD AND FLY.
- WILL R.O.G. AND RISE APPROX. 100 FT.
- AUTO-ROTATION OF THE BLADES GIVE A PERFECT GLIDE.



Jetex METEOR '50'

Powered by 2 Jetex "50" motors the Meteor has an excellent performance. The only twin jet flying scale kit in the world!


Kit includes:—

All parts printed on sheet balsa, cement, tissue, ample strip balsa, moulded cabin, full size plans, roundels, etc.

7/6 plus purchase tax.

*Wherever modellers meet
— you will find JETEX*

WORLD'S SMALLEST AND MOST EFFICIENT JET MOTORS. SAFE, CLEAN, AND EASY TO OPERATE. THE CHEAPEST FORM OF POWER THAT AEROMODELLERS CAN GET TO-DAY!



The amazing JETEX 50

JET MOTOR

Weights only 3½ drams yet will fly a model up to 24 in. wingspan!

JETEX 50 OUTFIT—containing motor, fuel, wicks, mounting clip, accessories and full instructions. Price 11/3 including purchase tax.

WILMOT, MANSOUR & CO. LTD.
SALISBURY ROAD, TOTTON, HANTS



JETEX

Sole U.S.A. Distributor:—MESSRS. AMERICAN TELASCO LIMITED, 55 WEST 42nd. STREET, NEW YORK 18, NEW YORK.

WHEN IT DEPENDS ON ...

'POWER'
WEIGHT X SIZE

SPECIFY VENNER
THE LIGHTWEIGHT ACCUMULATOR
... WITH THE WINNING RATIO

Venner Accumulators might have been specially designed for model makers. Whether your forte is aircraft, power boats or racing cars you cannot afford to ignore their outstanding qualities. Approximately *one third the weight and half the size* of other accumulators of similar capacity. Shockproof—unspillable—operate in any position—withstand overloading—can be left charged, semi-charged or discharged without harm.

** Not at present available for domestic radio*



THIS IS
ACTUAL
SIZE

VENNER

For details of all types write for leaflet VA.006 /AM

ACCUMULATORS LTD.



KINGSTON BY-PASS, NEW MALDEN, SURREY MALDEN 2442 (6 lines)

Sole London distributors: DAVID & SOLF, LTD., 176, FLEET ST., E.C.4. Tel.: CENTral 4579

Kindly mention AEROMODELLER when replying to advertisers

The Balsa Wood Co. Ltd.

**IMPORTERS OF TIMBER FOR
MODEL MANUFACTURERS**

AFRICA HOUSE, KINGSWAY, LONDON, W.C.2
TELEPHONE: HOLBORN 7053 TELEGRAMS: 'BALSAWUD' LONDON

FOR THE FINAL PLEASING TOUCHES!

— USE —

KAYLEE

REAL PAINT

TRANSFERS


You can easily give your model aircraft a real professional finish by using Kaylee colourful Transfers — specially designed for model makers . . . easily applied, washable and permanent. Roundels, numerals and many varieties also for decorative and industrial purposes.

Obtainable from model stores,
stationers, paint shops, etc.,
or write for full details to:

KAYLEE TRANSFERS LIMITED


West End Mills, Long Eaton, NOTTINGHAM.

Retailers can obtain supplies through their usual factors.



KAYLEE — THE HARDEST WEARING TRANSFERS IN THE WORLD

Kindly mention AEROMODELLER when replying to advertisers



In this issue

- FSP 418** RE8 by D. R. Hughes. Flying Scale model of the famous World War I Aircraft. Best flight times 209-5 secs. For .5 to 1 c.c. engines. 43" span 4/6 Hopit. A 275 sq. ins. high speed Stunt Control Line model. 35" span for 3-5 to 5 c.c. Designed by E. Higlett ... 3/6
- D 420** Topsy by N. Osbourn. A high wing Wakefield model progressively designed since 1947. Average time 5 mins. Span 44" ins. ... 5/6
- PET 419** Clubman. A streamlined Pylon Power model for contest work, by Gus Gunter. Span 50" Rocket climb with 3-5 c.c. ...


ALL THE WINNERS

are offered to you
by A.P.S.

Build the best
in all classes with
fully detailed
Aeromodeller Plans

Obtainable from your Model Shop or direct from:—

AEROMODELLER PLANS SERVICE *THE AERODROME, BILLINGTON RD.,
STANBRIDGE, Nr. LEIGHTON BUZZARD.*



Make the ROYAL NAVY your career

If you are between the ages of 16-23 you can join as a NAVAL AIRMAN. This branch includes Aircraft Mechanics, Aircraft Handlers, Photographers, Ordnance-men, Meteorological Observers and Safety Equipment Ratings. There are good opportunities for promotion into the even higher-paid branches such as Air Mechanicians, etc. Rates of pay for all branches have now been greatly increased, and there are many extra allowances too. You will enjoy your well-paid job—and the sport and foreign travel—in the Navy's Aircraft Carriers.

WRITE TODAY for full details to:—DIRECTOR
OF NAVAL RECRUITING, Dept. U/36, Admiralty, S.W.1.
(Candidates must reside in the United Kingdom)

Name
Address
..... Age.....

* * * * *

Whether you are looking for an old favourite or the very latest

TRY RAEBURN FIRST!

WE HAVE MOST OF THE WELL ESTABLISHED KITS AND ENGINES IN STOCK

The following are the latest additions

MERCURY JUNIOR MALLARD

Following the success of the Mallard, this Junior brother has all the qualities to ensure further honours when used with the Allbon Dart. PRICE **13/9**

MERCURY MONOCOUE

A super Mercury Kit, of an even higher standard than we have now come to expect from a Mercury product. PRICE **60/6**

K.K. LADYBIRD.


A semi-scale free flight model for the E.D. Bee, etc.

All accessories, R.C. units, etc. in stock.

D.C.350.

The latest British diesel. Finish and performance are a clear indication that in model diesels, Britain still leads the world.

PRICE **£4.7.6**



FROG 250. Another Frog diesel, which is supplied complete with tank. PRICE **75/6**

VERONS WESTLAND WYVERN T.F.2.
A scale C/L model of Britain's only Naval, Turbo-Prop-Jet Strike Fighter, Featuring Combined flap and elevator control. For E.D. Mk. IV, D.C. 350, etc. PRICE **28/8**

VERON PANTHER
Another C/L Model for Yulon 29, Frog 500, E.D. Mk. IV and D.C. 350. All parts ready shaped including Reflex section wings. PRICE **30/6**



VERON'S PHILIBUSTER
The Latest Team Racer. A first kit-class for Frog 500, etc. PRICE **28/8**

Send for full list and particulars of EASY TERMS.

RAEBURN MODEL SERVICE

9, ARCADIA COLNE LANCASHIRE

BALSA WOOD!!!

For kit manufacturers, aeromodellers and retailers. The following are just a few sizes taken from our enormous range.

BALSA SHEET 3' Lengths

$\frac{1}{16}" \times 3"$...	9d. each
$\frac{1}{8}" \times 3"$...	9d. each
$\frac{1}{4}" \times 3"$...	10½d. each
$\frac{1}{2}" \times 3"$...	1/- each
$\frac{3}{4}" \times 3"$...	1/2 each
$1" \times 3"$...	1/3 each
$1\frac{1}{4}" \times 3"$...	5d. each
$1\frac{1}{2}" \times 3"$...	6d. each
$1\frac{3}{4}" \times 3"$...	6d. each
$1\frac{7}{8}" \times 3"$...	8d. each
$2" \times 3"$...	9d. each
$2\frac{1}{4}" \times 3"$...	10d. each

BALSA BLOCK

$1" \times 1" \times 12"$...	7d. each
$1" \times 1\frac{1}{2}" \times 18"$...	1/1 each
$1" \times 2" \times 18"$...	1/2 each
$1\frac{1}{2}" \times 2" \times 18"$...	1/11 each
$1\frac{1}{4}" \times 3" \times 18"$...	2/6 each
$2" \times 2" \times 18"$...	2/3 each
$2" \times 3" \times 18"$...	3/6 each

BALSA STRIP 3' Lengths

$\frac{1}{16}"$ sq. ...	1/- doz.
$\frac{1}{8}" \times \frac{1}{8}"$...	1/- doz.
$\frac{1}{8}" \times \frac{3}{8}"$...	1/3 doz.
$\frac{1}{8}" \times \frac{1}{4}"$...	1/6 doz.
$\frac{1}{8}" \times \frac{3}{8}"$...	2/- doz.
$\frac{1}{8}"$ sq. ...	1/- doz.
$\frac{1}{8}" \times \frac{3}{8}"$...	2/- doz.
$\frac{1}{8}" \times \frac{1}{4}"$...	2/- doz.
$\frac{1}{8}" \times \frac{3}{8}"$...	2/6 doz.
$\frac{1}{8}" \times \frac{1}{2}"$...	3/- doz.
$\frac{3}{16}"$ sq. ...	2/- doz.
$\frac{3}{16}" \times \frac{1}{4}"$...	2/6 doz.
$\frac{3}{16}" \times \frac{3}{8}"$...	2/6 doz.
$\frac{3}{16}" \times \frac{1}{2}"$...	3/- doz.
$\frac{1}{4}"$ sq. ...	2/6 doz.
$\frac{1}{4}" \times \frac{1}{4}"$...	3/6 doz.
$\frac{1}{4}" \times \frac{1}{2}"$...	6/- doz.
$\frac{1}{2}"$ sq. ...	6/- doz.

DISTRIBUTORS FOR ALL E.D. PRODUCTS.

O'MY DOPES AND CEMENTS SUPPLIED FROM STOCK


Postage and Packing on Orders 3/- to 5/- add 10d; 5/- to 10/- add 1/4; 10/- to 20/- add 1/6; over £1 post free

TRADE SUPPLIED—ENQUIRIES INVITED

E. LAW & SON (TIMBER) LTD.,
272-274, HIGH STREET, SUTTON, SURREY.
Telephone: VIGILANT 8291 (2 lines)

D.C. 350

3.5 c.c. DIESEL



THE
**LATEST AND GREATEST
BRITISH DIESEL**
Price **£4.7.6** from your local dealer

Davies - Charlton & Co.
RAINHALL ROAD, BARNOLDSWICK, Via COLNE, LANCs.
Telephone No.: BARNOLDSWICK 3310

Kindly mention AEROMODELLER when replying to advertisers

WORLD WIDE MAIL ORDER Service

Wherever you live, if you are not served by a Model Shop in your district, order with confidence from my Mail Order Dept. RETURN POSTAGE GUARANTEED.

PURCHASE TAX, where applicable is shown. Items starred are free of P.T. while stock lasts. Overseas customers' orders are NOT subject to P.T.

GLIDERS

Maggie 24" ...	*3/9
Vanda 40" ...	*9/6
Diana 36" ...	*8/9
Norseman 58" ...	*17/6
Polaris ...	*2/6

RUBBER DURATION

Club Moth ...	*3/6
ATO 22" ...	*5/6
ATO 28" ...	*7/6
K.K. Playboy ...	*3/3
K.K. Ajax ...	*6/-
K.K. Senator ...	*5/6
K.K. Contestor ...	*23/6

ENGINES

Mills 75 ...	50/-+P.T. 10/9
E.D. Bee ...	38/-+P.T. 9/6
Javelin ...	55/-+P.T. 13/3
Elfin 1-49 ...	45/-+P.T. 14/6
Amco G.P. 3-5 c.c. ...	*97/6

JETEX UNITS

Jetex 50 ...	9/6+P.T. 2/1
Jetex 100 ...	19/6+P.T. 4/3
Jetex 200 ...	27/6+P.T. 6/1

KITS FOR JETEX POWER

Vampire for 50 ...	*5/-
Flying Wing for 50 ...	*5/-

Flying Saucer for 50 ... 3/1

Hot Dog ... 3/8

CONTROL LINE KITS

K.K. Scout T.R. ...	*22/6
FROG Radius ...	*12/6
Midge ...	*5/6

FREE FLIGHT POWER

FROG Fox ...	*19/6
FROG Firefly ...	*22/6
FROG Powavan ...	*26/3
FROG Janus ...	*17/6
Mallard ...	*17/6

FLYING SCALE RUBBER POWERED

Skyrova Various ...	*1/6
Aeromodels Proctor 39" ...	*17/6
Aeromodels Auster 36" ...	*15/3
Aeromodels S.E.5a ...	*5/6
Aeromodels Hawker Fury ...	*5/6

FLYING SCALE POWER KITS

Proctor 42 1/2" ...	*35/-
Autocrat 40" ...	*35/-
Tiger Moth 48" ...	*35/-
Monocoupe 64", inc. P.T. ...	60/6

Send for FREE LIST.

All Orders over 20/- Post Free.

ARTHUR MULLETT
16 MEETING HOUSE LANE
BRIGHTON - SUSSEX - ENG.

Your Competition Winner!



1950 ELFIN

IMPROVED IN DESIGN
PERFORMANCE AND FINISH

Descriptive leaflets available from your retailer

2.49 c.c.

70/-


Inc. P. tax



1.49 c.c.

59/6

Inc. P. tax



Latest Successes!

MODEL PLANES

British Nationals

GOLD TROPHY

3rd. W. H. B. Taylor, West Essex.

4th. R. Cook, Rotherham.

SHELLEY CUP

1st. J. A. Gorham, Ipswich.

3rd. C. J. Davey, Blackpool.

Class I. Speed.

R. Scott, 79.86 m.p.h.

ROYAL DUTCH AIRLINES

TROPHY

1st. R. Dalglish.

MODEL CARS

Mr. F. G. Buck, Stoke-on-Trent.

WORLD DIESEL RECORD.

BRITISH OPEN.

1/4 Mile ... 72 m.p.h.

BRITISH OPEN.

1/4 Mile ... 70 m.p.h.

1 Mile ... 66 m.p.h.

INTERNATIONAL AT DERBY.

1st. at 62 m.p.h.

SWEDISH CHAMPIONSHIP

FINALS.

1st. at 63 m.p.h.

Made by:


AEROL ENGINEERING, LIVERPOOL 3

Trade Distributors:

E. KEIL & COMPANY, LIMITED, LONDON, E.2, and

MERCURY MODEL AIRCRAFT SUPPLIES, LIMITED, LONDON, N.7.

Always insist on
Sellotape



Don't be caught without your roll of Sellotape! For on-the-spot repairs in field and workshop, for holding parts while gluing, for labelling tins, binding tool-handles, and a thousand other useful jobs, Sellotape is your greatest ally. It sticks at a touch, is strong and neat and weighs next to nothing. Get some today—and SEE THAT IT IS SELLOTAPE.



THE POPULAR
1/-
INC. TAX
DISPENSER

HANDYMAN NUMBER ONE
Stocked by all good Stationers.



THE COLLEGE OF AERONAUTICAL AND AUTOMOBILE ENGINEERING

(The Chelsea College)

Complete practical and technical training for entry to Civil and Commercial Aviation or the Automobile Industry.

Entry from School-leaving age.

Syllabus from Careers Adviser

SYDNEY STREET, CHELSEA, S.W.3.

Telephone: Flaxman 0021



We have pleasure in announcing the new prices for our range of Diesel and Glo-Plug Fuels.

Baron "Nitro-Superglo"	3s. 0d.
Baron "Superglo"	1s. 9d.
Baron "Red Label" Diesel Fuel	1s. 9d.
Baron "Blue Label" Diesel Fuel	1s. 9d.
Baron "Ether 579"	2s. 3d.

BARRON INDUSTRIES (Chesterfield) LTD.
Wheatbridge Road, Chesterfield,
ENGLAND.

NORTH **GREGORY'S** EAST
SOUTH **SERVICE IS THE BEST** WEST

TAX FREE!

TO CUSTOMERS RESIDENT OUTSIDE THE UNITED KINGDOM
We can supply your aeromodelling needs free of purchase tax. Your order will be classified as an "Export" and receive "Priority". H.M. Forces please note that "c/o G.P.O. London" is not recognised as an overseas address.

TO CUSTOMERS RESIDENT WITHIN THE UNITED KINGDOM
We have no idea what goods we shall have left at pre-tax prices by the time this advert. appears, so if you wish to save money write to us first (S.A.E. please). The cost? A little time and 5d. in stamps, but it may be well worth it.

TAKE YOUR PICK FROM THESE SELECTED ITEMS


ENGINES	P.T.
E.T.A. "19"	99/6+24/11
E.T.A. "29" Ser. III	119/6+29/11
Allbon Dart	52/6+12/8
Allbon Arrow	55/0+13/3
Allbon Javelin	55/0+13/3
Elfin 1-49 c.c.	47/6+11/10½
Elfin 2-49 c.c.	56/0+14/0
E.D. Bee 1 c.c.	38/0+ 9/6
E.D. Mk. II 2 c.c.	44/0+11/0
E.D. Comp. Spec. 2 c.c.	46/0+11/6
E.D. Mk. IV 3-46 c.c.	58/0+14/6
Mills -75 less C/O	50/0+10/9
Mills -75 with C/O	55/0+11/9
Mills 1-3 c.c.	75/0+16/1
Mills 2-4 c.c.	84/0+18/0
D.C. 350	70/0+17/6
CONTROL LINE KITS	
Mercury Midge (A)	* 4/6+ 1/0
Mercury Monitor (C)	* 17/3+ 3/10
Mercury Team Racer (C)	* 15/9+ 3/6
Mercury Musketeer (C)	* 18/0+ 4/0
K.K. Stunt Queen (C)	21/0+ 4/8
Veron Sea Fury (B)	22/6+ 5/0
Veron Midget Mustang (BC)	21/0+ 4/8
Veron Wyvern (C)	* 23/6+5/2

CONTROL LINE KITS (cont.)	P.T.
Veron Philibuster (C)	23/6+5/2
Veron Spitfire (B)	27/6+6/1
Veron Panther (C)	25/0+5/6

GLIDER KITS	
Mercury Magpie 24"	* 3/9+ 10
Mercury Gili Chopper*48"	10/6+2/4
Mercury Norseman "A2"	17/6+3/11
Veron Verosonic 46"	* 9/6+2/1
K.K. Chief "A2"	* 18/6+4/1
K.K. Invader 40"	* 6/6+3/5
K.K. Soarer Baby 36"	* 5/0+1/1
Veron Coronette 26"	* 3/3+ 8

JETEX UNITS AND KITS	
50 Unit	* 9/6+1/9
100 Unit	* 19/6+3/7
200 Unit	* 27/6+4/10
350 Unit	* 37/6+5/11
Jeticopter 50	* 5/0+1/1
Jeticopter 100	* 7/6+1/8
Meteor 50	* 7/6+1/8
Extra 50 Unit	6/6+1/6
Extra 100 Unit	14/6+3/3
Veron Fouga-Cyclone	* 4/6+1/0
Veron Sea Hawk	* 5/6+1/2
Vampire 50	* 5/0+1/1
Vampire 100	* 7/6+1/8

(A)—75-1-5 c.c. (B)—2-2-5 c.c. (C)—3-5-5 c.c. * Add 6d. Postage.
P. E. GREGORY & SON (ALTON) LTD., ALTON, HANTS.
AN UNEQUALLED RETURN POST SERVICE



IF you want to join the number who are flying Model "Planes" we'll extend a hand to help you fly without financial pains

Write for details of our system of Weekly Payments (not too high). We can wait while you get cracking. Blaze your trail across the sky!

Above Advert. by MR. REG. HAMMOND,
5, Oxford Rd., Dukinfield, Cheshire.
Awarded an Elfin 1-8 c.c.

Ask any Stadium Customer why he deals with us—we'd rather you took his opinion. We do not rely on self-advertisement, we prefer to leave it to recommendations from satisfied Aeromods. Join the other Stadium customers and take advantage of the simple H.P. System which we originated. After completion of FIRST contract, goods may then be obtained without deposit. We give an engine away each month for Ad. Layouts (4-page, we do the rest).

THE MODEL STADIUM HIRE PURCHASE SPECIALISTS

No Deposit Terms for established customers. Low Deposits 1st purchase. Weekly payments for Engine Units, Kits. S.A.E. for enquiries please.

5, Village Way East, Rayners Lane, HARROW - - - MIDDLESEX.
2 mins. Rayners L. Stn. Pinner 6459.
Engines run for Personal Callers



The World Famous American Magazine

"Model Airplane News" is known as the Bible of the Industry. Serving aviation for over 21 years it brings you each month the latest developments on:

MODEL PLANE CONSTRUCTION
RADIO CONTROL
CONTEST WINNERS
MODELLING "KNOW-HOW"
FULL SCALE AVIATION REPORTS
— and other interesting features.

For your convenience we have arranged for you to send your subscription to our local agents.

ENGLAND
(Rate per year 25/-)

Willen Ltd.
Dept. 17, 101 Fleet Street.
London, E.C.4

AUSTRALIA
(Rate per year £1.11.6)
Gordon & Gotch
(Australasia) Ltd.
P.O. Box 767 G.
Melbourne, C.1

Kindly mention AEROMODELLER when replying to advertisers

who builds— your models?

Why, of course, YOU do yourself—anything else is unthinkable isn't it? Then why not build your OWN radio control outfit? In the FLIGHT CONTROL kit everything is arranged for the green-horn; even a child can follow the completely comprehensive non-technical plans and :: instructions ::

Follow the leading men of 1950, and win the 1951 contests with FLIGHT CONTROL equipment. Send large S.A.E. for FREE leaflets and price lists. Transmitter and Receiver kits 43/7 each with plans and instructions.

WE CAN SUPPLY ALL YOUR R.C. WANTS
RELAYS: Siemens Hi-Speed 73, 15/- with leaflet.
0.5 milliamp meters, 7/6 each.

E.D. Actuators, quick delivery, 18/6. E.C.C. Type 3, 17/6.
HIVAC XFGI valves, including tax, 21/4.

MULLARD DCC90 (3A5) valves, including tax 30/5.

ALL MODEL ACCESSORIES IN STOCK

Call, Write, or 'Phone ILF. 2066

Flight Control

783, ROMFORD ROAD, LONDON, E.12

HIVAC

THE SCIENTIFIC
VALVE

BRITISH MADE

XFGI—The Valve for Radio Control Receivers


A gas filled
Triode valve in a flat sub-miniature bulb, especially designed for use in model radio control circuits.

Filament Voltage ----- 1.5V.
Filament Current ----- 50mA.
Anode Voltage ----- 45V.
Normal Anode Current - 1.5mA.
Weight ----- 4 grams


Price 17/6 Each.

Purchase Tax 3/10.

HIVAC LTD
GREENHILL CRESCENT
HARROW ON-THE-HILL, MIDDY.
Telephone: HARrow 2655



'Solarbo' is Quality Branded
Look for the 'STAMP'



SUPPLIED TO MANUFACTURERS AND WHOLESALE ONLY

The I.C.S. can Help YOU in Your Career

MILLIONS OF YOUNG MEN have enrolled for I.C.S. Courses of Instruction since 1891, when the I.C.S. created specialized technical training by the postal method. And by means of that training a large percentage of them have greatly strengthened their position in life.

The I.C.S. can do the same for you, provided you have the ambition and determination to succeed.

It will cost you only a postage stamp to obtain full information (and free advice) about the particular I.C.S. Course that is suitable for you. The attached coupon makes application easy.

(I.C.S. EXAM. STUDENTS ARE COACHED TILL SUCCESSFUL.)

The successful man DOES to-day what the failure INTENDS doing tomorrow

Write to us TO-DAY

Our Instruction covers a very wide range of subjects, including the following:

Accountancy	Journalism
Advertising	Maintenance Eng.
Air Conditioning	Marine Eng.
Arable Farming	Mech. Eng.
Architecture	Motor Eng.
Book-keeping	Plumbing
Building	Production Eng.
Business Trng.	Radio Eng.
Business Manag't	Radio Service
Chemical Eng.	Refrigeration
Civil Eng.	Salesmanship
Coal Mining	Sales Manag't
Commercial Art	Sanitary Eng.
Diesel Eng.	Short Storywrtg.
Draughtsmanship	Structural Eng.
Electrical Eng.	Surveying
Eng. Shop Prast.	Telegraph Eng.
Horticulture	Works Eng.
Illumination Eng.	Works Manag't

And specially designed Courses for Technical, Professional, Commercial, Civil Service and Educational Exams.

CUT HERE

**INTERNATIONAL
CORRESPONDENCE SCHOOLS**
Dept. 123B, International Buildings,
Kingsway, LONDON, W.C.2.

Please send free booklet on your course in.....

Name..... Age.....
(BLOCK LETTERS PLEASE)

Address.....





joy-plane

FLAMBOYANT FINISH

The new finish for Model Planes—Joy Flamboyant. A cellulose coating for use in place of coloured Model Dopes—imparts a Metallic sheen in colour, and adds great strength to tissue, can be clear Fuel Proofed when dry. Made in: Red, Blue, Light Green, Mid Green, Yellow, Orange, Grey, Brown, Mauve, Lilac, Silver, Gunmetal. Sizes 1/6, 2/6, and 4/6.

Turnbridge Mfg. & Supply Co. Ltd.
52a-62a Longley Rd., London, S.W.17

Made by modellers for modellers!

Balsa Wood Cement.
Display boxes of 3 doz. tubes 5d. and 9d.
Extra large tube 1/3.
3 types of Nozzle.
Short, Long & Screw Cap.

Cellulose Wing Dopes. 2½ oz. tin 1/-,
5 oz. tin 1/9, ½ pint 3/6.
Extra strong for petrol models, ½ pint 5/-.

Cellulose Banana Oil. No. 1 Thick. No. 2 Thin. 2½ oz. tin 1/-,
5 oz. 1/9, ½ pint 3/6.

Plastic Wood for Balsa. ½ lb. tins 1/9, tubes 10d.

Model Dopes (cellulose). 2½ oz. tin 1/3,
5 oz. tin 2/3, ½ pint 4/-.

All popular colours.

Tissue Paste. Jars or tubes 7d.

Silver Dope. 2½ oz. tin 1/6, 5 oz. tin 2/9, ½ pint 4/6.

Grain Filler. (White and Grey). 2½ oz. tin 1/3, ½ pint 4/-.

Rubber Lubricant 9d

Waterproof finish (Goldbeater Skin Effect) 9d.

Fuel Proof Finish 2½ oz. tin 1/3, 5 oz. tin 2/3, ½ pint 4/-.

Clear and in colours Red, Blue, Golden Yellow, Cream, Orange and Black.

By Rocket to the Moon Not yet—but Aeromodeller Subscription brings your copy anywhere on Earth

Five of our AGENTS

U.S.A.

Gull Model Aeroplane Co.,
10, East Overlea Ave.,
Baltimore 6, Maryland.

CANADA

Model Craft Hobbies Ltd.,
66, Wellington St., West,
Toronto 1.

NEW ZEALAND

Betta Model Aeroplane
Supply Co.,
182/186, Devon St. East
New Plymouth.

Modelair Ltd.,
322-4, Broadway.
Newmarket, Auckland.

AUSTRALIA

George Mason,
4, Princes Walk,
Melbourne, C.I. Victoria.

Rate—21/- Sterling or equivalent.


BRITFIX BALSA CEMENT

PRICE INCREASE

with effect from
12th FEB 1951

SIZE	PRESENT PRICE	NEW PRICE
½ oz. Tube	4½d.	6d.
1 oz. Tube	7d.	9d.
2½ oz. Tube	1/-	1/3

Owing to the increase in the cost of raw materials, and in order to maintain the present standard of quality, it has become imperative to increase the prices of Britfix Balsa Cement as listed above. HOC LTD., HULL.




THE FLUXITE QUINS AT WORK

"Tommy rot! Flying
Saucers!" cried EE.
"Hallucinations strikes
me!"
"You mean?" chuckled
OH.
"Flying saucers, I
know
but FLUXITE 'll mend 'em,
you'll see!"

See that FLUXITE is always by you—in the house—garage—workshop—wherever speedy soldering is needed. Used for over 40 years in Government works and by leading Engineers and manufacturers. OF ALL IRONMONGERS IN TINS 1/- upwards

TO CYCLISTS! Your wheels will not keep round and true unless the spokes are tied with fine wire at the crossing AND SOLDERED. This makes a much stronger wheel. It's simple—with FLUXITE—but IMPORTANT!



ALL MECHANICS WILL HAVE

FLUXITE

IT SIMPLIFIES ALL SOLDERING


Write for book on the art of "SOFT" SOLDERING and for leaflet on CASE HARDENING STEEL and TEMPERING TOOLS with FLUXITE. Price 1d. each
FLUXITE LTD. (Dept. M.A.), Bermondsey St., S.E.1

THE
"FLUXITE
GUN" puts
FLUXITE
where you
want it by a
simple
pressure.

Price 2/6 or
filled 3/6


Kindly mention AEROMODELLER when replying to advertisers

From
this—



Build
this—

QUICK STARTING
THOROUGH RELIABILITY
TERRIFIC POWER
SCIENTIFIC DESIGN
Complete with instructions and
assembly drawings



THE MECHANAIR BRITAIN'S FINEST 5.9 cc. ENGINE

ABSOLUTELY NEW !! YOU MUST READ THIS (For model planes, boats, cars)
THE WELL-KNOWN "MECHANAIR" AERO ENGINE IS NOW
OBTAINABLE IN KIT FORM, FOR THE SUM OF £2.2.0 Post Free.

This precision-made power unit
HAS THE FOLLOWING SPECIFICATION:—

CAPACITY ... 5.9 c.c. $\frac{1}{2}$ B.H.P.

WEIGHT ... 8 $\frac{1}{2}$ ozs. Petrol driven.

Ready for assembly with the exception of the piston, which is a tight fit for lapping to the cylinder.

£2.2.0.

with Glow Plug Head and
Adapter 5/6 extra.

MECHANAIR LTD.,
WARWICK ROAD,
BIRMINGHAM, 27.

CLASSIFIED ADVERTISEMENTS

PRESS DATE for April issue February 25th, 1951

ADVERTISEMENTS RATES

Private Minimum 18 words 6s., and 4d. per word for each subsequent word.
Trade Minimum 18 words 12s., and 8d. per word for each subsequent word.

Box numbers are permissible—to count as 6 words when costing the advertisement.

COPY and Box No. replies should be sent to the Classified Advertisement Department, The "Aeromodeller," The Aerodrome, Billington Road, Stanbridge, Beds.

FOR SALE.

Selling up—Mills II, Frog 100, AEROMODELLERS, Harborough Books, Plans, Kits, Sundries. Write for lists. Box No. 317.

E.D. Bee, bench run only. Spares and two props. Offers or exchange American modelling magazines. Barton, 13, Delaval Gardens, Newcastle-on-Tyne.

McCoy 60 Redhead, #12; McCoy 55, brand new, £10, 10s. 0d.; ETA 29 G.P., #4; Yulon 29 G.P., #3; E.D. Mk III, #2; Elfin 1.8 c.c., #2; Allbon Arrow, #2. All guaranteed. Box No. 318.

Aeronautical books assorted, £1 worth, 10/-; 10/- worth, 5/- All good condition. Box No. 319.

Volumes I to VI, "Aircraft of the Fighting Powers," unmarked, £5 or nearest reasonable offer. Fuller, 103, Broomwood Road, London, S.W.11.

Vols. I, II, III, IV "Aircraft of Fighting Powers." Excellent condition, all plans complete. 12/6 per volume. Seward, 228, London Road, Reading.

New Mechanair Red Head 5.9 c.c. Petrol, with electrics. Bargain £3.10s. 0d., or offers. Mill, 77, Arundale Road, Bromley, Kent.

For disposal: cowlings, plugs, coils, races, castings, semi-machined spares and drawing for four 18 c.c. Comet engines. Also unused Good Bros. Beacon receiver, transmitter, less valves. Any reasonable offer considered. Box No. 321.

Frog 100 15/-; Frog 180 £1 0s. 0d. Reeves 1.8 diesel £1 0s. 0d. Dekko rev-counter 5/-; All in good condition, or the lot for £2 15s. 0d. L. Blair, 1, Curzon Street, Rushill, Glasgow.

WANTED.

Model Ram-Jet in working order, preferably with instructions. Please send details. Donegani, 574, Staines Road, Bedford, Middlesex.

EXCHANGE.

American, gauge 0, electric train set. Good condition, exchange for Frog 500 or good 5 c.c. engine. Box No. 320.

"Owat" 5 c.c. and Frog 100, both in good condition, for ready-made Falcon 96 in. span or Vulcan, or state price wanted. D. Davies, 112, Beaulieu Road, Southville, Bristol 3.

TRADE.

North-East Engine Depot, Victoria Street, Goole. Engine part exchange. We hold the largest stock in the trade.

Earn cash spare time. Making Scale Model Bungalows at home. Top rates paid. Send stamped addressed envelope for free details. Bennett Models, 10, Duncan Road, Richmond, Surrey.

American Magazines, one year's supply post free. "Model, Airplane News," 25/-; "Popular Mechanics," 32/-; "Flying," 28/9. For full list send stamp to Willen Ltd. (Dept. 1), 101, Fleet Street, London, E.C.4.

New machinery from stock. Half-inch Motorised Drilling Machines, £18. 10s. Wood Planing Machines from £8. 10s. Sanding Machines from £7. Forge Blowers, Paint Spray Plants, Electric Motors, Grinders, etc. Deferred terms available. Catalogue from manufacturers: John A. M. Steel, Dept. 74, Bingley, Yorks.

Free! Free! Send your name and address to the Editor, The Flypaper, South Africa's aeromodelling magazine and a sample copy will be posted to you. Address: 17, Schultz Road, East London, S. Africa.

Matchbox Radio. Our clear drawings and instructions explain how you can build a complete radio set in a matchbox, using parts purchased from your radio dealer. Uses the Crystal Valve Radar Detector—a wartime discovery. Tunes B.B.C. programmes. Drawings and instructions 3/- post free. Swift Radio (A), 137, Cotham Brow, Bristol 6. Mail Order Only.

"CALEY" Super Diesel Fuel, $\frac{1}{2}$ pint. 2/6, post 6d. (First in 1946, still best.)
"CALEY EASIFLO" Dopes, no brush marks, one coat covers, 2 oz. 1/-, cols. 1/3, $\frac{1}{2}$ pt. 4/- & 4/6, post extra
"CLYDE" Yacht and Cruiser kits, finished metal hull, etc. List 3 penny stamps.
Largest stock in Scotland of all makes of Diesel and Petrol engines.
E.D. radio control units £7 19 6 Plans, books castings, kits for aircraft, ships, race cars, etc.
Everything for the model enthusiast.
Parts made to order
ENGINE REPAIRS OTHERS CAN'T TACKLE.

CALEDONIA MODEL CO.
5 PITT STREET GLASGOW C 2
Model and Precision Engineers

RAGG
RE-BLADE
KNIFE

**Ideal for Modelling
etc., and quite safe when not in use**

**4/6 COMPLETE WITH THREE BLADES
OF DIFFERENT SHAPES**

Spare blades 7d. each.

Order from your usual suppliers and not the sole makers—

John & Wm. Ragg, Ltd. NURSERY WORKS,
ELDON ST., SHEFFIELD

● FULL STOCKS ●

OF ALL LEADING MAKES OF KITS
AND MATERIALS, ENGINES, DOPES,
FUELS, BALSA, PLYWOOD, ETC. ETC.

— ALSO —
FULL RANGE OF SMALL TOOLS FOR
MODELMAKERS, INCLUDING LATHES,
POWER AND TREADLE FRESAWS
For a full Comprehensive service, write or call at

PRECISION MODEL ENGINEERING CO.

61, PARADISE STREET,

Open Saturdays

LIVERPOOL.

Phone ROYal 1174



FOR THE LATEST IN AMERICAN MODELS

See FLYING MODELS, the only American magazine devoted exclusively to model aviation! Every issue includes how-to-build data on all types of new model aircraft . . . full-size plans . . . worthwhile hints . . . photographs galore . . . and features for sport aplenty!

For beginners as well as experts. Published every other month. Annual (6-issue) subscription: 12/6 Mail your order and remittance today to: Atlas Publishing & Distributing Company, Ltd., Dept. A, 18 Bride Lane, Fleet St., London E. C. 4.

HIRE PURCHASE WITH NO FUSS AND NO BOTHER

Here are a few examples taken at random from our comprehensive stocks:

	Cash or C.O.D.	Deposit.	20 weekly payments.
'Ivy' R/C Receiver	87/6	15/6	3/10
Frog '250' Diesel	76/-	15/-	3/4
Elfin 1-49 c.c. Diesel	59/6	12/-	2/7
Elfin 2-49 c.c. Diesel	70/-	14/6	3/-
E.D. Bee 1 c.c. Diesel	47/6	9/-	2/1
E.D. Mk. IV. 3-46 c.c. Diesel	72/6	15/-	3/2
Mills '75 c.c. less C/O	60/9	12/6	2/8
Mills '75 c.c. with C/O	66/9	13/6	2/11
E.D. Mk. III. R/C Unit	159/6	40/-	6/3
E.D. Radio Queen Kit	78/6	18/6	3/3
Frog 500 G/P	77/6	15/-	3/5

Don't delay — make your choice and send off now for our H.P. form.

GREAT WEST SPORTS & MODEL SUPPLIES
474, GREAT WEST ROAD, HOUNSLOW, MIDD.X.
TEL: HOUNslow 6225

KITS WITHOUT TAX

While Stocks Last

GLIDERS

CORONETTE	26"	3/
MAGPIE	24"	3/9
COMET	24"	3/6
VANDA	40"	9/6
CADET	30"	4/-
CUB	20"	2/6

DURATION

ACHILLES	24"	4/-
AJAX	30"	6/-
ACE	30"	5/-
EAGLET	30"	4/6
SPRITE	24"	4/6
VENUS	38"	15/-

Plenty of **POWER MODEL KITS** in stock at the old price.
Send S.A.E. for List.

JONES BROS of CHISWICK


(½-min. from Turnham Green Station).

56, Turnham Green Terrace, W.4
Phone CH1 0858 Est. 1911.

FOR TROUBLE FREE POWER

INVEST IN OUR LIGHT-WEIGHT DIESEL

SEE ENGINE ANALYSIS PAGE 162



Ask your Local Model Shop
or send direct to us for Particulars
of our **1-8 c.c. Model H18,62/6**
including P.T. All units guaranteed. Trade Enquiries Invited.

REEVES MODEL POWER UNITS
VICTORIA ROAD, SHIFNAL, SALOP

TRUCUT AIRSCREWS

Precision-Machine-Carved & Finished. True Pitch & Balance.
Each Identical. Highest Efficiency—Lowest Prices:

7 & 8"	9 & 10"	11"	12"	13" Dia
1/10	1/11	2/1½	2/4	2/9
4-12"	4-12"	4-12"	4-12"	4-8"
				6" PITCH

Conditions of Sale

This periodical is sold subject to the following conditions:—
That it shall not, without the written consent of the publishers, be lent, resold, hired-out, or otherwise disposed of by way of Trade except at the full retail price of 1/6 and that it shall not be lent, resold, hired-out, or otherwise disposed of in mutilated condition or in any unauthorised cover by way of Trade; or affixed to or as part of any publication or advertisement, literary or pictorial matter whatsoever.

All advertisement enquiries to

THE AERODROME, BILLINGTON ROAD, STANBRIDGE
Nr. LEIGHTON BUZZARD BEDFORDSHIRE

Telephone: EATON BRAY 246

"BOUNTY" SHIP KITS

Galleons

Revenge	23/6	Marie Celeste (Mystery Ship)	17/6
Golden Hind	23/6	Royal Sovereign	23/6
Mayflower	23/6	Bounty H.M.S.	15/-

All approx. 13 ins. long. Postage 9d.

Contents:—All hulls and superstructure cut to outline and profile shape. Deck sides cut out and ready for assembly. Anchors and accessories, etc. O'my Dopes and Cements. Rigging Cord, Sandpaper, Masts, Spars, etc. Full sized and detailed plans and instruction booklet.

Skycraft Models. 1/72nd. Solids. Dove 4/-, Hermes 10/6, Lancaster 10/6, Meteor 4/-, T. Moth 1/9. Postage 6d.


Also now available 24 in. **Bounty Galleons**:—Golden Hind 32/6, La Bona Esperanza 32/6, Santa Maria 32/6. Contents similar to above. Postage 1/-
TRADE SUPPLIED.

Illustrated Catalogue of working ships drawings. Sail and diesel driven. 1/4½ post free.

East Anglian Model Supplies
37, UPPER ORWELL STREET, IPSWICH

Made and printed in Great Britain by Alabaster, Passmore & Sons, Ltd., London and Maidstone, for the Proprietors and Publishers, The Model Aeronautical Press, Ltd., Allen House, Newark Street, Leicester. Trade Distributors: Horace Marshall & Son, Ltd., Temple House, Tallis Street, London, E.C.4—C1001 Registered at the G.P.O. for transmission by Canadian Magazine Post.

NEW • SPARKLING • DIFFERENT • BRIGHT



TRADERS!

No model shop should be without a stock of **Model Makers**—your customers want them, why not place a substantial order now—they will sell, and buyers will want more and more of the model goods you have to offer them. If in any difficulty getting supplies please write direct to Circulation Manager, address as below.

COUPON FOR YOUR COPY

Spare copies are soon snapped up—so if you do not see one on your bookshop counter, send 2/- p.o. to publishers, address below, for current copy; we are reserving a stock for postal sales each month.

Name.....

Address.....

AM/3/MM

● WHAT THEY SAY

"... congratulate you on the new presentation of your magazine; it is really a splendid effort and a good two-bob's worth so long may it reign." (D. W. B., Leeds.)

"I think the Model Maker is a good 2/- worth ... best pictures I have seen." (E. E., Beds.)

"... compliment you on the new publication both with regard to the diversity of the subject material and the most excellent quality of the photographs." (J. C., St. Albans.)

"I like your copy very much indeed and think it is what most of us model engineers need as it covers a very wide field." (S. S., New Cross.)

"I think the journal has a big future. You have attained well the 'budget' effect so lacking in most periodicals of the present time." (H. R., Cheshire.)

"I like it tremendously and sincerely believe you have a journal which is going to put its contemporaries right in the background." (B. R., Surrey.)

"... the new publication looks very promising ..." (V. G., Belmont.)

"Congratulations on the Model Maker ... and very well produced." (P. N., Aden.)

"... just what we have been waiting for ... I am sure you will be well supported ..." (D. L., Kelso.)

Original letters containing these appreciations, together with scores like them, can be seen at our Editorial Offices.

● WHAT YOU GET

Model Maker aims each month to give the widest coverage to all forms of modelmaking and home workshop activity except aeromodelling already covered by companion journal "Aeromodeller." In its 68 fact-packed pages each month it includes articles on model cars, building and running, tracks, club meetings, solids, engines; on model railways, with particular attention to OO and other scenic gauges, for beginner and expert; model yachts and model yacht racing, with how-to-rail, accessories, classes, meetings, regattas; model boats and ships including scale and freelance designs, hydroplanes, and all forms of power; model buildings, architectural models in all aspects; home workshop tips and accessories, use of the small lathe, handling of tools, new items on the market; photographic section, including photo-tips and gadgets, unusual models—each month some out-of-the-ordinary model activity is featured—such as model trams, plaster-cast modelling, model inn signs, model water-mills—these have already been covered or are "coming shortly".

Written by modelmakers for modelmakers in a bright enjoyable style—we like producing it, you will like reading it—these are our hobbies and yours!

MODEL MAKER THE AERODROME, BILLINGTON ROAD
STANBRIDGE, NR. LEIGHTON BUZZARD